Exhibit A



EXHIBIT A

Project Information for PLN220148

Application Name: Neese Marty T & Kimberly A Ventre Trs

Location: 2 Arrowmaker Trace, Carmel

Applicable Plan: Greater Monterey Peninsula Primary APN: 239-051-008-000

Advisory Committee: None Coastal Zone: No

Permit Type: Administrative Permit Final Action Deadline (884): 10/10/2022

Environmental Status: Addendum

Zoning: RC/40-D-S(see note)

Land Use Designation: Resource Conservation

Project Site Data:

Lot Size: 296208 Coverage Allowed: 74,052 sq ft
Coverage Proposed: 5,435 sq ft

Existing Structures (sf): 0

Height Allowed: 30 Feet

Proposed Structures (sf): 5435

Total Sq. Ft.: 5435

Height Proposed: 17 Feet 11 Inches

FAR Allowed: 74,052 sq ft

Special Setbacks on Parcel: Y FAR Proposed:

Resource Zones and Reports:

Seismic Hazard Zone: VI|UNDETERMINED Soils Report #:

Erosion Hazard Zone: High Biological Report #: LIB220187

Fire Hazard Zone: High Forest Management Rpt. #: LIB220186

Flood Hazard Zone: X (unshaded) Geologic Report #: LIB220188

Archaeological Sensitivity: high Archaeological Report #:

Visual Sensitivity: Sensitive Traffic Report #:

Historic Report #:

Other Information:

Water Source: SLP CSD Grading (cubic yds.): 1500

Water Purveyor: Public Sewage Disposal (method): SLP CSD

Fire District: Monterey County Regional FPD Sewer District Name: NA

Tree Removal: 2/Valley Oak 9/Coast Live Oak

Date Printed: 9/2/2022

