

ROADWAY:

	SHEET No.	<u>TITLE</u>
T-1 1 TITLE SHEET		TITLE SHEET
X-1	X-1 2 TYPICAL CROSS SECTIONS	
L-1 3 LAYOUT		LAYOUT
PS-1	PS-1 4 PROFILE & SUPERELEVATION	
PD-1	5	PAVEMENT DELINEATION AND SIGN PLAN
CS-1	6	CONSTRUCTION AREA SIGNS
SC-1 - SC-2	7-8	STAGE CONSTRUCTION
Q-1	9	SUMMARY OF QUANTITIES


STRUCTURES:

	SHEET No.	<u>TITLE</u>
S-1	10	GENERAL PLAN
S-2	11	STITCH PILE DETAILS 1
S-3	12	STITCH PILE DETAILS 2
S-4	13	STITCH PILE DETAILS 3

COUNTY OF MONTEREY

PROJECT PLANS FOR THE CONSTRUCTION OF THE

EMERGENCY STORM DAMAGE REPAIR ON ARROYO SECO ROAD (MP 4.2)



GENERAL NOTES:

 THE CONTRACTOR SHALL POSSESS THE CLASS (OR CLASSES) OF LICENSE AS SPECIFIED IN THE "NOTICE TO BIDDERS".

NUMBER

13

- 2. TO BE SUPPLEMENTED BY PROJECT SPECIFIC SPECIAL PROVISIONS, CALTRANS STANDARD SPECIFICATIONS AND STANDARD PLANS DATED 2022, INCLUDING ISSUED ADDENDA.
- CONTRACTOR SHALL NOTIFY THE COUNTY OF MONTEREY OF ANY AND ALL CONFLICTS BETWEEN THIS SET OF CONSTRUCTION DRAWINGS AND THE ACTUAL SITE CONDITIONS PRIOR TO COMMENCING WORK. CONTACT ENGINEER AT (831) 755-8970.
- 4. CONTRACTOR SHALL NOTIFY THE COUNTY OF MONTEREY (ENGINEER) AT LEAST 8 DAYS PRIOR TO COMMENCING WORK SO THAT THE COUNTY MAY PRESERVE MONUMENTS AND BENCHMARKS, WHICH SHALL NOT BE DISTURBED WITHOUT THE COUNTY'S CONSENT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING DESTROYED BENCHMARKS.
- CONTRACTOR SHALL EXPOSE ALL EXISTING UNDERGROUND PIPELINES OR OTHER UNDERGROUND OBSTRUCTIONS TO VERIFY THAT THERE ARE NO GRADE CONFLICTS PRIOR TO LAYING ANY GRAVITY PIPELINES OR INSTALLING ANCHORS.
- 6. WHERE UNDERGROUND AND SURFACE STRUCTURES ARE SHOWN ON THIS SET OF DRAWINGS, THE LOCATIONS, DEPTH, AND DIMENSIONS OF STRUCTURES ARE BELIEVED TO BE REASONABLY CORRECT, BUT ARE NOT GUARANTEED. THE INFORMATION SO GIVEN IS NOT TO BE CONSTRUED AS A REPRESENTATION THAT SUCH STRUCTURES WILL, IN ALL CASES, BE FOUND WHERE SHOWN, OR THAT THEY ARE REPRESENT ALL THE STRUCTURES WHICH MAY BE ENCOUNTERED.
- 7. CONTRACTOR AGREES THAT IN ACCORDANCE WITH GENERALLY ACCEPTED CONSTRUCTION PRACTICES, CONTRACTOR WILL BE REQUIRED TO ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR THE JOB SITE CONDITIONS DURING CONSTRUCTION, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY, THIS REQUIREMENT SHALL BE MADE TO APPLY CONTINUOUSLY AND NOT BE LIMITED TO NORMAL WORKING HOURS.

811

Know what's below. Call before you di CONTRACTOR SHALL VERIFY ACTUAL DEPTH AND LOCATION OF ALL EXISTING UTLITIES PRIOR TO CONSTRUCTION...CALL "UNDERGROUND SERVICE ALERT" (U.S.A), (TOLL FREE 811) PRIOR TO TRENCHING, GRADING, EXCAVATION, DRILLING, PIPE PUSHING, PLANTING TREES, DIGGING POST HOLES FOR FENCE, ETC.(U.S.A) WILL SUPPLY INFORMATION OR LOCATE AND MARK ANY UNDERGROUND FACILITIES.

VICINITY MAP

Submitted by: Robert Ferguson Project Engineer C.E. No.	C77731		onso
DESIGN BY: HGA/TLT	CHKD BY: AZ/CD/AH	W. C	VIISU
drawn by: HGA/TLT	СНКО ВУ: AZ/CD/AH		EROCK DRIVE, SUITE 100
SPECIFICATIONS WRITTEN BY: JW/AMH	снко ву: МК		CORDOVA, CA 95670 916.368.9181
Approval Recommended by: Chief of Public W	orks and Facilities	ORIGINAL SCALE IN INCHES FOR REDUCED PLANS	

PROFESS/ONA	
TOTAL MESON	ľ
SCOTT MCCAULEY	1
3 CIVIL OF CAL IFORM	

	NO.	DATE	REVISION DESCRIPTION	APPROVED	
	∇	8/16/23	SPECIAL PROVISION CHANGES, NO PLAN CHANGES		,
+	abla	8/23/23	VARIOUS CLOUDED PLAN CHANGES		6
	\triangleright				É
	\triangleright				\
	\triangleright				
	∇				



COUNTY OF MONTEREY PUBLIC WORKS, FACILITIES AND PARKS

PUBLIC WORKS

1441 SCHILLING PLACE, 2nd FLOOR SALINAS, CALIFORNIA 93901

ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS

TITLE SHEET

22_rab_001.dwg Layout Tab: T-1 Aug 24,

-design\505 - cadd files\21-9302.02_rab_001.dwg

seco road (mp 4.2)\500-design\50

T_1

- 1. DIMENSIONS OF THE PAVEMENT STRUCTURES (STRUCTURAL SECTIONS) ARE SUBJECT TO TOLERANCES SPECIFIED IN THE STANDARD SPECIFICATIONS.
- 2. EXCAVATE LOOSE ROCKS AND DEBRIS IN DITCH TO ORIGINAL TOE OF SLOPE.



DESIGN DESIGNATION: ARROYO SECO

35 MPH

30

MINOR COLLECTOR

LEGEND:


2020 ADT = 540


=


=

=

SR SUPERELEVATION RATE







COUNTY OF MONTEREY PUBLIC WORKS, **FACILITIES AND PARKS**

PUBLIC WORKS

1441 SCHILLING PLACE, 2nd FLOOR SALINAS, CALIFORNIA 93901 (831)755-4800/FAX (831)755-4958

ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS **TYPICAL CROSS SECTIONS**

DATE | FILE | 8/24/23 | 21-9302.02_RCA_001.DWG | P SCALE NO SCALE CONTRACT NO. CONTRACT of1,3sheets

X-1


SHEET


2

Submitted by: Robert Ferguson Project Engineer C.E. No. C7773 DESIGN BY: H. GUTIERREZ CHKD BY: AZ/CD DRAWN BY: H. GUTIERREZ HKD BY: AZ/CD CHKD BY: MK SPECIFICATIONS WRITTEN BY: JW/AMH ORIGINAL SCALE IN INCHES FOR REDUCED PLANS val Recommended by:__ Chief of Public Works and Facilities

ROBERT FERGUSON 11017 COBBLEROCK DRIVE, SUITE 100 C77731 RANCHO CORDOVA, CA 95670 P: 916.368.9181

NO. DATE REVISION DESCRIPTION APPROVED 8/16/23 SPECIAL PROVISION CHANGES, NO PLAN CHANGES 8/23/23 VARIOUS CLOUDED PLAN CHANGES






NUMBER 13

NOTES:

1. THIS PLAN IS ACCURATE FOR PAVEMENT DELINEATION AND SIGN WORK ONLY.

2. STRIPING TO CONFORM TO EXISTING STRIPING.



REMOVE PAVEMENT MARKING (PAINT)						
# ITEM AREA (SQFT) LENGTH (LF)						
A	STOP	22	_			
В	LIMIT LINE	_	11			
*C	STOP	22	ı			
*D	LIMIT LINE	_	11			

*TO BE REMOVED AFTER CONSTRUCTION

LEGEND:

(CA) CALIFORNIA SIGN CODE

EXISTING SIGN TO REMAIN

REMOVE ROADSIDE SIGN

RELOCATE ROADSIDE SIGN

EXISTING ROADSIDE SIGN

ROADSIDE SIGN (SHEET NUMBER - SIGN NUMBER) RX-X

 \times REMOVE THERMOPLASTIC PAVEMENT MARKING

 $\langle X \rangle$ PAVEMENT DELINEATION DETAIL NUMBER

 $\langle X \rangle$ PAVEMENT REMOVAL NUMBER

BEGIN, END OR CHANGE IN STRIPING DETAIL

		R1-1
	0 +_	" V S S S S S S S S S S S S S S S S S S
208+00	11.0'	11.4' 209+00
0	11.0'	11.4' TO GREENFIELD
(27B)		TYPE L (CA) MARKER
	208+00 27B	208+00 11.0'

PD-1

છ	Submitted by: Robert Ferguson		
ē.	Project Engineer C.E. No. C.	77731	
Aonte	DESIGN BY: H. GUTIERREZ	CHKD BY: AZ/CD	
awing name: S:\Client\Monterey\d2	DRAWN BY: H.GUTIERREZ	CHKD BY: AZ/CD	
	SPECIFICATIONS WRITTEN BY: JW/AMH	снко ву: МК	
	Approval Recommended by:		
- 6	Chief of Public Worl	ks and Facilities	

11017 COBBLEROCK DRIVE, SUITE 100 RANCHO CORDOVA, CA 95670 P: 916.368.9181 ORIGINAL SCALE IN INCHES FOR REDUCED PLANS

Party Single	
ROBERT FERGUSON	
No. <u>C77731</u>	
3 CIVIL OF CAL ITORNIA	

	NO.	DATE	REVISION DESCRIPTION	APPROVED
-	Þ	8/16/23	SPECIAL PROVISION CHANGES, NO PLAN CHANGES	
-	abla	8/23/23	VARIOUS CLOUDED PLAN CHANGES	
	\triangleright			
	\triangleright			
	\triangleright			
	∇			



COUNTY OF MONTEREY PUBLIC WORKS, **FACILITIES AND PARKS**

PUBLIC WORKS

1441 SCHILLING PLACE, 2nd FLOOR SALINAS, CALIFORNIA 93901 (831)755-4800/FAX (831)755-4958

ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS **PAVEMENT DELINEATIONS AND SIGN PLAN**

ATE		PROJECT NO.	SHEET
8/24/23	21-9302.02_RNA_001.DWG	21-9302	
CALE 1"=20'	CONTRACT NO.		
	CONTRACT		OF1 3SHEETS

TOTAL SHEETS

SHEET NUMBER 13 6

STATIONARY MOUNTED CAS - ONE POST


LEGEND:

CONSTRUCTION AREA SIGN (CAS) NUMBER

- NOTES:


 1. THIS PLAN ACCURATE FOR CONSTRUCTION AREA SIGNS ONLY.
- 2. SIGN LOCATIONS SHOWN ARE APPROXIMATE. EXACT LOCATIONS TO BE DETERMINED BY ENGINEER.
- 3. ACCESS TO DRIVEWAYS SHALL BE MAINTAINED AT ALL TIMES.


CONSTRUCTION AREA SIGNS							
SIGN NO.	SIGN CODE	SIGN MESSAGE	PANEL SIZE	NO. AN	ID SIZE POST	NO OF SIGNS	
1	W20-1	"ROAD WORK AHEAD"	36" × 36"	1	4×4	2	
2	W20-4	"ONE LANE ROAD AHEAD"	36" × 36"	1	4×4	2	
3	W3-4	"BE PREPARED TO STOP"				2	
4	W1-4		36" x 36"	1	4×4	1	
5	G20-2	"END ROAD WORK"	36" x 18"	1	4X4	2	
6	W3-1	"STOP AHEAD"	30" X 30"	1	4X4	2	
7	R1-1	"STOP"	30" X 30"	1	4×4	2	
	TOTAL 13						



2	,
·O-	

Submitted by: Robert Ferguson Project Engineer C.E. No. C77731		1SOr	NO. DA	TE REVISION DESCRIPTION APPROVED	NONTERED		ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS
DESIGN BY: H. GUTIERREZ CHKD BY: A		PORFET FERCUSONS	8/16	//23 SPECIAL PROVISION CHANGES, NO PLAN CHANGES //23 VARIOUS CLOUDED PLAN CHANGES	S CE	PUBLIC WORKS, FACILITIES AND PARKS	CONSTRUCTION AREA SIGNS
DRAWN BY: H. GUTIERREZ CHKD BY: A	PANCHO CORDOVA		▼ 5/25	YACOUS CLOUDED I ENV CHANGES	È F	PUBLIC WORKS	
SPECIFICATIONS WRITTEN BY: JW/AMH CHKD BY: N	P: 916.368.9		∇			1441 SCHILLING PLACE, 2nd FLOOR	DATE FILE PROJECT NO. SHEET 8/24/23 21-9302.02_RLA_001.DWG 21-9302 6
Approval Recommended by: Chief of Public Works and Facil	ORIGINAL SCALE IN INCHES FOR REDUCED PLANS 0	1 2 3	$ \stackrel{V}{\nabla} $		1850	SALINAS, CALIFORNIA 93901 (831)755-4800/FAX (831)755-4958	SCALE NO SCALE CONTRACT NO. CONTRACT OF1 3SHEETS





ROADWAY QUANTITIES																	
	FROM			TO			CE			NO			'nE				
						TYPE 3 BARRICADES	CHANNELIZER)SURFACE MOUNTED)	TEMPORARY RAILING (TYPE K)	TEMPORARY CRASH CUSHION	ROADWAY EXCAVATION	CLASS 2 AGGREGATE BASE	TEMPORARY CLASS 2 AGGREGATE BASE	HOT MIX ASPHALT (TYPE A)	MINOR CONCRETE (CURB, GUTTER, SIDEWALK AND	TRANSISTION RAILING (TYPE WB-31)	ALTERNATIVE IN-LINE TERMIAL SYSTEM	COMMENTS
LINE	FROM	OFFSET	LINE	то	OFFSET	EA	EA	LF	EA	CY	CY	CY	TON	CY	EA	EA	
"A"			"A"			4											
"A"	205+85.70	11.62' RT	"A"	206+20.90	2.55' RT		7										
"A"	209+27.22	6.67' RT	"A"	209+49.36	14.50' RT		5										
"A"	205+90.00	10.77' LT	"A"	209+55.00	10.91' LT		62										
"A"	206+40.32	LT/RT	"A"	208+89.56	LT/RT			270									
"A"	206+20.90	RT	"A"						1								STAGE 1 CONSTRUCTION
"A"	209+27.22	RT	"A"						1								STAGE 1 CONSTRUCTION
"A"	206+20.90	12.74' LT	"A"	209+05.00	12.15' LT							12					STAGE 1 CONSTRUCTION
"A"	206+60.00	LT/RT	"A"	208+85.00	LT/RT					213	125		170				
"A"	206+60.00	14.09' RT	"A"	206+72.83	14.04' RT									1			CURB TYPE A1-6
"A"	208+52.40	14.00' RT	"A"	208+85.00	14.12' RT					·				1			CURB TYPE A1-6
"A"	206+72.00		"A"												1		
"A"	206+00.00		"A"													1	
					TOTAL	4	74	270	2	213	125	12	170	2	1	1	

	SIGNING AND STRIPING QUANTITIES											
FROM TO							ш			<u> </u>		
						TEMPORARY PAVEMENT MARKING	REMOVE ROADSIDI SIGN	RELOCATED ROADSIDE SIGN	THERMOPLASTIC TRAFFIC STRIPE	REMOVE PAVEMENT MARKING		
LINE	FROM	OFFSET	LINE	то	OFFSET	SQFT	EA	EA	LF	SQFT	COMMENTS	
"A"	205+85.36	6.23' RT	"A"			22					"STOP"	
"A"	205+85.36	6.23' RT	"A"			11					LIMIT LINE	
"A"	209+78.71	13.95' LT	"A"				1				S5-4	
"A"	206+33.34	16.12' RT	"A"	205+85.40	16.47' RT			1			S5-1	
"A"	206+60.00	11.00' RT	"A"	208+85.00	11.00' RT				225		DETAIL 27B	
"A"	206+60.00	11.00' LT	"A"	208+85.00	11.00' LT				225		DETAIL 27B	
"A"	206+60.00	LT/RT	"A"	208+85.00	LT/RT				225		DETAIL 22	
"A"	206+27.47	6.00' RT	"A"							22	"STOP"	
"A"	206+33.39	4.82' RT	"A"							11	LIMITLINE	
"A"	209+78.10	5.33' LT	"A"							22	"STOP"	
"A"	209+84.43	5.69' LT	"A"							11	LIMITLINE	
					TOTAL	33	1	1	675	66		

Q-1

Submitted by: Robert Ferguson Project Engineer C.E. No. C77731	NO. DATE REVISION DESCRIPTION	APPROVED
DESIGN BY: H. GUTIERREZ CHKD BY: AZ/CD	▼ 8/16/23 SPECIAL PROVISION CHANGES, NO PLAN CHANGES	
DRAWN BY: H. GUTIERREZ CHKD BY: AZ/CD	TOBERT FERCUSON	
SPECIFICATIONS WRITTEN BY: JW/AMH CHKD BY: MK	RANCHO CORDOVA, CA 95670 P: 916.368.9181	
Approval Recommended by: Chief of Public Works and Facilities	ORIGINAL SCALE IN INCHES OF CALLYON OF CALLY	


COUNTY OF MONTEREY PUBLIC WORKS, FACILITIES AND PARKS


PUBLIC WORKS


1441 SCHILLING PLACE, 2nd FLOOR SALINAS, CALIFORNIA 93901 (831)755-4800/FAX (831)755-4958


ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS **SUMMARY OF QUANTITIES**

DATE	FILE	PROJECT NO.	SHEET
8/24/23	21-9302.02_RPA_001.DWG	21-9302	اما
SCALENONE	CONTRACT NO.		٥
1	CONTRACT		OF1 3SHEETS









NOTE:

Adjust barrier reinforcement to clear conflicts with ground anchors as

#5, Tot 8-

#5 [] @ 12*-*

ubmitted by: Robert Ferguson Project Engineer C.E. No. C777 ESIGN BY: T. TRUCHEMENT CHKD BY: A. ZUBAREV RAWN BY: T. TRUCHEMENT CHKD BY: A. ZUBAREV SPECIFICATIONS WRITTEN BY: J. WILSON/A. HANSON CHKD BY: M. KATT ORIGINAL SCALE IN INCHES FOR REDUCED PLANS

Chief of Public Works and Facilities

11017 COBBLEROCK DRIVE, SUITE 100 RANCHO CORDOVA, CA 95670 P: 916.368.9181

MODIFIED CONCRETE BARRIER TYPE 836B

#5, Tot 10

Const Joint

#5 x 5'-1" @ 16

#4 Cont, Tot 2

→ @ 12 alternating

Tropo February THOMAS TRUCHEMENT _{lo.} 95151

	NO.	DATE	REVISION DESCRIPTION	APPROVED	
1	abla	8/16/23	SPECIAL PROVISION CHANGES, NO PLAN CHANGES		١,
4	∇	8/23/23	VARIOUS CLOUDED PLAN CHANGES		1
	∇				ĺ
	∇				١
	∇				l
	\triangleright				

Only applicable where in direct conflict with CIDH piling

* Spacing between threaded rods will vary to maintain 1"

clearance between PVC sheathing and bar reinforcing steel.

COUNTY OF MONTEREY PUBLIC WORKS, **FACILITIES AND PARKS** PUBLIC WORKS

1441 SCHILLING PLACE, 2nd FLOOR SALINAS, CALIFORNIA 93901 (831)755-4800/FAX (831)755-4958

ARROYO SECO ROAD MP 4.2 EMERGENCY SLIP-OUT REPAIRS **STITCH PILE DETAILS 2**

SHEET 8/24/23 | FILE 8/24/23 | 21-9302.02_G-RWDT02.DWG | F 12 SCALE HORIZ: CONTRACT NO. CONTRACT OF1 3SHEETS

Applicable where in direct conflict with Stitch Pile Cap

S-3

