

Annual Climatological Summary (2014)

Generated on 11/19/2015

Date	Temperature (F)										Precipitation (inches)													
	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	High Date	EMNT	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed	TSNW	MXSD	DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0
1	63.8	44.7	54.2	4.4	325	0	80	17	38	21	0	0	0	0.10	-3.67	0.10	30	0.0X	0	0	1	0	0	
2	59.0	46.1	52.6	1.3	339	0	69	21	37	03	0	0	0	3.75	0.13	1.38	28	0.0X	0	0	5	4	1	
3	63.4	47.8	55.6	3.3	286	0	76	12	42	18	0	0	0	2.63	-0.33	0.89	01	0.0X	0	0	5	1	0	
4	62.5	48.9	55.7	1.8	277	8	88	30	44	10	0	0	0	1.22	0.06	0.40	25	0.0X	0	0	4	0	0	
5	66.0	51.4	58.7	2.7	208	18	89	13	45	11	0	0	0	0.09	-0.40	0.04	19	0.0X	0	0	0	0	0	
6	66.0	52.2	59.1	0.8	170	0	75	08	49	18	0	0	0	0.01	-0.10	0.01	03	0.0X	0	0	0	0	0	
7	68.7	56.9	62.8	2.8	78	18	79	25	51	06	0	0	0	0.00T				0.0X	0	0	0	0	0	
8	68.8	58.2	63.5	2.6	43	6	76	30	55	17	0	0	0	0.06	0.00	0.04	19	0.0X	0	0	0	0	0	
9	69.1	58.0	63.6	3.4	49	15	75	24	54	16	0	0	0	0.33	0.09	0.31	25	0.0X	0	0	1	0	0	
10	70.9	54.0	62.4	4.7	103	32	91	03	48	27	1	0	0	1.44	0.54	1.27	31	0.0X	0	0	2	1	1	
11	64.7	49.4	57.1	3.4	231	0	76	05	39	28	0	0	0	1.39	-0.53	0.73	01	0.0X	0	0	5	1	0	
12	61.2	48.8	55.0	5.3	300	0	69	11	36	31	0	0	0	8.55	5.96	3.55	11	0.0X	0	0	10	3	2	
Annual	65.3*	51.4*	58.4	3.0	2409*	97	91	Oct	36	Dec	1*	0*	0*	19.57	1.75	3.55*	Dec*	0.0*	0*	Dec*	33*	10*	4*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

Temperature (F)													Precipitation (inches)											
Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	High Date	Lowest	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EIMXP	TSNW	MXSD	DP01	DP05	DP10		
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Greatest Observed	Total Fall	Max Depth	Max Date	Number Of Days		
																						>=10	>=50	>=1.0
1	58.1	40.5	49.3	-0.5	477	0	75	20	32	14	0	0	1	0	0.86	-2.91	0.36	06	0.0X	0	0	3	0	0
2	56.8	40.7	48.8	-2.5	446	0	74	15	35	20	0	0	0	0	0.79	-2.83	0.50	19	0.0X	0	0	2	1	0
3	59.3	44.6	52.0	-0.3	397	0	69	13	38	11	0	0	0	0	1.05	-1.91	0.31	30	0.0X	0	0	3	0	0
4	61.9	46.9	54.4	0.5	311	0	73	22	42	18	0	0	0	0	0.31	-0.85	0.10	07	0.0X	0	0	1	0	0
5	64.5	50.2	57.3	1.3	233	3	84	22	43	01	0	0	0	0	0.00T				0.0X	0	0	0	0	0
6	66.3	53.0	59.7	1.4	154	1	76	29	49	22	0	0	0	0	0.06	-0.05	0.03	24	0.0X	0	0	0	0	0
7	65.9	53.9	59.9	-0.1	152	1	76	04	51	09	0	0	0	0	0.00T				0.0X	0	0	0	0	0
8	67.3	55.1	61.2	0.3	110	1	73	25	52	04	0	0	0	0	0.11	0.05	0.03	26	0.0X	0	0	0	0	0
9	69.2	54.5	61.9	1.7	89	3	79	07	47	27	0	0	0	0	0.04	-0.20	0.02	21	0.0X	0	0	0	0	0
10	63.8	48.7	56.2	-1.5	274	10	83	06	44	30	0	0	0	0	0.45	-0.45	0.40	28	0.0X	0	0	1	0	0
11	62.4	46.4	54.4	0.7	311	0	73	01	42	30	0	0	0	0	0.39	-1.53	0.26	20	0.0X	0	0	2	0	0
12	59.7	38.8	49.3	-0.4	478	0	75	26	29	10	0	0	3	0	0.30	-2.29	0.24	07	0.0X	0	0	1	0	0
Annual	62.9*	47.8*	55.4	0.1	3432*	19	84	May	29	Dec	0*	0*	4*	0*	4.36	-12.97	0.50*	Feb*	0.0*	0*	0*	13*	1*	0*

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

Date		Temperature (F)										Precipitation (inches)													
Elem->	MMXT	MMNT	MMNTM	DPNT	HTDD	CLDD	EMXT	EMNT	Lowest	High Date	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed		Snow, Sleet		DP01	DP05	DP10
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	Lowest	Lowest	High Date	Low Date	Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>= .10	>= .50	>= 1.0
1	59.8	41.6	50.7		435	0	71	30	30	28	18	0	0	1	0	1.31		0.60	20	0.0X	0		4	1	0
2	58.7	44.0	51.4		388	0	71	38	38	22	26	0	0	0	0	0.74		0.28	29	0.0X	0		3	0	0
3	60.0	44.3	52.2		389	0	70	37	04	04	09	0	0	0	0	3.51		0.89	24	0.0X	0		7	4	0
4	60.5	47.2	53.9		328	0	68	38	24	24	07	0	0	0	0	2.23		0.95	13	0.0X	0		6	2	0
5	60.8	48.2	54.5		316	0	69	43	05	11	05	0	0	0	0	0.13		0.07	04	0.0X	0		0	0	0
6	64.9	50.4	57.7		213	0	76	45	10	10	10	0	0	0	0	0.30		0.27	04	0.0X	0		1	0	0
7	63.5	53.4	58.5		195	0	69	24	50	31	31	0	0	0	0	0.03		0.02	01	0.0X	0		0	0	0
8	63.9	52.8	58.4		197	0	70	28	48	27	27	0	0	0	0	0.03		0.01	25	0.0X	0		0	0	0
9	63.3X	52.1	57.7X			0	69	30	47	02	02	0	0	0	0	0.00				0.0X	0		0	0	0
10	67.7	52.5	60.1		160	17	88	02	48	23	23	0	0	0	0	0.63		0.28	22	0.0X	0		2	0	0
11	64.8	47.3	56.1		263	5	84	05	37	13	13	0	0	0	0	3.45		1.88	30	0.0X	0		7	1	1
12	57.6	43.3	50.5		443	0	67	10	35	20	20	0	0	0	0	3.87		0.81	02	0.0X	0		11	2	0
Annual	62.1*	48.1*	50.3		3327*	22	88	30	30	Oct	Jan	0*	0*	1*	0*	16.23		1.88*	Nov*	0.0*	0*	Dec*	41*	10*	1*

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
 - A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
 - B Adjusted total. Monthly value totals based on proportional available data across the entire month.
 - E An estimated monthly or annual total.
 - X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
 - T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
 - Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
 - Station Station is identified by: COOP ID, Station Name, State
 - S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
 - * Annual value missing; summary value computed from available month values.

Temperature (F)

Precipitation (inches)

Date	Elem->	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	EMNT	Low Date	High Date	Lowest	Low Date	Number Of Days			DT00	TPCP	DPNP	EMXP	Greatest Observed	Snow, Sleet			DP01	DP05	DP10
														Max	Min	Min						Total Fall	Max Depth	Max Date			
1		60.5	42.8	51.7		403	0	74	23	36	10	0	0	0	2.00				0.90	30	0	0.0X	0	3	2	0	
2		58.0	41.7	49.9		417	0	74	06	35	27	0	0	0	4.51				1.07	17	0	0.0T	0	7	4	1	
3		60.1	46.4	53.3		355	0	78	31	40	17	0	0	0	4.83				1.45	18	0	0.0X	0	10	4	1	
4		60.3	46.6	53.5		343	1	80	01	41	14	0	0	0	0.20				0.11	07	0	0.0X	0	1	0	0	
5		60.5	48.4	54.5		320	0	71	04	41	15	0	0	0	0.86				0.36	14	0	0.0X	0	3	0	0	
6		63.2	52.0	57.6		214	1	79	20	46	02	0	0	0	0.78				0.49	04	0	0.0X	0	2	0	0	
7		65.3	53.4	59.4		169	0	74	03	49	05	0	0	0	0.02				0.01	30	0	0.0X	0	0	0	0	
8		63.3X	53.5X	58.4X			0	68	15	49	23	0	0	0	0.07X				0.03	06	0	0.0X	0	0	0	0	
9		66.4	53.8	60.1		147	7	88	28	51	21	0	0	0	0.01				0.01	24	0	0.0X	0	0	0	0	
10		67.0X	52.0X	59.5X			0	84	23	44	30	0	0	0	1.86X				0.79	05	0	0.0X	0	3	2	0	
11		59.2	44.5	51.9		387	0	74	02	40	26	0	0	0	1.44				0.36	11	0	0.0X	0	6	0	0	
12		58.1	39.5	48.8		494	0	66	02	33	24	0	0	0	0.20				0.18	11	0	0.0X	0	1	0	0	
Annual		61.8*	47.9*	45.1		3249*	9	88	Sep	33	Dec	0*	0*	0*	16.78				1.45*	Mar*	0*	0.0*	0*	36*	12*	2*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

Date		Temperature (F)										Precipitation (inches)													
Elem->	MMXT	MMNT	MNMT	DPNT	HTDD	CLDD	EMXT	EMHT	High Date	Lowest	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed	TSNW	MXSD	DP01	DP05	DP10	
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest		High Date	Lowest	Low Date	Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0
1	59.9	44.7	52.3		387	0	70	08	37	03	0	0	0	0	5.88		1.24	19	0.0	0	0	11	5	1	
2	59.3	46.1	52.7		339	0	67	17	40	10	0	0	0	0	2.87		0.65	23	0.0	0	0	8	1	0	
3	60.5	44.4	52.5		381	0	79	19	38	11	0	0	0	0	3.24		1.12	02	0.0	0	0	7	3	1	
4	60.0	46.3	53.2		349	0	70	18	40	01	0	0	0	0	3.01		0.87	20	0.0	0	0	6	3	0	
5	60.9	48.9	54.9		302	0	68	29	43	06	0	0	0	0	0.55		0.29	27	0.0	0	0	2	0	0	
6	64.5	53.1	58.8		177	1	77	12	49	17	0	0	0	0	0.00		0.00	30	0.0	0	0	0	0	0	
7	64.8	54.5	59.7		156	0	73	15	51	04	0	0	0	0	0.00		0.00	31	0.0	0	0	0	0	0	
8	65.2	54.6	59.9		164	10	87	24	52	06	0	0	0	0	0.00		0.02	09	0.0	0	0	0	0	0	
9	68.8	53.1	61.0		130	14	91	27	49	27	1	0	0	0	0.15		0.02	18	0.0	0	0	0	0	0	
10	66.0	50.8	58.4		200	4	82	12	43	27	0	0	0	0	0.85		0.27	17	0.0	0	0	3	0	0	
11	60.6	44.8	52.7		361	1	81	04	34	25	0	0	0	0	2.15		0.77	20	0.0	0	0	6	1	0	
12	58.5	44.6	51.6		410	0	69	12	34	30	0	0	0	0	4.04		0.81	25	0.0	0	0	10	3	0	
Annual	62.4*	48.8*	55.6		3356*	30	91	Sep	34	Dec	1*	0*	0*	0*	22.79		1.24*	Jan*	0.0*	0*	0*	53*	16*	2*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

Temperature (F)												Precipitation (inches)													
Elem->	MMXT	MMINT	MNTM	DPNT	HTDD	CLDD	EMXT	High Date	Lowest	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed		TSNW		MXSD	DP01	DP05	DP10
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest				Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=10	>=50	>=1.0	
1	56.3	40.9	48.6		501	0	69	01	35	17	0	0	0	0	6.34		1.85	04	0.0	0	0	12	4	1	
2	56.9	42.9	49.9		430	0	70	09	37	05	0	0	0	0	2.61		0.57	22	0.0	0	0	8	1	0	
3	58.2	43.9	51.1		425	0	66	06	40	17	0	0	0	0	0.52		0.39	15	0.0	0	0	1	0	0	
4	59.8	45.1	52.5		371	3	81	12	39	21	0	0	0	0	0.25		0.19	02	0.0	0	0	1	0	0	
5	61.9	48.6	55.3		315	19	90	16	41	01	2	0	0	0	0.00		0.00	31	0.0	0	0	0	0	0	
6	65.3	50.4	57.9		227	17	88	20	46	11	0	0	0	0	0.01		0.01	21	0.0	0	0	0	0	0	
7	66.0	54.1	60.1		150	5	80	09	51	26	0	0	0	0	0.01		0.01	27	0.0	0	0	0	0	0	
8	66.9	53.9	60.4		142	6	81	27	48	11	0	0	0	0	0.01		0.01	12	0.0	0	0	0	0	0	
9	67.8	53.4	60.6		134	9	87	04	48	01	0	0	0	0	0.00T		0.00	30	0.0	0	0	0	0	0	
10	67.6	50.3	59.0		191	12	84	22	42	12	0	0	0	0	0.16		0.15	04	0.0	0	0	1	0	0	
11	64.5	48.9	56.7		253	13	85	15	41	23	0	0	0	0	1.32		0.50	26	0.0	0	0	5	1	0	
12	56.6	41.6	49.1		484	0	69	05	34	17	0	0	0	0	2.70		0.91	14	0.0	0	0	8	1	0	
Annual	62.3*	47.8*	55.1		3623*	84	90	May	34	Dec	2*	0*	0*	0*	13.93		1.85*	Jan*	0.0*	0*	0*	36*	7*	1*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
 - A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
 - B Adjusted total. Monthly value totals based on proportional available data across the entire month.
 - E An estimated monthly or annual total.
 - X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
 - T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
 - Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
 - Station Station is identified by: COOP ID, Station Name, State
 - S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
 - * Annual value missing; summary value computed from available month values.

Date		Temperature (F)											Precipitation (inches)											
		MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	High Date	Lowest	Low Date	DT90	DX32	DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed	TSNW	MXSD	DP01	DP05	DP10
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	High Date	Lowest	Low Date	Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0
1	56.0	38.9	47.5		537	0	71	09	26	13	0	0	5	0	1.07		0.38	04	0.0	0	0	4	0	0
2	58.8	44.3	51.6		369	0	76	17	36	05	0	0	0	0	3.12		0.69	22	0.0	0	0	7	4	0
3	61.6	46.0	53.8		339	0	77	11	38	01	0	0	0	0	0.52		0.37	26	0.0	0	0	2	0	0
4	59.3	46.6	53.0		353	0	69	27	41	13	0	0	0	0	1.04		0.50	14	0.0	0	0	3	1	0
5	62.0	48.8	55.4		292	4	83	07	44	22	0	0	0	0	0.15		0.07	04	0.0	0	0	0	0	0
6	64.4	50.7	57.6		219	0	77	14	46	07	0	0	0	0	0.06		0.03	05	0.0	0	0	0	0	0
7	66.8	54.5	60.7		128	2	73	13	51	02	0	0	0	0	0.02		0.01	27	0.0	0	0	0	0	0
8	68.0	54.5	61.3		113	3	78	29	49	17	0	0	0	0	0.00		0.00	31	0.0	0	0	0	0	0
9	68.5	54.3	61.4		107	8	85	26	46	30	0	0	0	0	0.44		0.27	22	0.0	0	0	2	0	0
10	65.2	49.5	57.4		234	2	82	23	44	06	0	0	0	0	1.13		0.61	10	0.0	0	0	3	1	0
11	62.6	46.2	54.4		309	0	77	03	39	22	0	0	0	0	0.46		0.29	11	0.0	0	0	2	0	0
12	55.8	41.1	48.5		506	0	66	04	34	22	0	0	0	0	1.07		0.34	18	0.0	0	0	4	0	0
Annual	62.4*	48.0*	55.2		3506*	19	85	Sep	26	Jan	0*	0*	5*	0*	9.08		0.69*	Feb*	0.0*	0*	27*	6*	0*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
 - A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
 - B Adjusted total. Monthly value totals based on proportional available data across the entire month.
 - E An estimated monthly or annual total.
 - X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
 - T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
 - Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
 - Station Station is identified by: COOP ID, Station Name, State
 - S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
 - * Annual value missing; summary value computed from available month values.

Date	Temperature (F)											Precipitation (inches)													
	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	High Date	Lowest	Low Date	DT90	Number Of Days			DT00	TPCP	DPNP	EMXP	Greatest Observed		Snow, Sleet		DP01	DP05	DP10
	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days					Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0	
1	61.9	43.0	52.5		383	0	78	24	36	20	0	0	0	0	3.18		1.00	02	0.0	0	0	6	3	1	
2	64.1	42.8	53.5		318	0	82	09	33	21	0	0	0	0	0.91		0.24	28	0.0	0	0	4	0	0	
3	59.0	42.9	51.0		428	0	66	24	36	11	0	0	0	0	7.11		0.94	03	0.0	0	0	16	4	0	
4	61.9	48.4	55.2		291	0	72	13	43	19	0	0	0	0	2.77		1.45	04	0.0	0	0	6	1	1	
5	66.2	50.6	58.4		197	1	76	14	46	14	0	0	0	0	0.63		0.59	21	0.0	0	0	1	1	0	
6	70.7	53.5	62.1		86	9	84	21	47	20	0	0	0	0	0.00		0.00	30	0.0	0	0	0	0	0	
7	69.3	54.5	61.9		110	21	84	22	49	08	0	0	0	0	0.04		0.02	31	0.0	0	0	0	0	0	
8	65.3	54.6	60.0		151	1	77	09	50	31	0	0	0	0	0.00		0.00	30	0.0	0	0	0	0	0	
9	65.3	52.5	58.9		175	0	74	12	48	20	0	0	0	0	0.00		0.00	30	0.0	0	0	0	0	0	
10	66.8	50.7	58.8		189	3	81	27	46	23	0	0	0	0	0.07		0.04	04	0.0	0	0	0	0	0	
11	61.4	46.5	54.0		323	0	73	02	33	30	0	0	0	0	1.34		0.49	13	0.0	0	0	6	0	0	
12	59.5	42.4	51.0		428	0	72	03	32	18	0	0	1	0	2.30		0.75	10	0.0	0	0	6	2	0	
Annual	64.3*	48.5*	56.4		3079*	35	84	Jul	32	Dec	0*	0*	1*	0*	18.35		1.45*	Apr*	0.0*	0*	0*	45*	11*	2*	

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCDC CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

Date	Temperature (F)										Precipitation (inches)															
	MMXT	MMNT	MNTM	DPNT	HTDD	CLDD	EMXT	EMNT	Low Date	High Date	Lowest	Low Date	DT90	Number Of Days		DT32	DT00	TPCP	DPNP	EMXP	Greatest Observed		Snow, Sleet		DP01	DP05
Month	Mean Max.	Mean Min.	Mean	Depart. from Normal	Heating Degree Days	Cooling Degree Days	Highest	Lowest					Max >=90	Max <=32	Min <=32	Min <=0	Total	Depart. from Normal	Day	Date	Total Fall	Max Depth	Max Date	>=.10	>=.50	>=1.0
1	61.2	42.8	52.0		396	0	79	19	32	14	0	0	0	0	1	0	4.44		1.15	02	0.0	0	0	8	3	1
2	62.9	47.2	55.1		270	0	76	01	41	09	0	0	0	0	0	0	4.16		1.23	15	0.0	0	0	10	2	1
3	65.8	48.0	56.9		248	3	84	11	41	30	0	0	0	0	0	0	4.15		1.61	22	0.0	0	0	9	2	1
4	64.2	46.6	55.4		280	0	72	05	40	14	0	0	0	0	0	0	1.56		0.38	03	0.0	0	0	5	0	0
5	68.1	52.1	60.1		146	1	76	18	48	11	0	0	0	0	0	0	0.79		0.34	04	0.0	0	0	4	0	0
6	68.1	52.6	60.4		133	2	77	27	49	15	0	0	0	0	0	0	0.28		0.21	09	0.0	0	0	1	0	0
7	70.5	54.7	62.6		69	1	76	10	49	26	0	0	0	0	0	0	0.04		0.04	21	0.0	0	0	0	0	0
8	69.4	54.1	61.8		99	4	84	31	51	30	0	0	0	0	0	0	0.00		0.00	31	0.0	0	0	0	0	0
9	68.0	52.4	60.2		137	0	74	25	46	24	0	0	0	0	0	0	0.00		0.00	30	0.0	0	0	0	0	0
10	68.4	48.6	58.5		195	3	84	17	44	31	0	0	0	0	0	0	0.15		0.07	15	0.0	0	0	0	0	0
11	69.0	47.3	58.2		208	7	86	18	35	27	0	0	0	0	0	0	1.09		0.31	09	0.0	0	0	4	0	0
12	62.9	44.7	53.8		335	0	75	24	34	05	0	0	0	0	0	0	3.62		0.78	31	0.0	0	0	9	3	0
Annual	66.5*	49.3*	57.9		2516*	21	86	Nov	32	Jan	0*	0*	0*	0*	1*	0*	20.28		1.61*	Mar*	0.0*	0*	Dec*	50*	10*	3*

Notes

- (blank) Data element not reported or missing.
- + Occurred on one or more previous dates during the month. The date in the Date field is the last day of occurrence. Used through December 1983 only.
- A Accumulated amount. This value is a total that may include data from a previous month or months or year (for annual value).
- B Adjusted total. Monthly value totals based on proportional available data across the entire month.
- E An estimated monthly or annual total.
- X Monthly means or totals based on incomplete time series. 1 to 9 days are missing. Annual means or totals include one or more months which had 1 to 9 days that were missing.
- T Trace of precipitation, snowfall, or snowdepth. The precipitation data value will equal zero.
- Elem Element types are included to provide cross-reference for users of the NCEP CDO system.
- Station Station is identified by: COOP ID, Station Name, State
- S Precipitation amount is continuing to be accumulated. Total will be included in a subsequent monthly or yearly value. Example: Days 1-20 had 1.35 inches of precipitation, then a period of accumulation began. The element TPCP would then be 00135S and the total accumulated amount value appears in a subsequent monthly value.
- * Annual value missing; summary value computed from available month values.

WEATHER

1. ANTICIPATED WEATHER DAYS

a. Time allowance for inclement weather:

- 1) Normal weather conditions shall be considered and included in the planning and scheduling of all weather-sensitive schedule activities. The amount of time allowed for inclement weather is defined in this section. Schedule activity duration(s) shall be formulated with allowance for normal weather conditions. Any activity which could be impacted by normally anticipated inclement weather (precipitation, high or low temperature, wind, etc.), or the effects thereof shall include an adjustment to include the anticipated weather impact from normal

Weather conditions. "Inclement weather" is a lost workday, caused by inclement weather conditions, and is defined as a day in which the Contractor's planned workforce for a critical path activity cannot work 50 percent or more of the day on an activity on the critical path, thereby resulting in a delay to the critical path.

- 2) A "Rain Day" will only be a day where rain precipitation is greater than 0.10" within a 24-hour period as measured at the Salinas Municipal Airport NOAA station.

- b. Weather related delays shall not entitle the Contractor to any additional compensation. The sole remedy of the Contractor shall be to seek a non-compensable extension of time.

2. INCLEMENT WEATHER ALLOWANCE

The County expects the Contractor to include in the duration of their activities an allowance for the average amount of inclement weather that would be expected to occur. The Contractor will find below the historic average data provided by the County to be used in developing the schedule. The normal inclement weather conditions have been determined by an assessment of average historical climatic conditions using the preceding ten (10) year records published by the National Ocean and Atmospheric Administration (NOAA).

Month	Allowance (Work Days)
January	6
February	6
March	6
April	3
May	1
June	0
July	0
August	0
September	0
October	2
November	3
December	6

3. WEATHER CALENDAR AND ACCOUNTING OF DAYS

- a. The Contractor shall include a calendar for weather sensitive activities. This calendar shall be a working day calendar that includes the above stated Inclement Weather Allowance and all County holidays. The weather allowance for each month shall be shown as non-working days and spread throughout the corresponding month. The weather calendar shall be assigned to all weather sensitive activities in the schedule.
- b. The accounting of weather days shall occur once monthly corresponding to the Monthly Schedule Update. The actual non-working days affecting the critical path attributable to weather shall be accounted for in the Weekly Statement of Contract Time, as prepared by the County, independent of the weather allowance. Actual weather days shall be added to the schedule monthly as a one work day schedule activity inserted behind the data date with an actual date equal to the non-working day as reflected in the Weekly Statement of Contract Time. A monthly reconciliation will occur between the inclement weather allowance and actual weather impact, as reflected in the Weekly Statement of Contract Time. Should the Contractor meet all contract requirements for demonstrating unavoidable delay, the Contractor shall be granted a time extension for actual weather impact days, beyond the weather allowance days for the same time period, for activities on the critical path.
- c. No contract time adjustment shall be made in the event that actual non-working days attributable to weather affecting the critical path DOES NOT exceed the allowance. Unused weather allowance shall become project float.
- d. No time extensions will be allowed due to inclement weather unless it impacts the Contract Time as demonstrated by a Time Impact Analysis prepared in accordance with Paragraph 1.12 of this Section.