


Attachment A

This page intentionally left blank.

BLACK SAGE (SALVIA MELIFERA) • RED TAILED HAWK (BUTEO JAMAICENSIS) • PACIFIC GOPHER SNAKE (PIPOPHIS COTTENIFER) • COAST LIVE OAK (QUERCUS AGRIFOLIA) • CALIF. KING SNAKE (LAMPROPELTIS GETULUS) • WESTERN SYCAMORE (PLATANUS RACEMOSA)



- LOOP MILEAGE FROM EQUIT. AREA
- EAST RIDGE-TOYON T. LOOP — 3.0
 - EAST RIDGE-BARLOW T. LOOP — 4.5
 - EAGLE PEAK LOOP VIA EAST R. - EAGLE PEAK-OVERNIGHT CAMP - RETURN — 7.7
 - OLLASON RANCH LOOP VIA EAST R. - COYOTE S. - OLLASON RANCH - GILSON G. - RETURN — 11.7
 - HOT HORSE - HARPER CYN - COYOTE SPRING LOOP VIA GILSON G. - SPURLE TRAIL - TROTTERS T. - HOT HORSE HILL - TROTTERS T. - HARPER HILL T. - OLLASON RANCH - COYOTE SPRING - EAST RIDGE T. - RETURN — 16.9

- PARK BOUNDARY
- PAVED ROAD
- BRIDGE
- MAIN FIRE TRAIL
- SMALL SINGLE FILE TRAIL
- TINY PICK YOUR WAY TRAIL
- 1620 ELEVATION
- STREAM BED
- MEADOW
- WATER HORSE WATER TROUGH
- CLIFF
- PEAK
- BUILDING
- FENCE
- * BEST PICNIC SPOTS
- (12) MILEAGE BETWEEN OARS

DRINKING WATER FOR PEOPLE IS NOT AVAILABLE ON THE BACK TRAILS

HORSE WATER IS AVAILABLE AT FOUR WATER TROUGHS AS INDICATED

GATES ARE TO BE KEPT CLOSED, CATTLE ARE ALWAYS IN THE PARK

NO HORSES ARE ALLOWED IN THE MAIN PICNIC AREA OR ON THE OLLASON TRAIL NORTH OF TORO REGIONAL PARK STABLES

RESPECT PRIVATE PROPERTY NEIGHBORING THE PARK

POISON OAK AND TICKS ARE ALWAYS OUT AND ABOUT ON THE SMALLER TRAILS

Toro park

RIDING & HIKING GUIDE TO THE BACKCOUNTRY TRAILS



COPYRIGHT 1986 BY STEVE CHIDESTER

STRIPEB URINK (MELPHEUS MEMPHIS) • MANZANITA (MANZANITA SP.) • GREAT HORNED OWL (Bubo virginianus) • GRAY FOX (Urocyon cinereoargenteus) • BUSHY MONKEY FLOWER (MIMULUS AURANTIACUS) • CALIF. COFFEE BERRY (RHAMNUS CALIFORNICA) • CALIF. WYRTJUS LEATH (MAYRANSIA) • COYOTE BLIND (BROCHIMUS PULCHRIC.) • BUSH SAGEBUT (CYATHOCLADUS BERBERID.) • CALIF. PARRY (ERIGONOSPORA CALIFORNICA) • SHOOTING STAR (DOODETHESON HERBERTII) • CHAMISE (ADONISDORNA PASCUALIANA) • WILD CAT (AENA FATA) • NORTHERN PACIFIC RATTLESNAKE (CROTALUS VIRIDIS) • CALIF. BUCKEYE (AESCULUS CALIFORNICA) • BLACK TAILED DEER (ODCOILEUS HEMIONUS) • CALIF. QUAIL (LOPHORTYX CALIFORNICUS) • RUSSIAN WILD BOAR (SUS SCROFA) • CALIF. LILAC (CEANOETHUS SP.) • BOB CAT (LYNX RUFUS) • FUCHSIA GOOSEBERRY (RIBES SPECIOSUM) • STRIPED RACER (Masticophis lateralis) • COMMON CATTAIL (TYPHA LATIFOLIA) • POISON HEMLOCK (CONIUM MACULATUM) • DIGGER PINE (PINUS SERRANIANA) • SCRUB JAY (APHELOCOMA OERULESCENS) • THISTLE (CRISIMUM SP.)

TORREY VILLOW (CORNUS ALBA) • COAST HORNED LIZARD (PHRYNOSOMA CORONATA) • CALIF. WYRTJUS LEATH (MAYRANSIA) • COYOTE BLIND (BROCHIMUS PULCHRIC.) • BUSH SAGEBUT (CYATHOCLADUS BERBERID.) • CALIF. PARRY (ERIGONOSPORA CALIFORNICA) • SHOOTING STAR (DOODETHESON HERBERTII) • CHAMISE (ADONISDORNA PASCUALIANA) • WILD CAT (AENA FATA) • NORTHERN PACIFIC RATTLESNAKE (CROTALUS VIRIDIS) • CALIF. BUCKEYE (AESCULUS CALIFORNICA) • BLACK TAILED DEER (ODCOILEUS HEMIONUS) • CALIF. QUAIL (LOPHORTYX CALIFORNICUS) • RUSSIAN WILD BOAR (SUS SCROFA) • CALIF. LILAC (CEANOETHUS SP.) • BOB CAT (LYNX RUFUS)

This page intentionally left blank.