

Exhibit B

This page intentionally left blank.



ALBERT WEISFUSS
ISA CERTIFIED ARBORIST #1388
ISA TREE RISK ASSESSOR QUALIFIED
(831) 869-2767
albertweisfuss@gmail.com
montereybaytreeworks.com

MONTEREY BAY
TREWORKS

12/10/24

ASSESSOR'S PARCEL #: 267-041-023-000

TYPE OF CONSTRUCTION: TYPE V-B NEW RESIDENCE

PROJECT LOCATION: 1909 SAN JUAN RD AROMAS CA 95004-9030

MAILING ADDRESS: 734 E LAKE AVE WATSONVILLE CA 95076

Summary

Monterey Bay Treeworks conducted a comprehensive assessment of the proposed site development, focusing on protected tree documentation, impact assessment, and compliance with Monterey County Resource Management Agency (MCRMA) guidelines.

Key Findings

1. Site Visit and Tree Survey:

- A walkthrough and field survey were completed to identify and document protected trees within the project boundary.
- 42 protected trees were recorded in or near the project footprint.
- Six (6) *Quercus agrifolia* trees are impacted and require removal based on the proposed site plans.

2. Tree and Vegetation Removal:

- No landmark trees (≥ 24 inches DBH) are included in the removal request.
- Between 2018 and 2024, an estimated 21 trees were removed (based on Google Earth imagery and interviews), including:
 - Five (5) *Eucalyptus globulus*
 - Fifteen (15) *Quercus agrifolia*
 - One (1) *Pinus radiata*
- Review of Google Earth maps (2018), DBH and condition of trees along with additional vegetation species removed could not be determined.

3. Bird Nesting:

- No visible bird nesting observed within 300 feet of the site during the survey.
- Nesting period is February 22 to August 1, requiring continued monitoring if tree removal occurs during this time.

Completed Tasks

- **Site Survey and Tree Inventory:** Documented all trees within the project boundary that are protected or significant (≥ 3 inches in diameter).
- **Tree Impact Analysis:** Identified trees for removal and mitigation purposes to accommodate construction.
- **Documentation and Mapping:**
 - Spreadsheets and maps showing existing trees and proposed project impacts.
- **Formal Reports:**
 - Prepared a protected tree report for county submittal.
 - Developed a Fuel Management Plan to align with county requirements.
 - Prepared a replanting plan for county submittal.

Recommendations

1. **Mitigation and Restoration Plan:**
 - Replant six (6) *Quercus agrifolia* in accordance with the 1:1 MCRMA replanting requirement.
 - Develop a comprehensive plan for restoring trees and vegetation removed since 2018, prioritizing native species.
2. **Ongoing Monitoring:**
 - Monitor the site during the nesting period if tree removal overlaps February 22–August 1.
 - Conduct periodic site inspections during construction to ensure adherence to tree protection measures and the Fuel Management Plan.
 - Monitor the replacement of trees removed 2018-2024 during the recommended 5 year plan.

This report provides the necessary documentation and recommendations to proceed responsibly while ensuring compliance with county regulations and preserving ecological integrity.

This report outlines the findings and recommendations regarding tree and vegetation impacts associated with the proposed site development, as assessed by Monterey Bay Treeworks. It addresses the site conditions, tree impacts, and compliance with Monterey County Resource Management Agency (MCRMA) requirements for mitigation and restoration.

Tree Impact Assessment

1. **Protected Trees Impacted:**
 - Six (6) *Quercus agrifolia* (coast live oak) trees are impacted by the proposed development. Removal is necessary due to their location or associated risks.
 - None of these removals qualify as landmark trees (≥ 24 inches DBH).
2. **Historical Tree and Vegetation Removal (2018-2024):**
 - Based on Google Earth imagery and discussions with Mr. Cornejo, an estimated 21 trees and unspecified vegetation were removed:
 - Five (5) *Eucalyptus globulus*
 - Fifteen (15) *Quercus agrifolia*
 - One (1) *Pinus radiata*
 - Exact species and conditions of removed vegetation remain undetermined.

MCRMA Compliance and Mitigation

Replacement Ratios and Requirements:

1. *Quercus agrifolia* (Coast live oak):
 - Non-heritage trees removed:
 - Six trees require a 1:1 replacement.
 - A minimum of 6 *Quercus agrifolia* trees must be replanted on-site.
 - Additional removals during 2018-2024:
 - Fifteen trees require a 1:1 replacement.
 - A minimum of 15 *Quercus agrifolia* trees must be replanted on-site
 - Total Requirement: A minimum of 21 *Quercus agrifolia* trees must be replanted, a minimum size of 5 gallon.
2. Designated Replanting Area:
 - All replanting must occur in designated areas on-site to comply with MCRMA guidelines.
 - The natural regeneration of native grasses indicates the site has a foundation for ecological recovery and likely will support the successful establishment of other native vegetation, including Coast live oaks
3. Restoration Recommendations:
 - Focus on replanting native species, prioritizing *Quercus agrifolia* to restore habitat functionality and biodiversity.
 - Include a mix of understory vegetation suitable for the local ecosystem to mitigate habitat loss.

Next Steps

- Monitor ongoing development to ensure compliance with the restoration plan and minimize additional impacts to flora and fauna.
- Recommend periodic site visits during construction to adjust mitigation measures if unforeseen impacts arise.

By following these recommendations, the development can proceed responsibly while preserving the ecological integrity of the site.

Arborist's Report: Introduction, Overview, Methods, and Limitations

Introduction and Overview

I, Albert Weisfuss, conducted a comprehensive assessment of the regulated trees on the subject property and prepared this arborist's report in compliance with the requirements of Monterey County. This report is intended to support the preparation of development plans, ensuring that proper consideration is given to tree preservation, management, and the potential risks posed by the trees during the development process.

Forest management, as defined in this context, involves applying appropriate technical forestry principles and practices to ensure that trees are maintained, preserved, and integrated into the development process. Monterey County's primary management objective is to balance wildlife habitat protection with the enhancement of the environment. The management of trees on streets and publicly owned properties offers multiple benefits, including:

- **Aesthetic value:** Trees contribute significantly to the landscape's visual appeal.
- **Environmental benefits:** Trees improve air quality, provide shade, and support local wildlife.
- **Monetary value:** Well-maintained trees increase in value over time, enhancing the overall property value.

Unlike other public infrastructure elements, trees are dynamic assets that can grow in value, both in terms of aesthetics and practical benefits. Proper planting, care, and maintenance of these trees will not only improve their health but will also positively impact the surrounding environment and property value.

Methods / Limitations

The following methods were used to conduct the tree assessment:

1. Trunk Measurement:

- Tree trunks were measured at 48 inches above soil grade (referred to as Diameter at Breast Height (DBH)). In cases where the main trunk divides below this height, the measurement was taken at the point of division.
- For multi-trunk trees, each trunk was measured separately, and the diameter was averaged to determine the overall DBH.

2. Tree Condition Assessment:

- The condition of each tree was evaluated through visual inspection only, conducted from a standing position. No climbing or aerial equipment was used.
- As such, this assessment is limited to visible, above-ground indicators of health. Internal or underground issues, such as root rot, pest infestations, or internal structural defects, may not be detectable through this method.

3. Assessment Categories:

- **Good:** The tree is healthy and structurally sound.
- **Fair:** The tree is in moderate condition but may show early signs of stress or damage.
- **Poor:** The tree is failing or severely compromised due to disease, pests, structural issues, or other factors.
- **Dead:** The tree has died and poses a higher risk to the surrounding targets.

4. Tree Health Rating (0–5 Scale):

- Health and structure of each tree were assessed visually and rated:
 - **5:** Healthy, vigorous tree.
 - **3–4:** Moderate decline or structural issues, manageable with care.
 - **0–2:** Severe decline, defects, or dead trees.

5. Inventory Process:

- The inventory was conducted over one site visit.
 - The visit involved walkthrough with the property owner and a review of the development site plans.
 - Site visit involved the use of a Lufkin diameter tape, and mapping tools to record the condition of each subject tree and document it accurately.
- All trees requested for inclusion in the assessment were inventoried, tagged with aluminum tree tags, and assigned identification numbers. Information recorded for each tree included:
 - Tree number
 - Species
 - DBH
 - Condition rating

Limitations

1. Visual Assessment:

This assessment is based on visual observation only, with no invasive testing or equipment used (e.g., climbing, aerial inspections, or root zone examination). As such, internal health issues or structural defects that may not be visible from ground level or on the surface could potentially be overlooked.

2. Tree Condition Changes Over Time:

The condition of trees may change between the time of inspection and the implementation of development plans. Regular reassessments are recommended, especially if tree retention is part of the development proposal. This annual reassessment will help ensure that the trees remain safe and viable during construction.

3. Mapping and Inventory:

The tree inventory is based on the provided site plans, and trees have been mapped to the best of my knowledge. Variations in the site conditions, potential changes in tree health, or unforeseen obstacles may not be fully reflected.

4. Purpose of the Report:

This report is prepared specifically for decision-making purposes related to the proposed development. It is not intended to serve as a general tree management or maintenance plan. Use of the report for any other purpose beyond the scope outlined would be inappropriate.

5. Tree Protection and Care:

If tree retention is recommended as part of the development project, ongoing care and protection measures will be essential to preserve the trees' health and prevent damage during construction. This includes installation of Tree Protection Zones (TPZs), regular monitoring, and adjustments to project plans to avoid root or crown damage.

This arborist's report aims to provide a clear, accurate, and comprehensive evaluation of the trees on the subject property, offering an informed perspective on their condition, potential risks, and viability in relation to the proposed development. By following the guidance provided and taking proactive steps to manage tree health and safety, the development can proceed in harmony with the natural environment, balancing ecological and aesthetic values with the functional needs of the property.

The following trees near/within the proposed footprint have been recorded in the field and listed on table 1:1. Trees were rated as good, fair, poor and dead. limiting their development. Trees rated as good would be considered the best candidates on site for the age and condition of the stand.

Table 1:1

Tree Species	ID #	Diameter in Inches	Condition 0=Dead 1-2=Poor 3-4=Fair 5=Excellent	Suitable for Preservation
Eucalyptus globulus	461	21	3 - Fair	Yes
Eucalyptus globulus	462	16	3 - Fair	Yes
Quercus agrifolia	463	28	3 - Fair	Yes
Quercus agrifolia	464	24	3 - Fair	Yes
Quercus agrifolia	465	7	3 - Fair	Yes
Quercus agrifolia	466	4	3 - Fair	Yes
Quercus agrifolia	467	5	3 - Fair	Yes
Quercus agrifolia	468	15	3 - Fair	Yes
Quercus agrifolia	469	15	3 - Fair	Yes
Quercus agrifolia	470	21	3 - Fair	Yes
Quercus agrifolia	471	5	3 - Fair	Yes
Quercus agrifolia	472	17	3 - Fair	Yes
Quercus agrifolia	473	22	3 - Fair	Yes
Quercus agrifolia	474	5	3 - Fair	Yes
Quercus agrifolia	475	9	3 - Fair	No, within development
Quercus agrifolia	476	11	3 - Fair	Yes
Quercus agrifolia	477	9	3 - Fair	Yes
Quercus agrifolia	478	9	3 - Fair	No, within development
Quercus agrifolia	479	12	3 - Fair	Yes
Quercus agrifolia	480	5	3 - Fair	Yes
Quercus agrifolia	481	12,11,11	3 - Fair	Yes
Quercus agrifolia	482	11	3 - Fair	Yes

Tree Species	ID #	Diameter In Inches	Condition 0=Dead 1-2=Poor 3-4=Fair 5=Excellent	Suitable for Preservation
Quercus agrifolia	483	11	Fair	No, within development
Quercus agrifolia	484	12	Fair	No, within development
Quercus agrifolia	485	14	Fair	No, within development
Quercus agrifolia	486	7	Fair	No, within development
Quercus agrifolia	487	7	Fair	Yes
Quercus agrifolia	488	18	Fair	Yes
Quercus agrifolia	489	18	Fair	Yes
Quercus agrifolia	490	15	Fair	Yes
Quercus agrifolia	491	18	Fair	Yes
No inventory this number	492			
Quercus agrifolia	493	44	Fair	Yes
Quercus agrifolia	494	18	Fair	Yes
Quercus agrifolia	495	10	Fair	Yes
Quercus agrifolia	496	17	Fair	Yes
Quercus agrifolia	497	7	Fair	Yes
Quercus agrifolia	498	5	Fair	Yes
Quercus agrifolia	499	10	Fair	Yes
Quercus agrifolia	500	8	Fair	Yes
Quercus agrifolia	501	9	Fair	Yes

TREE REMOVAL & TREE RETENTION PLANS

Removal is based on condition or impacts from development of trees at the time of this assessment.

0 trees assessed in the excellent category.

42 trees assessed in the fair category

0 trees assessed in there poor category

0 trees assessed in the dead category

6 trees are requested for removal. Six Quercus agrifolia.

36 Documented trees near the proposed project are to be retained with tree protection.

Retention is based on condition/location of trees at the time of the assessment.

Trees retained within the scope of work will require tree protection prior to any work.

Retained trees are recommended for trimming for safety and/or building clearance using Best Management Practice (BMP) developed by the International Society of Arboriculture (ISA)

1909 San Juan Road in Aromas, California, is situated in a rural community area and often features agricultural properties, equestrian facilities, and residential homes with large lots. Aromas is nestled on the border of Monterey, San Benito, and Santa Cruz counties.

Subject trees requested for removal will not involve a risk of adverse environmental impacts such as:

1. Soil erosion.
2. Water Quality: The removal of the trees will not substantially lessen the ability for the natural assimilation of nutrients, chemical pollutants, heavy metals, silt and other noxious substances from ground and surface waters;
3. Ecological Impacts: The removal will not have a substantial adverse impact upon existing biological and ecological systems, climatic conditions which affect these systems, or such removal will not create conditions which may adversely affect the dynamic equilibrium of associated systems;
4. Noise Pollution: The removal will not significantly increase ambient noise levels to the degree that a nuisance is anticipated to occur;
5. Air Movement: The removal will not significantly reduce the ability of the existing vegetation to reduce wind velocities to the degree that a nuisance is anticipated to occur;
6. Wildlife Habitat: The removal will not significantly reduce available habitat for wildlife existence and reproduction or result in the immigration of wildlife from adjacent or associated ecosystems. The tree is diseased, injured, in danger of falling too close to existing or proposed structures, creates unsafe vision clearance, or is likely to promote the spread of insects of disease.

In Monterey County, tree replacement for protected trees follows specific guidelines. For trees under 24 inches in diameter, a 1:1 replacement is required, while trees over 24 inches require a 2:1 replacement ratio. The removed trees will be replanted in locations that provide adequate space (at least 15 feet apart) for canopy and root growth, and initial care includes deep watering once or twice a week through the first two years, with supplemental watering during dry months.

For this development project, 6 trees are slated for removal, with no landmark trees with a diameter at breast height ≥24 inches DBH.

Past removals are estimated at 21 trees with no landmark trees with a diameter at breast height ≥24 inches DBH.

Replant list			
<i>Species</i>	<i>Common name</i>	<i>Size</i>	<i># of trees replanted</i>
Quercus agrifolia	Coast live oak	5 gallon	6 for development
Quercus agrifolia	Coast live oak	5 gallon	15 for past removals

It is possible as the project develops, some crown cleaning, raising or reduction of canopies will be required to obtain proper distance between established trees and the proposed project. Visible decay was present on some trees that will require care for safety and health. This pruning cycle is recommended at the end of construction along with post construction care of the retained trees.

All pruning will be completed by a qualified professional following ISA **B**est **M**anagement **P**runing guidelines.

Tree Protection - Before/During/After

Planning Phase

1. Before assessing trees and other site structures and conditions, mark the site boundaries on plans and in the field to delineate which trees and stands of trees will be inventoried.
2. Perform a tree inventory that includes at minimum the location, size, and health of each tree and delineates quality stands of trees. Scope of the inventory should be based on communication and needs of the project team (developer, planner, engineer, architect, landscape architect, and other professionals involved), as well as county ordinances. This is the time to confer with the project team on conceptualizations for site design, so that way long- term tree protection and health gets integrated into the design.

Design Phase

3. Communicate with the project team to accurately site structures and utilities and determine the trees to remain on site. Conserve and protect trees in stands or groups where possible. Make sure the trees and stands of trees selected to be saved go into plans and construction documents. Include in all plans the Tree Protection Zone (TPZ) for all saved trees to avoid conflict with the protected area and placement of structures and utilities during construction.

Pre-construction Phase

4. Prior to pre-construction activities, including tree removal, access roads, construction staging areas, and building layout, erect tree protection barriers to visually indicate TPZs. Be sure to:
 - ⇒ Use tree protection barriers that are highly visible, sturdy, and restrict entry into the TPZ.
 - ⇒ Install or erect signs along the tree protection barrier stating that no one is allowed to disturb this area.
 - ⇒ Remove any branches or trees that pose an immediate risk to structures or people prior to any construction activities.

Construction Phase

5. Communicate the intent of the tree protection barriers to the construction manager and workers to ensure that TPZs are not disturbed during construction activities. Have the construction manager sign a contract of compliance.

Prohibit these activities in the TPZ:

- ⇒ Stockpiling of any type, including construction material, debris, soil, and mulch
- ⇒ Altering soils, including grade changes, surface treatment, and compaction due to vehicle, equipment, and foot traffic
- ⇒ Trenching for utility installation or repair and irrigation system installation
- ⇒ Attaching anything to trunks or use of equipment that causes injury to the tree

7. Schedule site visits to ensure the contract is being met by the construction manager and that tree health is not being compromised by construction activity. Inspect and monitor trees for any decline or damages.
8. Keep in place all tree protection barriers until the project is completed.

Post-construction Phase

9. Perform a final inspection and continue monitoring after construction. Monitoring includes maintaining mulch, managing soil moisture, assessing tree damage, inspecting for insects and pests, and fertilization if needed.

Grading Limitations within the Tree Protection Zone

1. Grade changes outside of the TPZ shall not significantly alter drainage to the tree.
2. Grade changes within the TPZ are not permitted.

3. Grade changes under specifically approved circumstances shall not allow more than 6-inches of fill soil added or allow more than 4-inches of existing soil to be removed from natural grade unless mitigated
4. Grade fills over 6-inches or impervious overlay shall incorporate notes: an approved permanent aeration system, permeable material or other approved mitigation.
5. Grade cuts exceeding 4-inches shall incorporate retaining walls or an appropriate transition equivalent.

Trenching, Excavation and Equipment Use


Notification. Contractor shall notify the project arborist a minimum of 24 hours in advance of the activity in the TPZ.

1. **Root Severance.** Roots that are encountered shall be cut to sound wood and repaired. Roots 2-inches and greater must remain injury free.
2. **Excavation.** Any approved excavation, demolition or extraction of material shall be performed with equipment sitting outside the TPZ. Methods permitted are by hand digging, hydraulic or pneumatic air excavation technology. Avoid excavation within the TPZ during hot, dry weather. If excavation or trenching for drainage, utilities, irrigation lines, etc., it is the duty of the contractor to tunnel under any roots 2-inches in diameter and greater. Prior to excavation for foundation/footings/walls, grading or trenching within the TPZ, roots shall first be severed cleanly 1-foot outside the TPZ and to the depth of the future excavation. The trench must then be hand dug and roots pruned with a saw, sawzall, narrow trencher with sharp blades or other approved root pruning equipment.
3. **Heavy Equipment.** Use of backhoes, steel tread tractors or any heavy vehicles within the TPZ is prohibited unless approved by the project arborist. If allowed, a protective root buffer is required. The protective buffer shall consist of a base course of tree chips spread over the root area to a minimum of 6-inch depth, layered by 3/4-inch quarry gravel to stabilize 3/4-inch plywood on top. This buffer within the TPZ shall be maintained throughout the entire construction process.
 - Structural design. If injurious activity or interference with roots greater than 2-inches will occur within the TPZ, plans shall specify a design of special foundation, footing, walls, concrete slab or pavement designs subject to project arborist approval. Discontinuous foundations such as concrete pier and structural grade beam must maintain natural grade (not to exceed a 4-inch cut), to minimize root loss and allow the tree to use the existing soil.

Tree Removal

⇒ Removal of regulated trees shall not be attempted by demolition or construction personnel, grading or other heavy equipment. A certified arborist or tree worker shall remove the tree carefully in a manner that causes no damage above or below ground to trees that are retained.

Tree Protection Zone (TPZ) shown in grey
(radius of TPZ equals 10-times the diameter of the tree or 10-feet, whichever is greater).



Tree protection has three primary functions,

- Keep the foliage canopy and branching structure clear from contact by equipment, materials and activities.
- Preserve roots and soil conditions in an intact and non-compacted state.
- Identify the Tree Protection Zone (TPZ) in which no soil disturbance is permitted and activities are restricted, unless otherwise approved.
- The Tree Protection Zone (TPZ) is a restricted area around the base of the tree with a radius of ten-times the diameter of the tree's trunk or ten feet; whichever is greater, enclosed by fencing.

Fuel Management - Introduction

This fuel management plan has been prepared as a guideline for the implementation of defensible space / vegetation management for the fire safety around the newly proposed residence identified as Lot 49 - #62 Marguerite Carmel, CA. The Fuel Management Zones are specific to the areas where vegetation has been removed or modified in a manner that increases the likelihood that structures will survive wildfires. Improving the defensible space around structures reduces the amount of fuel available for a wildfire.

California Public Resource Code 4291

Maintain defensible space of 100 feet from each side and from the front and rear of the structure, but not beyond the property line. The amount of fuel modification necessary shall consider the flammability of the structure as affected by building material, building standards, location, and type of vegetation. Fuels shall be maintained and spaced in a condition so that a wildfire burning under average weather conditions would be unlikely to ignite the structure. The intensity of fuels management may vary within the 100-foot perimeter of the structure, with more intense fuel reductions being utilized between 5 and 30 feet around the structure, and an ember-resistant zone being required within 5 feet of the structure.

Non-Combustible Zone:

(0-5 feet)

- Hardscape surfaces including gravel, pavers, decomposed granite and bare soils are all approved non-combustible surfaces.
- Succulent plant species are examples of non-combustible plant materials.
- Plant placement is the most important criteria for fire-resistant plant selection.
- No wooden trellis, climbing vines, trees or shrubs should be integrated into this zone.
- No combustible mulch. Rock mulch is acceptable and has the greatest fire resistance.

Landscape Zone:

(5-30 feet)

Landscape Zones incorporate multiple planting types. All zones are proposed with fire-appropriate plant materials and adequate spacing posing less hazard for ignition. Increase space between trees, remove lower branches and create areas of irrigated landscape islands.

- Safe egress must be maintained regularly along the driveway. It is important to allow for safe passage and to provide a location where firefighter resources can travel and engage in fire response.
- Grassland, and the understory of all oak woodland vegetation should be mowed within 10 feet of the pavement edges.
- All chaparral, coastal scrub and oak/shrub woodland vegetation should be treated to 30 feet from the pavement edge providing both vertical and horizontal clearance.


Management Zone

(30-100 feet)

Understory plants must be kept short, and small lower tree branches must be removed. The understory of oak woodland habitat includes shade tolerant shrubs and grasslands. The goal of this standard is to maintain an existing oak woodland with a short-statured understory of herbaceous plants and shrubs and a tree canopy at least 8 feet above the ground. An initial treatment will be required to prune smaller benches of trees up to 8 feet above the ground and to reduce density and stature of understory shrubs. Annual maintenance could be required to maintain this recommended height.

- Understory vegetation should not be completely removed. Instead, selectively remove non-native flammable species and remove dead branches from desirable native vegetation.
- Native understory shrubs are to be kept free of dead branches and no more than 2.5 feet in height.
- Leaf litter depth should be kept no greater than 4 inches.
- Once initial tree pruning is completed, pruning is likely to be needed less frequently with an interval of three to five years.

Fuel Management Map



1909 San Juan Rd

Fuel Management - Introduction

This fuel management plan has been prepared as a guideline for the implementation of defensible space / vegetation management for the fire safety around the newly proposed residence identified as 1909 San Juan Rd. The Fuel Management Zones are specific to the areas where vegetation has been removed or modified in a manner that increases the likelihood that structures will survive wildfires. Improving the defensible space around structures reduces the amount of fuel available for a wildfire.

California Public Resource Code 4291

Maintain defensible space of 100 feet from each side and from the front and rear of the structure, but not beyond the property line. The amount of fuel modification necessary shall consider the flammability of the structure as affected by building material, building standards, location, and type of vegetation. Fuels shall be maintained and spaced in a condition so that a wildfire burning under average weather conditions would be unlikely to ignite the structure. The intensity of fuels management may vary within the 100-foot perimeter of the structure, with more intense fuel reductions being utilized between 5 and 30 feet around the structure, and an ember-resistant zone being required within 5 feet of the structure.

Non-Combustible Zone: (0-5 feet)

- Hardscape surfaces including gravel, pavers, decomposed granite and bare soils are all approved non-combustible surfaces.
- Succulent plant species are examples of non-combustible plant materials.
- Plant placement is the most important criteria for fire-resistant plant selection.
- No wooden trellis, climbing vines, trees or shrubs should be integrated into this zone.
- No combustible mulch. Rock mulch is acceptable and has the greatest fire resistance.

Landscape Zone: (5-30 feet)

Landscape Zones incorporate multiple planting types. All zones are proposed with fire-appropriate plant materials and adequate spacing posing less hazard for ignition. Increase space between trees, remove lower branches and create areas of irrigated landscape islands.


- Safe egress must be maintained regularly along the driveway. It is important to allow for safe passage and to provide a location where firefighter resources can travel and engage in fire response.
- Grassland, and the understorey of all oak woodland vegetation should be mowed within 10 feet of the pavement edges.
- All chaparral, coastal scrub and oak/shrub woodland vegetation should be treated to 30 feet from the pavement edge providing both vertical and horizontal clearance.

Management Zone: (30-100 feet)

Understorey plants must be kept short, and small lower tree branches must be removed. The understorey of oak woodland habitat includes shade tolerant shrubs and grasslands. The goal of this standard is to maintain an existing oak woodland with a short-statured understorey of herbaceous plants and shrubs and a tree canopy at least 8 feet above the ground. An initial treatment will be required to prune smaller benches of trees up to 8 feet above the ground and to reduce density and stature of understorey shrubs. Annual maintenance could be required to maintain this recommended height.

- Understorey vegetation should not be completely removed. Instead, selectively remove non-native flammable species and remove dead branches from desirable native vegetation.
- Native understorey shrubs are to be kept free of dead branches and no more than 2.5 feet in height.
- Leaf litter depth should be kept no greater than 4 inches.
- Once initial tree pruning is completed, pruning is likely to be needed less frequently with an interval of three to five years.

Tree map




ROPER ENGINEERING
CIVIL ENGINEERING & LAND SURVEYING
488 MAIN AVENUE CORNELL, CA 95076
(831) 724-5300 roperengineering.com



NEW RESIDENCE FOR CARLOS CORNEJO
1909 SAN JUAN ROAD ROYAL OAKS APR 267-041-023
DRIVEWAY PLAN & PROFILE

DATE: AS NOTED
DRAWN BY: JC
CHECKED BY: JC
DATE: SEPT. 10, 2021
REVISED: SEPT. 12, 2024
JOB NO.: 21007
SHEET: 3
OF 3 SHEETS



To develop a native understory ecosystem, focus on planting a diverse mix of native shrubs, small trees, herbaceous plants, and ground covers that thrive in the shade conditions beneath a canopy of larger trees, considering factors like light levels, soil type, and local climate, while also managing invasive species and allowing for natural leaf litter accumulation to support the ecosystem's biodiversity

1. Assess the site.
2. Select native species.
3. Consider plant layers.
4. Plant strategically.
5. Manage invasive species.



The 2024 photo shows a natural regrowth of vegetation. The site visit did note native grasses and Coyote Bush (*Baccharis pilularis*) within the site.

Recommendations are to allow for continued natural regrowth and sustain the native plant species while removing invasive plants.

Post construction landscape plans should incorporate native trees, shrubs, grasses and wildflower.

Historical Tree and Vegetation Removal (2018-2024): Replant plan

- Based on Google Earth imagery and discussions with Mr. Cornejo, an estimated 21 trees and unspecified vegetation were removed:
 - Five (5) *Eucalyptus globulus*
 - Fifteen (15) *Quercus agrifolia*
 - One (1) *Pinus radiata*
- Exact species and conditions of removed vegetation remain undetermined.

The replanting rules aim to maintain or restore forest cover following tree/vegetation removal, ensuring ecosystem continuity. The presence of *Quercus agrifolia* (coast live oak) here and nearby sites suggests that the proposed site and soil conditions are favorable for supporting new tree growth. Replanting in these areas will enhance habitat size and connectivity for local wildlife, allowing for healthy development of all trees and further promoting biodiversity.


Possible replant flora (but not limited to) for the property is noted as:

1. Trees and Shrubs
 - Coast Live Oak (*Quercus agrifolia*): Dominant in oak woodlands. Provides habitat and food for local wildlife.
 - California Buckeye (*Aesculus californica*): Deciduous tree with fragrant flowers.
 - Toyon (*Heteromeles arbutifolia*): A shrub known as "Christmas berry" for its bright red fruits.
 - Manzanita (*Arctostaphylos* spp.): Evergreen shrubs with smooth red bark and small pink flowers.
 - Blue Elderberry (*Sambucus nigra* ssp. *caerulea*): Common along riparian zones.
2. Grasses and Wildflowers
 - Purple Needlegrass (*Stipa pulchra*): California's state grass, found in grasslands.
 - California Poppy (*Eschscholzia californica*): Vibrant orange blooms in spring and early summer.
 - Lupines (*Lupinus* spp.): Wildflowers with purple, blue, or yellow blooms.
 - Yarrow (*Achillea millefolium*): A perennial herb with white flowers.

This recommendation outlines a plan for replanting trees on a disturbed site between 2018-2024, prioritizing native species for ecological balance and longevity. Here's a concise summary of the key points:

1. Tree Selection:
 - **Requirement:** Replant 21 trees.
 - **Recommended Species:** Native Coast live oak, chosen for its adaptability and long lifespan in the area, in contrast to the existing non-native eucalyptus and short-lived Monterey pine.
2. Timing:
 - Planting should occur after the completion of all construction activities, during the landscaping phase.
3. Monitoring and Maintenance:
 - Trees should be monitored for a five-year period to ensure successful establishment.
 - A Certified Arborist should document the replanting process, complete a three year assessment and conduct a final review after five years.

Replant locations marked in blue. Tree placement to comply with fuel management of 5-30'





Not all trees were photographed.
The tree canopy is populated with stands of Coast live oak and Eucalyptus.




Vegetation is naturally establishing to the site. Recommendations are to try to minimize further impacts during construction.



Planting Detail

If trees must be staked, place stakes as low as possible but no higher than 2/3 the height of the tree. Materials used to tie the tree to the stake should be flexible and allow for movement all the way down to the ground so that trunk taper develops correctly. Remove all staking material after roots have established. This can be as early as a few months, but should be no longer than one growing season. Materials used for permanent tree protection should never be attached to the tree.




Watering Guidelines

Tree Age	Frequency	Quantity	Drip* & Sprinkler*** Run Time
Three days after planted	Fill the watering basin 3 times, using a total of 15-20 gallons	15-20 gallons	Hand watering best at this stage
First three weeks after planting	Fill the watering basin once a week	5-10 gallons	Drip & Bubbler run time: Depends on flow rate
Two - Six months following planting	Fill the watering basin every week or every other week	10-15 gallons	Drip & Bubbler run time: Depends on flow rate
Remainder of first year	Water every other week in absence of soaking rain	10-15 gallons	Drip & Bubbler run time: Depends on flow rate
Year Two	Every two to four weeks when rain is scarce	15-20 gallons	Drip & Bubbler run time: Depends on flow rate
Year Three-Five	Once a month	20-30 gallons	Drip & Bubbler run time: Depends on flow rate

Certifying Statement

I, Albert Weisfuss, certify that:

- I have personally overseen the inspection of this tree and property referred to in this report, and have stated my findings accurately.
- I have no current or prospective interest in the vegetation or the property that is the subject of this report and have no personal interest or bias with respect to the parties involved.
- The opinions and conclusions stated herein are my own.
- My compensation is not contingent upon the reporting of a predetermined conclusion that favors the cause of the client or any other party.



Albert Weisfuss

December 10, 2024

Date

Arborists Disclosure:

1. Arborists are tree specialists who use their education, knowledge, training and experience to examine trees, recommend measures to enhance the beauty and health of the trees and attempt to reduce the risk of living near trees. Arborists cannot detect every condition that could possibly lead to the structural failure to a tree. Since trees are living organisms, conditions are often hidden within the tree and below ground. Arborists cannot guarantee that a tree will be healthy or safe under all circumstances, or for a specific period of time. Likewise, remedial treatments cannot be guaranteed. Trees can be managed but they cannot be controlled. To live near trees is to accept some degree of risk and the only way to eliminate all risk associated with trees is to eliminate all of the trees.
2. Where the treatment, pruning and/or removal of trees are involved, it is the Client's responsibility to advise Consultant of any issues regarding property boundaries, property ownership, site lines, disputes between neighbors and other related issues.
3. Consultant shall invoice Client periodically for the services rendered. Client shall pay such invoices upon receipt. If invoices are not paid within 30 days, a late payment shall be charged of 1 ½ percent per month.
4. Consultant shall perform its services in a manner consistent with the standard of care and skill ordinarily exercised by members of the profession practicing under similar conditions in the geographic vicinity and at the time the services are performed. No warranty, representation or guarantee, express or implied, is intended by this agreement.
5. Services provided under this agreement, including all reports, information or recommendations prepared or issued by Consultant, are for the exclusive use of the Client for the project specified herein. No other use is authorized under this agreement. Client will not distribute or convey Consultant's reports or recommendations to any other person or organization other than those identified in the project description without Consultant's written authorization. Client releases Consultant from liability and agrees to defend, indemnify and hold harmless Consultant from any and all claims, liabilities, damages or expenses arising, in whole or in part, from such distribution.
6. Consultant is not responsible for the completion or quality of work that is dependent upon or performed by the Client or third parties not under the direct control of the Consultant, nor responsible for their acts or omissions or for any damages resulting there from.
7. Client and Consultant agree to mediate any claims or disputes arising out of this agreement, before initiating any litigation. The mediation shall be conducted by a mediation service acceptable to the parties. The parties shall make a demand for mediation within a reasonable time after a claim or dispute arises and the parties agree to mediate in good faith. In no event shall any demand for mediation be made after such claim or dispute would be barred by applicable law. Mediation fees would be shared equally. In the event that mediation does not resolve the issue, the parties agree to proceed through binding arbitration. The prevailing party in such proceeding shall be entitled to a reasonable sum for attorney's fees and expert witness fees.
8. Client agrees to indemnify, defend and hold harmless Consultant from and against any and all claims, liabilities, suits, demands, losses, costs and expenses, including, but not limited to, reasonable attorneys' fees and all legal expenses and fees incurred through appeal, and all interest thereon, accruing or resulting to any and all persons, firms or any other legal entities on account of any damages or losses to property or persons, including injuries or death, or economic losses, arising out of the project and/or this agreement, except to the extent that said damages or losses are caused by Consultant's sold negligence or willful misconduct.
9. If, during the course of performance of this agreement, conditions or circumstances are discovered which were not contemplated by Consultant at the commencement of this agreement, Consultant shall notify Client in writing of the newly discovered conditions or circumstances, and Client and Consultant shall renegotiate, in good faith, the terms and conditions of this agreement. If amended terms and conditions cannot be agreed upon within 30 days after notice, Consultant may terminate this agreement and be compensated under paragraph 4 in this agreement.
10. This agreement may be terminated by either party upon 10 days' notice sent first class mail. In the event of a termination, Client shall pay for all reasonable charges for work performed by Consultant through the 10th day after mailing the notice of termination. The limitation of liability and indemnity obligations of this agreement shall be binding notwithstanding any termination of this agreement.
11. This agreement is the entire and integrated agreement between Client and Consultant and supersedes all prior negotiations, statements or agreements, either written or oral. Writing signed by both parties may only amend this agreement.
12. In the event that any term or provision in this agreement is found to be unenforceable or invalid for any reason, the remainder of this agreement shall continue in full force and effect, and the parties agree that any unenforceable or invalid term or provision shall be amended to the minimum extent required to make such term or provision enforceable and valid.
13. Neither Client nor Consultant shall assign this agreement without the written consent of the other.
14. Nothing in this agreement shall create a contractual relationship for the benefit of any third party.

This page intentionally left blank