

**AMENDMENT NO. 2  
TO AGREEMENT BY AND BETWEEN  
COUNTY OF MONTEREY AND  
MONTEREY BAY ANALYTICAL SERVICES, INC.**

**THIS AMENDMENT No. 2** is made to the Agreement (“Agreement A-14933”) for providing environmental laboratory testing and analysis services by and between Monterey Bay Analytical Services, Inc., hereinafter “CONTRACTOR”, and the County of Monterey, a political subdivision of the State of California, hereinafter referred to as “COUNTY”.

**WHEREAS**, on August 20, 2020, the COUNTY and CONTRACTOR entered into an Agreement A-14933 for the amount of \$45,000.00 for the term of April 1, 2020, through August 31, 2023, for environmental laboratory testing and analysis services.

**WHEREAS**, on August 24, 2023, the COUNTY and CONTRACTOR entered into Amendment No.1 to extend the term for three additional years, for a revised term of September 1, 2023, through August 31, 2026, and increase funds by \$30,000 to continue services, a total aggregate amount not to exceed \$75,0000; and

**WHEREAS**, COUNTY and CONTRACTOR wish to amend Agreement A-14933 to extend the term for three additional years, with a new term of September 1, 2023, to August 31, 2029, update Exhibit A-1 and replace Exhibit B-1 with Exhibit A-2, and with no changes to the amount.

**NOW THEREFORE**, the COUNTY and CONTRACTOR hereby agree to amend the Agreement in the following manner:

1. **Section 3.0 “TERM OF AGREEMENT”, Section 3.01, shall be amended by removing,** “ The term of this Agreement is from September 1, 2023, to August 31, 2026, unless sooner Terminated pursuant to the terms of this Agreement.” **and replacing it with** “The term of this Agreement is from September 1, 2023, to August 31, 2029, unless sooner terminated pursuant to the terms of this Agreement.

**Exhibit A-1: Scope of Services and Exhibit B-1 Fee Schedule** are deleted and replaced in their entirety and attached as Exhibit A-2. All references to the Agreement to Exhibit A-1 and Exhibit B-1 shall be construed to refer to Exhibit A-2.

2. Except as provided herein, all remaining terms, conditions and provisions of Agreement are unchanged and unaffected by this Amendment No. 2 and shall remain in full force and effect as set forth in the Agreement.
3. A copy of this Amendment No. 2 shall be attached to the original AGREEMENT executed by the County on August 24, 2020.

**IN WITNESS WHEREOF**, COUNTY and CONTRACTOR have executed this Renewal and Amendment No. 2 as of the day and year written below.

**COUNTY OF MONTEREY**

By: Contracts/Purchasing Officer

Date:

By: Elsa M. Jimenez, Director of Health Services

Date:

Approved as to Form

By: *Kevin F. Serrano*  
County Counsel

Date: 6/9/2026 | 4:11 PM PDT

Approved as to Fiscal Provisions

By: *Patricia Ruiz*  
Auditor/Controller

Date: 6/10/2026 | 7:38 AM PDT

Approved as to Liability Provisions

By: Risk Management

Date:

**CONTRACTOR**

Signed by:  
By: *David Holland*  
Signature of Chair, President, or Vice President

David Holland, President  
Name and Title

Date: 6/9/2026 | 8:30 AM PDT

Signed by:  
By: *Mason Weidner-Holland*  
Signature of Secretary, Asst. Secretary, CFO,  
Treasurer, or Asst. Treasurer

Mason Weidner-Holland, Secretary of Operations  
Name and Title

Date: 6/8/2026 | 7:18 PM EDT

**\*INSTRUCTIONS:** If CONTRACTOR is a corporation, including limited liability and non-profit corporations, the full legal name of the corporation shall be set forth above together with the signatures of two specified officers. If CONTRACTOR is a partnership, the name of the partnership shall be set forth above together with the signature of a partner who has authority to execute this Agreement on behalf of the partnership. If CONTRACTOR is contracting in an individual capacity, the individual shall set forth the name of the business, if any, and shall personally sign the Agreement.

## EXHIBIT A-2

**To Agreement by and between  
County of Monterey, hereinafter referred to as “County”  
AND  
Monterey Bay Analytical Services, Inc., hereinafter referred to as “CONTRACTOR”**

### **Scope of Services / Payment Provisions**

#### **A. SCOPE OF SERVICES**

- A.1 CONTRACTOR shall provide services and staff, and otherwise do all things necessary for or incidental to the performance of work, as set forth below:
- A.1.1 CONTRACTOR shall provide environmental laboratory testing/analysis services for the County’s Public Health and Consolidated Chemistry Laboratories.
- A.1.2 CONTRACTOR shall provide the following services:
- Provide analytical testing at the cost shown in the most current CONTRACTOR fee schedule (see B.1.).
  - Provide testing with a routine testing turnaround time (TAT) of 14-20 business days, depending on the analysis. COUNTY is encouraged to submit samples early in the week. Subcontracted analysis TAT will vary depending on test requested.
  - Provide expedited testing:
    - TAT for Coliforms (1-day report) or Anions/Nitrate (2-3day report) at +50% pricing. (For standard reporting of these results within 5 business days or by verbal confirmation, no additional fee applies.)
    - For all other tests, pre-approval is required. County will call for availability & pricing.
  - Provide services outside of normal business hours:
    - Weekends at +50% pricing. Pre-approval is required. County will call for availability.
      - This includes samples received on Friday that require short hold time (24-48 hours) analysis (i.e., coliform bacteria, MTF, heterotrophic plate count) or final analysis on a weekend or holiday.
      - For tests with a 48-hour hold time, samples received by the lab Friday through Sunday, holidays, evenings or the day after collection incur a 50% rush surcharge for expedited analysis to meet method hold time.
    - Scheduled Holidays at +100% pricing. Pre-approval is required. County will call for availability.
    - Emergency analysis outside standard business hours at +250% pricing.
  - Offer sample collection services by appointment. County will call for availability.

- Offer sample courier service. Fees may apply. County will call for quotation and availability.
- Provide custom or archived reports. A \$30 fee may be charged for customized or archived report.
- Charge a CEDEN and SWAMP Reporting Fee. MBAS will charge a **\$40 fee** for EDD and/or upload of customer data.
- Provide GeoTracker Reporting. GeoTracker reporting requires specialized regulatory knowledge, detailed data validation, and strict electronic formatting to meet California submission requirements and avoid rejected uploads or project delays. CONTRACTOR will charge a \$40 GeoTracker reporting fee. This fee covers the preparation of compliant Electronic Data Deliverables (EDF) and, when authorized by the Responsible Party, direct submission of analytical data to the GeoTracker system; any subcontract laboratory GeoTracker fees will be billed separately.
- Provider sample containers for pickup at no charge; shipping charges will apply.
- Provide sample preservation and filtration. Some analyses require sample preservation upon receipt. For dissolved analyses, samples are filtered with a 0.45µm filter prior to preservation. Additional fee is applied as a filtration charge dependent on complexity of matrix.

## **B. PAYMENT PROVISIONS**

### **B.1 COMPENSATION/ PAYMENT**

County shall pay an amount not to exceed **\$75,000.00** for the performance of all things necessary for or incidental to the performance of work as set forth in the Scope of Services. CONTRACTOR'S compensation for services rendered shall be based on the following rates or in accordance with the following terms:



(831) 375-MBAS (6227) Fax: (831) 641-0734 [Info@MBASinc.com](mailto:Info@MBASinc.com) [www.MBASinc.com](http://www.MBASinc.com)  
 4 Justin Court, Suite D, Monterey, CA 93940 Monday-Friday 8:30-17:00\*samples must arrive before 16:30

### 2026 Fee Schedule

Test Panels	Analyses	Fee (\$)	Containers(s)^
Irrigation Suitability Panel	Alkalinity, Bicarbonate, Boron, Calcium, Carbonate, Chloride, Conductivity, Hardness, Iron, Magnesium, Manganese, Nitrate, pH, Potassium, SAR (Sodium Adsorption Ratio) & Adjusted SAR, Sodium, Sulfate, TDS (Total Dissolved Solids)	130.00	1 L Plastic 250 mL Plastic w/HNO <sub>3</sub>
Domestic Suitability Panel	Alkalinity, Bicarbonate, Calcium, Carbonate, Chloride, Conductivity, Fluoride, Hardness, Hydroxide, Iron, Langelier Index corrosivity, Magnesium, Manganese, Nitrate, Nitrite, pH, Phosphate (ortho), Potassium, Sodium, Sulfate, TDS (Total Dissolved Solids), Turbidity	170.00	1 L Plastic 250 mL Plastic w/HNO <sub>3</sub>
General Water Quality Panel	Alkalinity, Arsenic, Bicarbonate, Boron, Cadmium, Calcium, Chloride, Chromium, Conductivity, Copper, Fluoride, Hardness, Iron, Langelier Index corrosivity, Lead, Magnesium, Manganese, Nitrate, Nitrite, pH, Phosphate (ortho), Potassium, SAR (Sodium Adsorption Ratio) & Adjusted SAR, Silica, Sodium, Sulfate, TDS (Total Dissolved Solids), Turbidity, Zinc	235.00	1 L Plastic 250 mL Plastic w/HNO <sub>3</sub>
Title 22 General Mineral General Physical Inorganic Panel	Aggressivity, Alkalinity, Aluminum, Antimony, Arsenic, Barium, Beryllium, Bicarbonate, Bromide, Cadmium, Calcium, Carbonate, Chloride, Chromium, Color, Conductivity, Copper, Cyanide, Fluoride, Hardness, Hydroxide, Iron, Langelier Index, Lead, Magnesium, Manganese, MBAS (Surfactants), Mercury**, Nickel, Nitrate, Nitrite, NO <sub>2</sub> +NO <sub>3</sub> , Odor, pH, Potassium, Selenium, Silver, Sodium, Sulfate, TDS, Thallium, Turbidity, Zinc <b>*Perchlorate, Chromium-6 &amp; Asbestos must be ordered separately if needed*</b> <b>**NOTE: Samples with Turbidity &gt;1 NTU require Mercury by EPA 245 = add \$75</b>	365.00	1L Plastic 250 mL Amber Glass 250 mL Amber Glass w/NaOH 250 mL Plastic w/HNO <sub>3</sub>
Storm Drain Panel	Conductivity, Oil & Grease, pH, TSS (Total Suspended Solids) + Add TOC (Total Organic Carbon)	125.00 175.00	2L Plastic, 1L Amber Glass w/HCl for TOC: (3) 40 mL VOAs w/H <sub>2</sub> PO <sub>4</sub>
Synthetic Organic Compounds (SOCs) for CA Full Panel**	EDB & DBCP (Ethylenedibromide & Dibromochloropropane) – EPA 504 (\$125), Pesticides & PCBs – EPA 505 (\$195), Herbicides – EPA 515 (\$205), Semi-Volatile Organics by GC/MS – EPA 525 (\$240), Carbamates – EPA 531.1 (\$195), Glyphosate – EPA 547 (\$195), Endothall – EPA 548.1 (\$205), Diquat – EPA 549 (\$200) <b>*Dioxin must be ordered separately if needed*</b>	1560.00	EPA 504 (3) 40 mL VOAs w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 505 (3) 40 mL VOAs w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 515 250mL Amber Glass w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 525 (2) 1L Amber Glass w/Acetic, EDTA & KI/DC EPA 531 40mL VOA w/MCAA & Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 547 40 mL VOA w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 548 250mL Amber Glass w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 549 1 L Brown Plastic w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
SOCs for Monterey County**	Alachlor, Atrazine & Simazine, Thiobencarb – EPA 525 (\$240) [if <b>only</b> *Alachlor-Atrazine-Simazine are required = request EPA 505 (\$195)*], Bentazon & 2,4-D – EPA 515 (\$205), Carbofuran – EPA 531 (\$195), Diquat – EPA 549 (\$200)	840.00	EPA 525 (2) 1L AG w/Acetic, EDTA & KI/DC -OR- EPA 505 (3) 40 mL VOAs w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 515 250 mL Amber Glass w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 531 40 mL VOA w/MCAA & Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> EPA 549 1 L Brown Plastic w/ Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
Volatile Organic Compounds (VOCs)**	Drinking Water – EPA 524** Wastewater – EPA 624 / EPA8260B**	145.00 195.00	(3) 40 mL Clear VOAs w/ HCl
Radionuclide Testing	Gross Alpha or Gross Beta** Radium 226** Radium 228** Uranium by ICPMS	83.00 190.00 275.00 55.00	1 L Plastic 1 L Plastic 2 L Plastic 250 mL Plastic w/HNO <sub>3</sub>
Asbestos**	Asbestos in Drinking Water** (>24 Hours or Friday/weekend receipt = Mandatory Ozonation Required)	228.00 +52.00	1 L Plastic (if received ≥24-hrs)
Disinfection By-Products:** Total Trihalomethanes (TTHM) + Haloacetic Acids (HAA5)	TTHM: Bromodichloromethane, Bromoform, Chloroform, Dibromochloromethane DW – EPA 551/524    WW – EPA 624 HAA5 – EPA 552: Dibromoacetic Acid, Dichloroacetic Acid, Monobromoacetic Acid, Monochloroacetic Acid, Trichloroacetic Acid	DW: 295.00 WW: 330.00	TTHM(DW): (4) 40 mL VOAs w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> TTHM(WW): (3) 40 mL VOAs w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> HAA5: 250 mL Amber Glass w/ NH <sub>4</sub> Cl
<b>Bacteriological Analyses &lt;&lt;&lt;NOTE: Samples received Friday/weekend/holiday or requesting report within 24 hours = 50% surcharge&gt;&gt;&gt;&gt;</b>			
Coliforms, P/A (Presence/Absence)	Total & E. coli, Presence/Absence (SM9223B-18hr)	30.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
Coliforms, QT (Enumeration/MPN)	Total & E. coli by Quantitray (SM9223B-18hr) Fecal Coliform by Quantitray (Colilert-18hr) E. coli by Quantitray for FSMA Produce Safety Rule (SM9223B-18hr)	34.00 37.00 28.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
Coliforms, MTF (SM 9221)	Total – by 10 or 15-tube Multiple Tube Fermentation + E. coli and/or Fecal Coliform added to above analysis <b>*Samples received THURSDAY through Sunday or holiday incur 50% surcharge</b>	50.00 18.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
Enterococcus	Enterococcus by Quantitray (Enterolert)	42.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>
Heterotrophic Plate Count (HPC)	Heterotrophic Plate Count by SimPlate <b>*Samples received THURSDAY through Sunday or holiday incur 50% surcharge</b>	40.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub>

\*\*Analysis sub-contracted to certified laboratory\*\*prices subject to change based on methods and sub-contractor  
 ^Samples will be preserved upon receipt, unless pre-approved



(831) 375-MBAS (6227) Fax: (831) 641-0734 [Info@MBASinc.com](mailto:Info@MBASinc.com) [www.MBASinc.com](http://www.MBASinc.com)

4 Justin Court, Suite D, Monterey, CA 93940 Monday-Friday 8:30-17:00\*samples must arrive before 16:30

Analytes	Fee (\$)	Container(s)^
1,2,3-Trichloropropane (1,2,3-TCP) – GCMS-SIM**	145.00	(4) 40 mL Amber VOA <sub>s</sub> w/ HCl
Acrolein & Acrylonitrile**	128.00	(2) 40 mL VOA <sub>s</sub>
Aggressivity Panel (Includes Alkalinity, Calcium, pH)	65.00	250 mL Plastic, 250 mL w/HNO <sub>3</sub>
Alkalinity, Total	30.00	250 mL Plastic
Alkalinity Panel (includes Carbonate CO <sub>3</sub> , Bicarbonate HCO <sub>3</sub> , Hydroxide OH <sup>-</sup> , and pH)	45.00	250 mL Plastic
Aluminum – Al	28.00	250 mL Plastic w/HNO <sub>3</sub>
Ammonia – NH <sub>3</sub>	40.00	250 mL Plastic w/H <sub>2</sub> SO <sub>4</sub>
Anions (3 or more: Br, Cl, F, NO <sub>3</sub> , NO <sub>2</sub> , PO <sub>4</sub> , SO <sub>4</sub> )	80.00	250 mL Plastic
Antimony – Sb	28.00	250 mL Plastic w/HNO <sub>3</sub>
Arsenic – As	28.00	250 mL Plastic w/HNO <sub>3</sub>
Arsenic, Speciation **	225.00	125 mL Plastic w/EDTA, Acetic Acid
Asbestos (Building Materials)**	Price dependent on # Layers	\$10.00/Additional Layer
Barium – Ba	28.00	250 mL Plastic w/HNO <sub>3</sub>
BioAssay (Acute Toxicity)** – <i>Advanced scheduling required!</i>	Quote	10 L cubit
Biochemical Oxygen Demand (BOD)	55.00	1 L Plastic
Soluble Biochemical Oxygen Demand, <i>Add \$5 filter charge</i>	60.00	1 L Plastic
Boron - B	28.00	250 mL Plastic w/HNO <sub>3</sub>
Bromate** – BrO <sub>3</sub>	72.00	250mL Amber Glass w/EDA
Bromide – Br	28.00	250 mL Plastic
Cadmium – Cd	28.00	250 mL Plastic w/HNO <sub>3</sub>
Calcium – Ca	28.00	250 mL Plastic w/HNO <sub>3</sub>
CAM 17 Metals (Ag, As, Ba, Be, Cd, Co, Cr, Cu, Hg <sub>245</sub> , Mo, Ni, Pb, Sb, Se, Tl, V, Zn)**	260.00	(2) 250 mL Plastic w/HNO <sub>3</sub>
Carbonaceous Biochemical Oxygen Demand (CBOD) <i>Dissolved analysis, Add \$5 filter charge</i>	60.00	1 L Plastic
Cations (3 or more: B, Ca, Cu, Fe, K, Mg, Mn, Na, Si, Zn) <i>Dissolved analysis, Add \$5 filter charge</i>	80.00	250 mL Plastic w/HNO <sub>3</sub>
Chemical Oxygen Demand (COD) <i>Dissolved analysis, Add \$5 filter charge</i>	50.00	250 mL Plastic w/ H <sub>2</sub> SO <sub>4</sub>
Chloramines (Includes free and total chlorine residual)	30.00	250 mL Plastic
Chloride – Cl	28.00	250 mL Plastic
Chlorine Residual (Free or Total)	20.00	250 mL Plastic
Chromium, Total – Cr	28.00	250 mL Plastic w/HNO <sub>3</sub>
Chromium VI – Cr6**	96.00	250 mL Plastic, Field-filtered +Buffer
Color	20.00	250 mL Amber Glass
Conductivity – SEC	20.00	250 mL Plastic
Copper – Cu	28.00	250 mL Plastic w/HNO <sub>3</sub>
Corrosivity Panel / Langelier Index (Includes Alkalinity, Ca, pH, TDS, Temperature)	96.00	500 mL Plastic / 250 mL Plastic w/HNO <sub>3</sub>
Cyanide, Available – CN (Drinking water) or Cyanide, Total – CN (Wastewater)	45.00	250 mL Amber Glass w/NaOH
Cyanide – requiring subcontracting due to complex Matrix**	104.00	250 mL Amber Glass w/NaOH
Dioxin** 2,3,7,8 TCDD by EPA 1613	390.00	(2) 1 L Amber Glass
Dioxin** plus TCDD equivalents C14-C18 by EPA 1613	850.00	(2) 1 L Amber Glass
Dissolved Oxygen	12.00	500 mL Plastic
Ethanol**	130.00	(3) 40 mL Clear VOA <sub>s</sub> w/HCl
Fluoride – F	28.00	250 mL Plastic
Formaldehyde** EPA 556	270.00	(2) 40mL VOA w/ NH <sub>4</sub> Cl/CuSO <sub>4</sub>
General Physical (Color, Odor, Turbidity)	65.00	250 mL Amber Glass
Hardness (Includes Ca & Mg)	52.00	250 mL Plastic w/HNO <sub>3</sub>
Iodide**	135.00	250 mL Plastic
Iron – Fe	28.00	250 mL Plastic w/HNO <sub>3</sub>
Iron-Related Bacteria – <i>Advanced scheduling required!</i>	68.00	100 mL Sterile Plastic w/Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub>
Lead – Pb	28.00	250 mL Plastic w/HNO <sub>3</sub>
Lead & Copper Rule -- <i>return samples within 14 days of collection</i>	56.00	1 L Plastic w/HNO <sub>3</sub>
Lithium – Li	28.00	250 mL Plastic w/HNO <sub>3</sub>
Magnesium – Mg	28.00	250 mL Plastic w/HNO <sub>3</sub>
Manganese – Mn	28.00	250 mL Plastic w/HNO <sub>3</sub>
MBAS (Detergents/ Surfactants)	45.00	500 mL Plastic
Mercury – Hg (Drinking Water)	28.00	250 mL Plastic w/HNO <sub>3</sub>
Mercury by Cold Vapor (Turbidity >1 NTU) (Hg <sub>245</sub> )** <i>Complex matrix add \$15</i>	75.00	250 mL Plastic w/HNO <sub>3</sub>

\*\*Analysis sub-contracted to certified laboratory\*\*prices subject to change based on methods and sub-contractor  
 ^Samples will be preserved upon receipt, unless pre-approved

MBAS\_PriceList\_Rev 20260326



(831) 375-MBAS (6227) Fax: (831) 641-0734 [Info@MBASinc.com](mailto:Info@MBASinc.com) [www.MBASinc.com](http://www.MBASinc.com)

4 Justin Court, Suite D, Monterey, CA 93940 Monday-Friday 8:30-17:00\**samples must arrive before 16:30*

Analytes	Fee (\$)	Container(s) ^
Metals Scan (Drinking Water), by EPA 200.8 (Ag, Al, As, Ba, Be, Cd, Co, Cr, Cu, Fe, Hg, Li, Mn, Mo, Ni, Pb, Sb, Se, Sr, Ti, V, Zn)	(3-6 Metals) \$4.00 (7-10 Metals) 132.00 (11-13 Metals) 152.00 (14-17 Metals) 182.00 (18-22 Metals) 220.00 Dissolved Metals (Filter Charge) +5.00	250 mL Plastic w/HNO <sub>3</sub>
Methane** - CH <sub>4</sub>	175.00	(3) 40 mL VOAs w/HCl
Methanol (EPA 8260)**	130.00	(3) 40 mL VOAs w/HCl
Nickel - Ni	28.00	250 mL Plastic w/HNO <sub>3</sub>
Nitrate as Nitrogen - NO <sub>3</sub> -N	28.00	250 mL Plastic
Nitrite as Nitrogen - NO <sub>2</sub> -N	28.00	250 mL Plastic
Nitrogen, Total Kjeldahl - TKN	45.00	500 mL Plastic w/ H <sub>2</sub> SO <sub>4</sub>
Nitrogen, Total (Includes NO <sub>3</sub> , NO <sub>2</sub> , TKN)	98.00	500 mL Plastic w/ H <sub>2</sub> SO <sub>4</sub> 250 mL Plastic
Odor	20.00	250 mL Amber Glass
Oil & Grease - O&G	62.00	
Polar & Non-Polar *Note: high solids samples only fill 1/3 full 1 L Amber Glass*	90.00	*1 L Amber Glass w/HCl
Organochlorine Pesticides & PCBs w/ Florisil Clean-up (EPA 608)** add o.p. isomers +\$66	265.00	(2) 1 L Amber Glass
Organophosphorus Pesticides (EPA 8141)**	210.00	(2) 1 L Amber Glass
Perchlorate **	110.00	250 mL Plastic
PFAS: Per/Polyfluoroalkyl Substances** Includes PFOS/PFOA - EPA 533 (DW)/DOD QSM (WW) *Separate charge applies if Field Blank analysis is required (for DW, if detection found in sample)	390.00	DW: (3) 250 mL HDPE +Ammonium Acetate WW: (2) 250 mL HDPE
pH	15.00	250 mL Plastic
Phosphate, Ortho as P - PO <sub>4</sub> -P	28.00	250 mL Plastic
Phosphorus, Total	35.00	250 mL Plastic w/ H <sub>2</sub> SO <sub>4</sub>
Phenolics, Total EPA 420**	125.00	250 mL AG w/ H <sub>2</sub> SO <sub>4</sub>
Phenols 15 compounds EPA 625**	210.00	(2) 1 L Amber Glass
Polynuclear Aromatics by HPLC, EPA 610**	260.00	1 L Amber Glass
Potassium - K	28.00	250 mL Plastic w/HNO <sub>3</sub>
Priority Pollutant Metals (PP13/WW matrix) (Ag, As, Be, Cd, Cr, Cu, Ni, Pb, Sb, Se, Ti, Zn, **Hg <sub>245</sub> )	220.00	250 mL Plastic w/HNO <sub>3</sub>
PP13 metals requiring subcontracting because of complex Matrix	300.00	250 mL Plastic w/HNO <sub>3</sub>
Selenium - Se	28.00	250 mL Plastic w/HNO <sub>3</sub>
Semi-Volatile Organic Compounds (EPA 625)** (Wastewater)	380.00	(2) 1 L Amber Glass
Silica - SiO <sub>2</sub>	28.00	250 mL Plastic w/HNO <sub>3</sub>
Silver - Ag	28.00	250 mL Plastic w/HNO <sub>3</sub>
Sodium - Na	28.00	250 mL plastic w/HNO <sub>3</sub>
Sodium Adsorption Ratio Panel (SAR & Adjusted SAR - Includes Alkalinity, Ca, Mg, Na & SEC)	120.00	300 mL Plastic / 250 mL Plastic w/HNO <sub>3</sub>
Solids, Settleable - SS	27.00	2 L Plastic
Solids, Total Dissolved - TDS (add \$15 for FDS or VDS)	32.00	500 mL Plastic
Solids, Total Suspended - TSS	32.00	2 L Plastic
Solids, Volatile Suspended - VSS (includes TSS)	47.00	2 L Plastic
STLC / WET TEST Extraction +\$25/Metal**	110.00	1 L Plastic or 100g (Solid)
Sulfate - SO <sub>4</sub>	28.00	250 mL Plastic
Sulfide, Total	50.00	250 mL Plastic w/NaOH + Zinc Acetate
Sulfide, Dissolved - S <sup>2-</sup> **	55.00	250 mL Plastic w/NaOH
Title 22 Primary (Inorganic) (Al, As, Ba, Be, Cd, Cr, Cu, Cyanide, F, Hg, Ni, NO <sub>3</sub> , NO <sub>2</sub> , Pb, Sb, Se, Ti)	205.00	250 mL Plastic 250 mL Plastic w/HNO <sub>3</sub> 250 mL Amber Glass w/NaOH
Title 22 Secondary General Mineral & Physical (General Mineral only \$160) (Ag, Aggressivity, Al, Alkalinity, Ca, Cl, CO <sub>3</sub> , Color, Cu, Fe, Hardness, HCO <sub>3</sub> , K, Langelier Index, MBAS, Mg, Mn, Na, Odor, OH, pH, SEC, SO <sub>4</sub> , TDS, Turbidity, Zn)	205.00	1 L Plastic 250 mL Amber Glass 250 mL Plastic w/HNO <sub>3</sub>
Title 22 Heavy Metals only (Ag, Al, As, Ba, Be, Cd, Cr, Cu, Fe, Hg, Mn, Ni, Pb, Sb, Se, Ti, Zn)	182.00	250 mL Plastic w/HNO <sub>3</sub>
Total Organic Carbon - TOC	65.00	(3) 40ml VOAs w/ H <sub>3</sub> PO <sub>4</sub>
For Dissolved Organic Carbon (DOC) - *Requires filtration; Add \$5	70.00	250 mL Amber Glass
TPH - Multi-Range Organics (Gasoline, Diesel, Motor Oil)**	125.00	(3) 40 ml VOAs w/HCl
+ Include MTBE & BTEX with Gas Range analysis (add \$130)	255.00	(3) 40 ml VOAs w/HCl
Tributyltin**	260.00	1 L Amber Glass
Turbidity	25.00	250 mL Plastic
Urea	60.00	125 mL Plastic (Freeze)
UV <sub>254</sub>	27.00	250 mL Amber Glass
Zinc - Zn	28.00	250 mL Plastic w/HNO <sub>3</sub>

\*\*Analysis sub-contracted to certified laboratory\*\*prices subject to change based on methods and sub-contractor  
^Samples will be preserved upon receipt, unless pre-approved

There shall be no travel reimbursement allowed during this Agreement.

CONTRACTOR warrants that the cost charged for services under the terms of this contract are not in excess of those charged any other client for the same services performed by the same individuals.

## **B.2 CONTRACTORS BILLING PROCEDURES**

NOTE: Payment may be based upon satisfactory acceptance of each deliverable, payment after completion of each major part of the Agreement, payment at conclusion of the Agreement.

County may, in its sole discretion, terminate the contract or withhold payments claimed by CONTRACTOR for services rendered if CONTRACTOR fails to satisfactorily comply with any term or condition of this Agreement.

No payments in advance or in anticipation of services or supplies to be provided under this Agreement shall be made by County.

County shall not pay any claims for payment for services submitted more than twelve (12) months after the calendar month in which the services were completed.

DISALLOWED COSTS: CONTRACTOR is responsible for any audit exceptions or disallowed costs incurred by its own organization or that of its subcontractors.

Invoices shall be submitted in duplicate to:

County of Monterey Health Department  
Public Health Bureau-Accounts Payable  
1270 Natividad Road  
Salinas, CA 93906  
(831) 755-4500  
[412-phfiscal@countyofmonterey.gov](mailto:412-phfiscal@countyofmonterey.gov)

County of Monterey Health Department  
Public Health Laboratory-Donna Ferguson  
1270 Natividad Road  
Salinas, CA 93906  
(831) 755-4636  
[fergusond@countyofmonterey.gov](mailto:fergusond@countyofmonterey.gov)

Invoices shall:

- a) Be prepared on Contractor letterhead. An authorized official, employee, or agent certifying that the expenditures claimed represent services performed under this contract must sign invoices.
- b) Bear the Contractor's name as shown on the agreement.
- c) Invoices should be submitted monthly.
- d) Identify the billing and/or performance period covered by the invoice.

- e) Itemize costs for the billing period in the same detail as indicated in the scope of services in the agreement. Reimbursement may only be sought for those costs and/or cost categories expressly identified as allowable in this agreement and approved by the County of Monterey.