


ABBREVIATIONS

AB	ARCHITECT / ARCHITECT	HO	HORIZONTAL
AC	ACCOMMODATION	HW	HOT WATER
AD	ADDITIONAL	HP	HOT PIPING
AE	ARCHITECTURAL ELEVATION	HT	HOT TANK
AF	ARCHITECTURAL FINISH	IB	INSIDE BRACKET
AG	ARCHITECTURAL GRID	IC	INTERIOR CLADDING
AH	ARCHITECTURAL HATCH	IA	INTERIOR ANCHOR
AI	ARCHITECTURAL INTERIOR	IB	INTERIOR BRACKET
AK	ARCHITECTURAL KEY	IC	INTERIOR CLADDING
AL	ARCHITECTURAL LINE	ID	INTERIOR DETAIL
AM	ARCHITECTURAL MATERIAL	IE	INTERIOR ELEVATION
AN	ARCHITECTURAL NOTE	IF	INTERIOR FINISH
AO	ARCHITECTURAL OBJECT	IG	INTERIOR GRID
AP	ARCHITECTURAL PLAN	IH	INTERIOR HATCH
AQ	ARCHITECTURAL QUANTITY	IL	INTERIOR LAMINATE
AR	ARCHITECTURAL REFERENCE	IM	INTERIOR MOUNTING
AS	ARCHITECTURAL SYMBOL	IN	INTERIOR NORTH
AT	ARCHITECTURAL TYPING	IO	INTERIOR OPERATIONAL
AV	ARCHITECTURAL VENT	IP	INTERIOR PIPING
AW	ARCHITECTURAL WINDOW	IR	INTERIOR REVISION
AX	ARCHITECTURAL X-CUT	IS	INTERIOR SCHEDULE
AY	ARCHITECTURAL Y-CUT	IT	INTERIOR TYPING
AZ	ARCHITECTURAL Z-CUT	IU	INTERIOR UNIFORM
BA	BATH	IV	INTERIOR VENT
BB	BATHROOM	IW	INTERIOR WINDOW
BC	BATHROOM CLOSET	IX	INTERIOR X-CUT
BD	BATHROOM DETAIL	IY	INTERIOR Y-CUT
BE	BATHROOM ELEVATION	IZ	INTERIOR Z-CUT
BF	BATHROOM FINISH	JA	JANITOR
BG	BATHROOM GRID	JB	JANITOR BRACKET
BH	BATHROOM HATCH	JC	JANITOR CLADDING
BI	BATHROOM INTERIOR	JD	JANITOR DETAIL
BJ	BATHROOM JUNCTION	JE	JANITOR ELEVATION
BK	BATHROOM KEY	JF	JANITOR FINISH
BL	BATHROOM LINE	JG	JANITOR GRID
BM	BATHROOM MATERIAL	JH	JANITOR MOUNTING
BN	BATHROOM NOTE	JI	JANITOR NORTH
BO	BATHROOM OBJECT	JJ	JANITOR OPERATIONAL
BP	BATHROOM PLAN	JK	JANITOR PIPING
BQ	BATHROOM QUANTITY	JL	JANITOR REVISION
BR	BATHROOM REFERENCE	JM	JANITOR SCHEDULE
BS	BATHROOM SYMBOL	JN	JANITOR TYPING
BT	BATHROOM TYPING	JO	JANITOR UNIFORM
BV	BATHROOM VENT	JP	JANITOR VENT
BW	BATHROOM WINDOW	JK	JANITOR WINDOW
BX	BATHROOM X-CUT	JL	JANITOR X-CUT
BY	BATHROOM Y-CUT	JM	JANITOR Y-CUT
BZ	BATHROOM Z-CUT	JN	JANITOR Z-CUT
CA	CANOPY	KA	KITCHEN
CB	CANOPY BRACKET	KB	KITCHEN BRACKET
CC	CANOPY CLADDING	KC	KITCHEN CLADDING
CD	CANOPY DETAIL	KE	KITCHEN ELEVATION
CE	CANOPY ELEVATION	KF	KITCHEN FINISH
CF	CANOPY FINISH	KG	KITCHEN GRID
CG	CANOPY HATCH	KH	KITCHEN HATCH
CH	CANOPY INTERIOR	KI	KITCHEN INTERIOR
CI	CANOPY JUNCTION	KJ	KITCHEN JUNCTION
CJ	CANOPY KEY	KL	KITCHEN LINE
CK	CANOPY LINE	KM	KITCHEN MATERIAL
CL	CANOPY MATERIAL	KN	KITCHEN NOTE
CM	CANOPY NOTE	KO	KITCHEN OBJECT
CN	CANOPY OBJECT	KP	KITCHEN PLAN
CO	CANOPY PLAN	KQ	KITCHEN QUANTITY
CP	CANOPY QUANTITY	KR	KITCHEN REFERENCE
CQ	CANOPY REFERENCE	KS	KITCHEN SYMBOL
CR	CANOPY SYMBOL	KT	KITCHEN TYPING
CS	CANOPY TYPING	KU	KITCHEN UNIFORM
CT	CANOPY UNIFORM	KV	KITCHEN VENT
CU	CANOPY VENT	KW	KITCHEN WINDOW
CV	CANOPY WINDOW	KX	KITCHEN X-CUT
CW	CANOPY X-CUT	KY	KITCHEN Y-CUT
CX	CANOPY Y-CUT	KZ	KITCHEN Z-CUT
CY	CANOPY Z-CUT	LA	LAMINATE
CA	CANOPY Z-CUT	LB	LAMINATE BRACKET
CB	CANOPY Z-CUT	LC	LAMINATE CLADDING
CC	CANOPY Z-CUT	LD	LAMINATE DETAIL
CD	CANOPY Z-CUT	LE	LAMINATE ELEVATION
CE	CANOPY Z-CUT	LF	LAMINATE FINISH
CF	CANOPY Z-CUT	LG	LAMINATE GRID
CG	CANOPY Z-CUT	LH	LAMINATE HATCH
CH	CANOPY Z-CUT	LI	LAMINATE INTERIOR
CI	CANOPY Z-CUT	LJ	LAMINATE JUNCTION
CJ	CANOPY Z-CUT	LK	LAMINATE KEY
CK	CANOPY Z-CUT	LM	LAMINATE LINE
CL	CANOPY Z-CUT	LN	LAMINATE MATERIAL
CM	CANOPY Z-CUT	LO	LAMINATE NOTE
CN	CANOPY Z-CUT	LP	LAMINATE OBJECT
CO	CANOPY Z-CUT	LQ	LAMINATE PLAN
CP	CANOPY Z-CUT	LR	LAMINATE QUANTITY
CQ	CANOPY Z-CUT	LS	LAMINATE REFERENCE
CR	CANOPY Z-CUT	LT	LAMINATE SYMBOL
CS	CANOPY Z-CUT	LU	LAMINATE TYPING
CT	CANOPY Z-CUT	LV	LAMINATE UNIFORM
CU	CANOPY Z-CUT	LV	LAMINATE VENT
CV	CANOPY Z-CUT	LW	LAMINATE WINDOW
CW	CANOPY Z-CUT	LX	LAMINATE X-CUT
CX	CANOPY Z-CUT	LY	LAMINATE Y-CUT
CY	CANOPY Z-CUT	LZ	LAMINATE Z-CUT
CA	CANOPY Z-CUT	MA	MATERIAL
CB	CANOPY Z-CUT	MB	MATERIAL BRACKET
CC	CANOPY Z-CUT	MC	MATERIAL CLADDING
CD	CANOPY Z-CUT	MD	MATERIAL DETAIL
CE	CANOPY Z-CUT	ME	MATERIAL ELEVATION
CF	CANOPY Z-CUT	MF	MATERIAL FINISH
CG	CANOPY Z-CUT	MG	MATERIAL GRID
CH	CANOPY Z-CUT	MH	MATERIAL HATCH
CI	CANOPY Z-CUT	MI	MATERIAL INTERIOR
CJ	CANOPY Z-CUT	MJ	MATERIAL JUNCTION
CK	CANOPY Z-CUT	ML	MATERIAL KEY
CL	CANOPY Z-CUT	MM	MATERIAL LINE
CM	CANOPY Z-CUT	MN	MATERIAL MATERIAL
CN	CANOPY Z-CUT	MO	MATERIAL NOTE
CO	CANOPY Z-CUT	MP	MATERIAL OBJECT
CP	CANOPY Z-CUT	MQ	MATERIAL PLAN
CQ	CANOPY Z-CUT	MR	MATERIAL QUANTITY
CR	CANOPY Z-CUT	MS	MATERIAL REFERENCE
CS	CANOPY Z-CUT	MT	MATERIAL SYMBOL
CT	CANOPY Z-CUT	MU	MATERIAL TYPING
CU	CANOPY Z-CUT	MV	MATERIAL UNIFORM
CV	CANOPY Z-CUT	MW	MATERIAL VENT
CW	CANOPY Z-CUT	MX	MATERIAL WINDOW
CX	CANOPY Z-CUT	MY	MATERIAL X-CUT
CY	CANOPY Z-CUT	MZ	MATERIAL Y-CUT
CA	CANOPY Z-CUT	NA	NATURAL
CB	CANOPY Z-CUT	NB	NATURAL BRACKET
CC	CANOPY Z-CUT	NC	NATURAL CLADDING
CD	CANOPY Z-CUT	ND	NATURAL DETAIL
CE	CANOPY Z-CUT	NE	NATURAL ELEVATION
CF	CANOPY Z-CUT	NF	NATURAL FINISH
CG	CANOPY Z-CUT	NG	NATURAL GRID
CH	CANOPY Z-CUT	NH	NATURAL HATCH
CI	CANOPY Z-CUT	NI	NATURAL INTERIOR
CJ	CANOPY Z-CUT	NJ	NATURAL JUNCTION
CK	CANOPY Z-CUT	NK	NATURAL KEY
CL	CANOPY Z-CUT	NL	NATURAL LINE
CM	CANOPY Z-CUT	NO	NATURAL MATERIAL
CN	CANOPY Z-CUT	NP	NATURAL NOTE
CO	CANOPY Z-CUT	NQ	NATURAL OBJECT
CP	CANOPY Z-CUT	NR	NATURAL PLAN
CQ	CANOPY Z-CUT	NS	NATURAL QUANTITY
CR	CANOPY Z-CUT	NT	NATURAL REFERENCE
CS	CANOPY Z-CUT	NU	NATURAL SYMBOL
CT	CANOPY Z-CUT	NV	NATURAL TYPING
CU	CANOPY Z-CUT	NW	NATURAL UNIFORM
CV	CANOPY Z-CUT	NX	NATURAL VENT
CW	CANOPY Z-CUT	NY	NATURAL WINDOW
CX	CANOPY Z-CUT	NZ	NATURAL X-CUT
CY	CANOPY Z-CUT	OA	OVERALL
CA	CANOPY Z-CUT	OB	OVERALL BRACKET
CB	CANOPY Z-CUT	OC	OVERALL CLADDING
CC	CANOPY Z-CUT	OD	OVERALL DETAIL
CD	CANOPY Z-CUT	OE	OVERALL ELEVATION
CE	CANOPY Z-CUT	OF	OVERALL FINISH
CF	CANOPY Z-CUT	OG	OVERALL GRID
CG	CANOPY Z-CUT	OH	OVERALL HATCH
CH	CANOPY Z-CUT	OI	OVERALL INTERIOR
CI	CANOPY Z-CUT	OJ	OVERALL JUNCTION
CJ	CANOPY Z-CUT	OK	OVERALL KEY
CK	CANOPY Z-CUT	OL	OVERALL LINE
CL	CANOPY Z-CUT	OM	OVERALL MATERIAL
CM	CANOPY Z-CUT	ON	OVERALL NOTE
CN	CANOPY Z-CUT	OO	OVERALL OBJECT
CO	CANOPY Z-CUT	OP	OVERALL PLAN
CP	CANOPY Z-CUT	OQ	OVERALL QUANTITY
CQ	CANOPY Z-CUT	OR	OVERALL REFERENCE
CR	CANOPY Z-CUT	OS	OVERALL SYMBOL
CS	CANOPY Z-CUT	OT	OVERALL TYPING
CT	CANOPY Z-CUT	OU	OVERALL UNIFORM
CU	CANOPY Z-CUT	OV	OVERALL VENT
CV	CANOPY Z-CUT	OW	OVERALL WINDOW
CW	CANOPY Z-CUT	OX	OVERALL X-CUT
CX	CANOPY Z-CUT	OY	OVERALL Y-CUT
CY	CANOPY Z-CUT	OZ	OVERALL Z-CUT
CA	CANOPY Z-CUT	PA	PANEL
CB	CANOPY Z-CUT	PB	PANEL BRACKET
CC	CANOPY Z-CUT	PC	PANEL CLADDING
CD	CANOPY Z-CUT	PD	PANEL DETAIL
CE	CANOPY Z-CUT	PE	PANEL ELEVATION
CF	CANOPY Z-CUT	PF	PANEL FINISH
CG	CANOPY Z-CUT	PG	PANEL GRID
CH	CANOPY Z-CUT	PH	PANEL HATCH
CI	CANOPY Z-CUT	PI	PANEL INTERIOR
CJ	CANOPY Z-CUT	PJ	PANEL JUNCTION
CK	CANOPY Z-CUT	PK	PANEL KEY
CL	CANOPY Z-CUT	PL	PANEL LINE
CM	CANOPY Z-CUT	PM	PANEL MATERIAL
CN	CANOPY Z-CUT	PN	PANEL NOTE
CO	CANOPY Z-CUT	PO	PANEL OBJECT
CP	CANOPY Z-CUT	PP	PANEL PLAN
CQ	CANOPY Z-CUT	PQ	PANEL QUANTITY
CR	CANOPY Z-CUT	PR	PANEL REFERENCE
CS	CANOPY Z-CUT	PS	PANEL SYMBOL
CT	CANOPY Z-CUT	PT	PANEL TYPING
CU	CANOPY Z-CUT	PV	PANEL UNIFORM
CV	CANOPY Z-CUT	PW	PANEL VENT
CW	CANOPY Z-CUT	PX	PANEL WINDOW
CX	CANOPY Z-CUT	PY	PANEL X-CUT
CY	CANOPY Z-CUT	PZ	PANEL Y-CUT
CA	CANOPY Z-CUT	QA	QUALITY
CB	CANOPY Z-CUT	QB	QUALITY BRACKET
CC	CANOPY Z-CUT	QC	QUALITY CLADDING
CD	CANOPY Z-CUT	QD	QUALITY DETAIL
CE	CANOPY Z-CUT	QE	QUALITY ELEVATION
CF	CANOPY Z-CUT	QF	QUALITY FINISH
CG	CANOPY Z-CUT	QG	QUALITY GRID
CH	CANOPY Z-CUT	QH	QUALITY HATCH
CI	CANOPY Z-CUT	QI	QUALITY INTERIOR
CJ	CANOPY Z-CUT	QJ	QUALITY JUNCTION
CK	CANOPY Z-CUT	QK	QUALITY KEY
CL	CANOPY Z-CUT	QL	QUALITY LINE
CM	CANOPY Z-CUT	QM	QUALITY MATERIAL
CN	CANOPY Z-CUT	QN	QUALITY NOTE
CO	CANOPY Z-CUT	QO	QUALITY OBJECT
CP	CANOPY Z-CUT	QP	QUALITY PLAN
CQ	CANOPY Z-CUT	QQ	QUALITY QUANTITY
CR	CANOPY Z-CUT	QR	QUALITY REFERENCE
CS	CANOPY Z-CUT	QS	QUALITY SYMBOL
CT	CANOPY Z-CUT	QT	QUALITY TYPING
CU	CANOPY Z-CUT	QU	QUALITY UNIFORM
CV	CANOPY Z-CUT	QV	QUALITY VENT
CW	CANOPY Z-CUT	QW	QUALITY WINDOW
CX	CANOPY Z-CUT	QX	QUALITY X-CUT
CY	CANOPY Z-CUT	QY	QUALITY Y-CUT
CZ	CANOPY Z-CUT	QA	QUALITY Z-CUT
CA	CANOPY Z-CUT	RA	RADIANT
CB	CANOPY Z-CUT	RB	RADIANT BRACKET
CC	CANOPY Z-CUT	RC	RADIANT CLADDING
CD	CANOPY Z-CUT	RD	RADIANT DETAIL
CE	CANOPY Z-CUT	RE	RADIANT ELEVATION
CF	CANOPY Z-CUT	RF	RADIANT FINISH
CG	CANOPY Z-CUT	RG	RADIANT GRID
CH	CANOPY Z-CUT	RH	RADIANT HATCH
CI	CANOPY Z-CUT	RI	RADIANT INTERIOR
CJ	CANOPY Z-CUT	RJ	RADIANT JUNCTION
CK	CANOPY Z-CUT	RK	RADIANT KEY
CL	CANOPY Z-CUT	RL	RADIANT LINE
CM	CANOPY Z-CUT	RM	RADIANT MATERIAL
CN	CANOPY Z-CUT	RO	RADIANT NOTE
CO	CANOPY Z-CUT	RP	RADIANT OBJECT
CP	CANOPY Z-CUT	RQ	RADIANT PLAN
CQ	CANOPY Z-CUT	RR	RADIANT QUANTITY
CR	CANOPY Z-CUT	RS	RADIANT REFERENCE
CS	CANOPY Z-CUT	RT	RADIANT SYMBOL
CT	CANOPY Z-CUT	RU	RADIANT TYPING
CU	CANOPY Z-CUT	RV	RADIANT UNIFORM
CV	CANOPY Z-CUT	RW	RADIANT VENT
CW	CANOPY Z-CUT	RX	RADIANT WINDOW
CX	CANOPY Z-CUT	RY	RADIANT X-CUT
CY	CANOPY Z-CUT	RZ	RADIANT Y-CUT
CA	CANOPY Z-CUT	SA	SANITARY
CB	CANOPY Z-CUT	SB	SANITARY BRACKET
CC	CANOPY Z-CUT	SC	SANITARY CLADDING
CD	CANOPY Z-CUT	SD	SANITARY DETAIL
CE	CANOPY Z-CUT	SE	SANITARY ELEVATION
CF	CANOPY Z-CUT	SF	SANITARY FINISH
CG	CANOPY Z-CUT	SG	SANITARY GRID
CH	CANOPY Z-CUT	SH	SANITARY HATCH
CI	CANOPY Z-CUT	SI	SANITARY INTERIOR
CJ	CANOPY Z-CUT	SJ	SANITARY JUNCTION
CK	CANOPY Z-CUT	SK	SANITARY KEY
CL	CANOPY Z-CUT	SL	SANITARY LINE
CM	CANOPY Z-CUT	SM	SANITARY MATERIAL
CN	CANOPY Z-CUT	SN	SANITARY NOTE
CO	CANOPY Z-CUT	SO	SANITARY OBJECT
CP	CANOPY Z-CUT	SP	SANITARY PLAN
CQ	CANOPY Z-CUT	SQ	SANITARY QUANTITY
CR	CANOPY Z-CUT	SR	SANITARY REFERENCE
CS	CANOPY Z-CUT	SS	SANITARY SYMBOL
CT	CANOPY Z-CUT	ST	SANITARY TYPING
CU	CANOPY Z-CUT	SV	SANITARY UNIFORM
CV	CANOPY Z-CUT	SW	SANITARY VENT
CW	CANOPY Z-CUT	SX	SANITARY WINDOW
CX	CANOPY Z-CUT	SY	SANITARY X-CUT
CY	CANOPY Z-CUT	SZ	SANITARY Y-CUT
CA	CANOPY Z-CUT	TA	TANK
CB	CANOPY Z-CUT	TB	TANK BRACKET
CC	CANOPY Z-CUT	TC	TANK CLADDING
CD	CANOPY Z-CUT	TD	TANK DETAIL
CE	CANOPY Z-CUT	TE	TANK ELEVATION
CF	CANOPY Z-CUT	TF	TANK FINISH
CG	CANOPY Z-CUT	TG	TANK GRID
CH	CANOPY Z-CUT	TH	TANK HATCH
CI	CANOPY Z-CUT	TI	TANK INTERIOR
CJ	CANOPY Z-CUT	TJ	TANK JUNCTION
CK	CANOPY Z-CUT	TK	TANK KEY
CL	CANOPY Z-CUT	TL	TANK LINE
CM	CANOPY Z-CUT	TM	TANK MATERIAL
CN	CANOPY Z-CUT	TO	TANK NOTE
CO	CANOPY Z-CUT	TP	TANK OBJECT
CP	CANOPY Z-CUT	TP	TANK PLAN
CQ	CANOPY Z-CUT	TQ	TANK QUANTITY
CR	CANOPY Z-CUT	TR	TANK REFERENCE
CS	CANOPY Z-CUT	TS	TANK SYMBOL
CT	CANOPY Z-CUT	TU	TANK TYPING
CU	CANOPY Z-CUT	TV</	

NATIVIDAD MEDICAL CENTER

PARCEL NUMBER: 003-851-018

Hospital Replacement, including:
 Bldgs. 100, 500, 580, 980 (Acute Care Facilities / OSHPD 1)
 Bldgs. 200, 300, 400 (Outpatient)



- BLDG - 03868
CANOPY
BLDG C3
- INPATIENT ACUTE CARE FACILITY (OSHPD 1) (N.I.C)
- OUTPATIENT CARE FACILITY - AREA OF WORK AT/ROOF
- OUTPATIENT CARE FACILITY
- BLDG - 03866
CANOPY
BLDG C3
- EXTERIOR CANOPY (OSHPD 1) (N.I.C)
- EXTERIOR CANOPY (NON - OSHPD) / EXEMPT (N.I.C)
- ACCESSORY NON - LICENSED USES (EXEMPT) (N.I.C)
- NOT USED BY HOSPITAL (N.I.C)
- EXISTING EXPANSION JOINT
- BOUNDARY OF HOSPITAL CAMPUS
- BLDG - 03864
CANOPY
BLDG C1
- BLDG - 02543
ADMINISTRATION (BLDG 300)
BLDG 02
- BLDG - 02542 EXTENDED CARE SERVICES (BLDG 100)
BLDG 01
- BLDG - 03867
CANOPY
BLDG C4
- BLDG - 03868
CANOPY
BLDG C3
- BLDG - 02544 FOOD SERVICE / CENTRAL PLANT (BLDG 580)
BLDG 03
- BLDG - 03865
CANOPY
BLDG C2
- BLDG - 02545 ACUTE CARE (BUILDING 500)
BLDG 04
- BLDG - 03872
KITCHEN & ASSOCIATED FAC. (BLDG 600)
BLDG - 05A
- BLDG - 03872
MATRIAL MANAGEMENT (BLDG 600)
BLDG 05
- BLDG - 03828
INPATIENT MENTAL HEALTH (BLDG 940)
BLDG 06
- BLDG - 03829
GENERATOR BUILDING (BLDG 980)
BLDG 07
- BLDG - 03863
MONTEREY COUNTY PROBATION (BLDG 700)
BLDG 08



STRUCTURAL ENGINEER
 THORNTON TOMASETTI
 650 CALIFORNIA ST.
 SUITE 1400
 SAN FRANCISCO, CA 94108
 415.365.6940

MECHANICAL ENGINEER
 LIST ENGINEERING
 9699 BLUE LARKSPUR LANE
 MONTEREY, CA 93940
 831.373.4390

ELECTRICAL ENGINEER
 MIRACLES UNLIMITED, INC.
 P.O. BOX 1808
 APR 23, 1988
 831.688.8013

**BLDG 400
 AHU
 REPLACEMENT**
 NATIVIDAD MEDICAL
 CENTER
 1441 CONSTITUTION BLDV.
 BUILDING 400
 SALINAS, CA 93912



NO	DESCRIPTION	DATE
1	FRONT SHEET	7/28/2015

OVERALL
 SITE PLAN

DATE: 07.28.2015
 CDS


A 0.1

SITE PLAN KEYED NOTES:

- 1 (E) STRIPING PER CURRENT ADA STANDARDS. SEE DETAIL 4/-
- 2 (E) VAN ACCESSIBLE PARKING STALL. SEE DETAIL 4/-
- 3 (E) ACCESSIBLE ENTRY SIGNAGE. SEE DETAIL 16/-
- 4 (E) ACCESSIBLE TOW-AWAY SIGNAGE. SEE DETAIL 20/-
- 5 (E) BUS STOP
- 6 (E) ACCESSIBLE CURB RAMP W/ TACTILE DOME
- 7 NOT USED
- 8 (E) CODE COMPLIANT ACCESSIBLE ENTRY W/ AUTOMATIC DOOR OPERATORS. V.I.F. EXT.
- 9 DOOR THRESHOLD FOR CURRENT CODE COMPLIANCE. REPLACE IF REQUIRED.
- 10 (E) LOADING ZONE
- 11 (E) INTERNATIONAL SYMBOL OF ACCESSIBILITY AT PARKING STALL PAVEMENT. SEE DETAIL 12/-
- 12 (E) DIRECTIONAL PATH OF TRAVEL SIGNAGE

SITE PLAN LEGEND:

- NOTE: EXTERIOR PATH OF TRAVEL AND ACCESSIBLE PARKING SPACES COMPLY WITH 2013 CBC REQUIREMENTS.
- ACCESSIBLE PATH OF TRAVEL
- X SITE PLAN KEYED NOTE
- EXIT TO GRADE



1 ENLARGED SITE PLAN

1"-20'-0"

TRUE NORTH

1441 CONSTITUTION BLVD.
BUILDING 400
SALINAS, CA 93912

NATIVIDAD MEDICAL CENTER

MIRACLES UNLIMITED, INC.
P.O. BOX 1808
APT. OS, CA 95001
831.688.8013

1ST ENGINEERING
9699 BLUE LARKSPUR LANE
MONTEREY, CA 93940
831.373.4590

STRUCTURAL ENGINEER
THORNTON TOMASETTI
650 CALIFORNIA ST.
SAN FRANCISCO, CA 94108
415.365.6940

MECHANICAL ENGINEER
ELECTRICAL ENGINEER
MIRACLES UNLIMITED, INC.
P.O. BOX 1808
APT. OS, CA 95001
831.688.8013

88 North 2nd Street
San Jose, CA 95113
Telephone: 408.283.7893

HA

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015

AM Natividad MEDICAL CENTER

DATE: 07/28/2015

CD'S

A.0.2

ENLARGED SITE PLAN

HGA NO. 3707-009-00

NO. DESCRIPTION DATE

PERMIT SUBMITTAL 07/28/2015</

1. GENERAL

- ALL WORK INCLUDING OTHER WORK WHICH AFFECTS, CONNECTS WITH, OR WILL BE CONCEALED BY THIS WORK SHALL BE SHOWN ON THE GENERAL NOTES, SPECIFICATIONS, DRAWINGS OR SUBMITTALS TO BE SUBMITTED WITH THE BIDDING DOCUMENTS. MANUFACTURER'S LITERATURE IS TO BE PROVIDED TO THE ARCHITECT IN WRITING IF DISCREPANCIES ARE FOUND.
- REPAIRS TO EXISTING ROOFING SHALL BE PERFORMED IN ACCORDANCE WITH THE MANUFACTURER'S REPAIR AND MAINTENANCE MANUALS. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AUTHORITIES.
- SUBMITTALS:** BEFORE STARTING WORK, CONTRACTOR SHALL VERIFY AND SUBMIT:
 - ROOFING MANUFACTURER'S INSTALLATION INSTRUCTIONS AND EVIDENCE OF U.L. AND FM RATINGS FOR ROOFING SYSTEM, FLASHING, INSULATION, AND ACCESSORIES.
 - CERTIFICATIONS FROM BOTH MANUFACTURER AND APPLICATOR THAT THE SUBSTRATE AND ROOFING MANUFACTURER'S MAINTENANCE INSTRUCTIONS.
 - SAMPLE COPY OF THE SPECIFIED WARRANTIES.
- PRE-CONSTRUCTION CONFERENCE:** BEFORE STARTING WORK, CONTRACTOR SHALL HOLD A PRE-CONSTRUCTION CONFERENCE WITH THE ARCHITECT, OWNER, AND APPLICATOR. ALL PARTIES SHALL REVIEW AND APPROVE THE WORK TO BE PERFORMED WITH OTHER WORK WHICH AFFECTS THIS WORK. THE CONFERENCE SHALL BE HELD AT THE PROJECT OFFICE. THE MEETING MINUTES INCLUDING ALL ITEMS DISCUSSED SHALL BE PROVIDED TO THE ARCHITECT AND OWNER.
- PROTECTION:** CONTRACTOR SHALL TAKE ALL NECESSARY PRECAUTIONS TO PROTECT EXISTING WORK, UTILITIES, AND ADJACENT AREAS. ALL AREAS TO BE PROTECTED SHALL BE IDENTIFIED AND MARKED WITH RED PLYWOOD OR RED PAINT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AUTHORITIES.
- APPLICATION OF ROOFING:** ROOFING SHALL BE INSTALLED IMMEDIATELY FOLLOWING APPLICATION OF INSULATION AS A MINIMUM. THE ROOFING SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS. THE ROOFING SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS. THE ROOFING SHALL BE INSTALLED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS.

WARRANTIES AND FIELD QUALITY CONTROL:

- PROVIDE ROOFING SYSTEM MANUFACTURER'S WARRANTY.
- FINISH WRITTEN "NO DODGERS LIMIT" (NO WARRANTY) COVERING MATERIALS AND LABOR REQUIRED TO MAINTAIN ROOFING IN A WATER-TIGHT CONDITION FOR 10 YEARS FROM DATE OF COMPLETION. WARRANTY SHALL COVER REPAIR OR REPLACEMENT OF ROOFING SYSTEM COMPONENT THAT FAILS TO MEET MANUFACTURER'S WARRANTY REQUIREMENTS. WARRANTY SHALL BE VOID IF THE CONTRACTOR'S WORK IS NOT IN ACCORDANCE WITH THE MANUFACTURER'S STANDARD PRACTICES.
- PROVIDE ROOFING SYSTEM INSTALLER'S WARRANTY.
- MATERIALS AND LABOR REQUIRED TO MAINTAIN ROOFING IN A WATER-TIGHT CONDITION FOR 10 YEARS FROM DATE OF COMPLETION. WARRANTY SHALL COVER REPAIR OR REPLACEMENT OF ROOFING SYSTEM COMPONENT THAT FAILS TO MEET MANUFACTURER'S WARRANTY REQUIREMENTS. WARRANTY SHALL BE VOID IF THE CONTRACTOR'S WORK IS NOT IN ACCORDANCE WITH THE MANUFACTURER'S STANDARD PRACTICES.

ELECTRICAL ENGINEER
MIRACLES UNLIMITED, INC.
 P. O. BOX 1808
 APTOS, CA 95001
 831.688.8013

MECHANICAL ENGINEER
LIST ENGINEERING
 6699 BLUE LARKSPUR LANE
 MONTEREY, CA 93940
 831.373.4390

STRUCTURAL ENGINEER
THORNTON TOMASETTI
 650 CALIFORNIA ST.
 SUITE 1400
 SAN FRANCISCO, CA 94108
 415.365.6940

BLDG 400 AHU REPLACEMENT CENTER

NATIVIDAD MEDICAL CENTER

1441 CONSTITUTION BLVD., BUILDING 400
 SALINAS, CA 93912

AM Natividad MEDICAL CENTER

NO.	DESCRIPTION	DATE
1	PRELIMINARY	07/28/2015
2	REVISED	
3	REVISED	
4	REVISED	
5	REVISED	
6	REVISED	
7	REVISED	
8	REVISED	
9	REVISED	
10	REVISED	
11	REVISED	
12	REVISED	
13	REVISED	
14	REVISED	
15	REVISED	
16	REVISED	
17	REVISED	
18	REVISED	
19	REVISED	
20	REVISED	
21	REVISED	
22	REVISED	
23	REVISED	
24	REVISED	
25	REVISED	
26	REVISED	
27	REVISED	
28	REVISED	
29	REVISED	
30	REVISED	
31	REVISED	
32	REVISED	
33	REVISED	
34	REVISED	
35	REVISED	
36	REVISED	
37	REVISED	
38	REVISED	
39	REVISED	
40	REVISED	
41	REVISED	
42	REVISED	
43	REVISED	
44	REVISED	
45	REVISED	
46	REVISED	
47	REVISED	
48	REVISED	
49	REVISED	
50	REVISED	
51	REVISED	
52	REVISED	
53	REVISED	
54	REVISED	
55	REVISED	
56	REVISED	
57	REVISED	
58	REVISED	
59	REVISED	
60	REVISED	
61	REVISED	
62	REVISED	
63	REVISED	
64	REVISED	
65	REVISED	
66	REVISED	
67	REVISED	
68	REVISED	
69	REVISED	
70	REVISED	
71	REVISED	
72	REVISED	
73	REVISED	
74	REVISED	
75	REVISED	
76	REVISED	
77	REVISED	
78	REVISED	
79	REVISED	
80	REVISED	
81	REVISED	
82	REVISED	
83	REVISED	
84	REVISED	
85	REVISED	
86	REVISED	
87	REVISED	
88	REVISED	
89	REVISED	
90	REVISED	
91	REVISED	
92	REVISED	
93	REVISED	
94	REVISED	
95	REVISED	
96	REVISED	
97	REVISED	
98	REVISED	
99	REVISED	
100	REVISED	



- ROOFING ACCESSORIES (SECTION 07 22 00):**
- AVAILABILITY MATERIALS:** AS RECOMMENDED BY ROOFING SYSTEM MANUFACTURER AND WITH VOLTAGE LIMITS OF AUTOMOBILES HAVING UNDERSTATION.
- FLASHING AND MAINTENANCE:** PRESSURE TREATED LUMBER, SIZE AS APPROPRIATE OR AS INDICATED ON DRAWINGS. THICKNESS.
- SEALANTS:** COMPATIBLE SEALANTS ACCEPTABLE TO ROOFING SYSTEM MANUFACTURER.
- THERMIC WARRANTY:** PREPARED BY ROOFING SYSTEM MANUFACTURER. CONTRACTOR SHALL PROVIDE TO ARCHITECT AND OWNER. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AUTHORITIES.
- ROOFING SYSTEM:** CONTRACTOR SHALL VERIFY AND SUBMIT:
 - ROOFING SYSTEM MANUFACTURER'S INSTALLATION INSTRUCTIONS AND EVIDENCE OF U.L. AND FM RATINGS FOR ROOFING SYSTEM, FLASHING, INSULATION, AND ACCESSORIES.
 - CERTIFICATIONS FROM BOTH MANUFACTURER AND APPLICATOR THAT THE SUBSTRATE AND ROOFING MANUFACTURER'S MAINTENANCE INSTRUCTIONS.
 - SAMPLE COPY OF THE SPECIFIED WARRANTIES.
- PREPARED BY:** PATE STYLE P.C. 1 OR APPROVED EQUAL. ALSO MAY BE PREPARED BY PATE STYLE P.C. 2 OR APPROVED EQUAL. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AUTHORITIES.
- PREPARED BY:** PATE STYLE P.C. 2 OR APPROVED EQUAL. CONTRACTOR SHALL BE RESPONSIBLE FOR OBTAINING THE NECESSARY PERMITS AND APPROVALS FROM THE LOCAL AUTHORITIES.

4 BUILT-UP ROOF GENERAL NOTES



8 CURB AT HEAVY EQUIPMENT VIBRATION ISOLATION CURB AT B.U.R.S.

12 DUCT PENETRATION AT BUILT-UP ROOFING SYSTEM



16 TYP. PIPE PENETRATION AT BUILT-UP ROOFING SYSTEM





6 DUCT SUPPORT SLEEVERS AT BUILT-UP ROOFING SYSTEM



10 WH AND BOILER SLEEVERS AT BUILT-UP ROOFING SYSTEM



15 PIPE SUPPORT AT BUILT-UP ROOFING SYSTEM



16 TYP. PIPE PENETRATION AT BUILT-UP ROOFING SYSTEM

16 TYP. PIPE PENETRATION AT BUILT-UP ROOFING SYSTEM

STRUCTURAL ENGINEER
THORNTON TOMASETTI
1000 CALLE LOMA
SUITE 1400
SAN FRANCISCO, CA 94108
415.365.6940

MECHANICAL ENGINEER
LIST ENGINEERING
9699 BLUE LARKSPUR BLVD
MONTESANO, CA 95030
831.573.4390

ELECTRICAL ENGINEER
MIRACLES UNLIMITED, INC.
PO BOX 1808
APTOS, CA 95001
831.688.8073

**AHU
REPLACEMENT**
NATIVIDAD MEDICAL
CENTER

1441 CONSTITUTION BLVD,
BUILDING 400
SALINAS, CA 93912



A MEMBER OF CENTER HEALTH SERVICES AN AFFILIATION OF
CENTRAL CALIFORNIA HEALTH SERVICES AND THE HEALTH CARE
CORPORATION
LAYER OF THE BROTHER OF CALIFORNIA

DATE	DESCRIPTION	DATE
07/28/2015	PERMIT SUBMITTAL	07/28/2015
ISSUANCE HISTORY - THIS SHEET		
HGA NO.	3707-008-00	
MECHANICAL SPECIFICATIONS		

DATE: Month DD, YYYY
CDS

MO.3

3.01 Equipment shall be installed in accordance with manufacturer's recommendations.

3.02 Test and Balance

- A. Testing shall be done by an independent contractor who specializes in testing and balancing air handling and hydronic systems, in accordance with ASHRAE or NEBB standards.
- B. Upon completion of tests, Contractor shall complete the test information, and submit (4) copies of such to Mechanical Contractor to forward to Engineer for evaluation. Final report shall carry the Engineer's seal under whose direct supervision the work is done.
- C. The report shall include a summary sheet which shall record devices, equipment and systems that cannot be adjusted to design requirements. The record shall include the extent of the variations from design conditions and the balance engineer's opinion as to cause of the variation.
- D. A record of deviations in excess of the tolerances for the following shall be included:
 - Motor Loads (Amps) $\pm 5\%$ of name plate
 - Motor Voltages at $\pm 1.0\%$ (V_{LL})
 - Phase Voltage Diff. $\pm 3\%$ (V_{LL})
- E. Contractor shall include in his report a list of test equipment used, starting make, model, and latest calibration date.
- F. Air Systems and Air Distribution Balance Test Procedure:
 1. Test and adjust system to design CFM supply, return, outside air, and exhaust air.
 2. Test and adjust system to design static pressure, including balancing to establish that damper surfaces are clean and not damaged.
- G. Heating Hot Water System Test and Balance Procedure:
 1. Set each system pump to proper CFM delivery.
 2. Upon completion of flow readings and coil adjustments, mark settings and record data.
 3. Cycle all controls.
- H. Test Report Data:
 1. Air Distribution
 - a. Design conditions, CFM, static pressure, motor HP, fan speed, mixed air, discharge and return air temperature.
 - b. Installed equipment, make, model, rated capacity.
 - c. Field Test: Water side in and out temperature and pressure drop, check temperature controls.
 2. Boiler
 - a. Design: BTU/Hr capacity, operating pressure.
 - b. Installed Equipment: Manufacturer, model, rated capacity.
 - c. Field Test: Water side in and out temperature and pressure drop, check temperature controls.
 3. Pumps
 - a. Design: GPM, total head, RPM, BHP.
 - b. Installed Equipment: Manufacturer, model number, motor HP, electrical characteristics, full load amps, heater size.
 - c. Field Test: Suction and discharge pressures full flow and no flow, full flow amps, substituted BHP.

1. Work shall be done under direct supervision of qualified air conditioning and heating engineer.

END OF SECTION 15600

SECTION 15600 - HVAC SYSTEM

PART 1 - GENERAL

- 1.01 Related Documents: Requirements of the Contract Documents, including Division 1 specifications and Section 15600 General Mechanical Requirements, apply to work of the section.
- 1.02 Scope of Work
 - A. Provide labor, material, equipment, accessories, services, and tests necessary to completely execute all heating equipment work, which shall include, but not necessarily be limited to the following:
 1. Rooftop Packaged Air Conditioners and Coils.
 2. Boiler
 3. Pump and Hydronics
 4. Duct Installation
 5. Sheetmetal Accessories
 6. Sheetmetal Accessories
 7. Controls

PART 2 - PRODUCTS

- 2.01 Rooftop Package Air Conditioner: See schedule on drawings.
- 2.02 Ductwork
 - A. Ductwork and sheetmetal accessories shall comply with NFPA, SMACNA and ASHRAE standards.
 - B. Double wall duct shall be galvanized steel-galvanized steel, shall meet ASTM A552-71, standards-plymin and shall be installed in accordance with SMACNA for 2" W.C. positive or negative pressure.
 - C. Ductwork Sealants: Hardest CCM-181, U.L. listed. Apply per manufacturer's recommendations.
- 2.03 Duct Insulation: Metal supply and return air duct systems in unconditioned space shall be insulated with 2" thick faced fiberglass insulation. Acceptable Manufacturers: Owens-Corning, All Service Faced Duct Wrap, Commercial Grade A-3 or equivalent from Johns-Manville, Armstrong, Knuff.
- 2.04 Flexible Connections: Material shall be similar to Ventflex, Incorporated "Ventflex" heavy duty fabric coated with neoprene. Weight shall be at least 30 oz. per Sq. Yd. Flexible connections shall be installed at point where ductwork connects to fans of apparatus, or apparatus casing to fans.
- 2.05 Temperature Controls
 - A. Provide automatic temperature controls for various systems herein specified and as follows:

New boiler B-1M1 will be set as the lead boiler. A wire from the new boiler alarm contact will be connected to the secondary boiler (B-1M2) upon alarm from the primary boiler (B-1M1). Coordinate with electrical contractor for installation. Extend alarm to Owner's JCI Messys system, provide additional programming for new alarm. Control system shall be provided complete and operate with the existing controls, including, but not limited to, pumps, dampers, valves, control panels and accessories, electrical control wiring, relays, and transformers.

B. New RTU: remove (9) controls from (9) RTU's and keep safe. Re-install controls on new RTU including smoke detectors and temperature sensors. Extend new RTU control functions to (9) JCI Messys controls via BACnet controller.

2.06 Hot Water Heating Pipe and Fittings: Pipe shall be Type L copper, ASTM B-88, hard drawn temper, ANSI B16.22, wrought copper fittings, brazed joints. Copper tube and fittings to be installed per ASTM B832-92.

2.07 Valves (12.5PSIG Max.): Acceptable Manufacturers: Crane, Nibco, Jenkins, Whitworth, Powell, Milwaukee, or Stockham. All valves for use with piping 2" and smaller shall be screwed, 2 1/2" and larger shall be flanged.

2.08 Hydraulic Pumps: Pumps shall be type indicated on drawings, single stage, centrifugal with cast iron body and bronze trim. In-line pump and motor shall be supported to prevent strain by an angle bracket or roller hanger. Motors shall be open drip proof, selected for extra quiet operation, sleeve bearings, and 1750 RPM. Pumps shall be factory tested and certified to operate at design conditions before shipment.

2.09 Thermometers and Pressure Gauges

- A. Acceptable Manufacturers: Terrec, Ashcroft, Moeller, Marsh. Ranges shall be selected so that operating points are in center of range.
- B. Thermometers shall be similar to Terrec BX 9 Series with 9" case, adjustable angles, separable socket, and red reading mercury tubing. For insulation more than 1.2" thick provide extension neck socket.
- C. Pressure gauge shall be similar to Terrec No. 609 Series with 4.12" face, phosphor bronze housing tube, and brass movement. Provide standard pipe fittings and needle valves, similar to Terrec 9715 all gauges. Provide pressure numbers at pumps and where pulsation exists.

2.10 Thermal Insulation

- A. Fire Resistant Material Requirements: Insulation materials, including adhesives and jackets as installed on exterior surfaces, shall be UL approved and shall have maximum flame spread rating of 75 and smoke developed rating of 50 as tested in accordance with ASTM Standard E-84.
- B. Acceptable Manufacturers: Owens-Corning Fiberglas, Johns-Manville, Armstrong, and Certain Teed.
- C. Piping Insulation systems shall be installed in accordance with the following: Pipe Insulation (PIF) to 450°F; Insulation shall be heavy density one-piece fiberglass pipe insulation with factory applied vapor barrier jacket and self-sealing lip. Jacket shall be minimum 0.25" at 75°F means temperature. Piping Insulation installed outdoors with 2" g. Stainless steel cover with stainless steel bands 18" on center.

2.11 Hydraulic Specifications


- A. At the highest points in water piping, provide manual air vents. Isolate air vents with needle valves. Provide 1/4 inch soft copper overflow drain from vent to safe place in drain, Ball and Gossett, Suro or other acceptable manufacturer.
- B. Temperature and/or pressure gage connector plugs shall be rated for 500 PSI and 3000°. Brass with self sealing pressure gasket opening. Peterson Equipment Company or approved equal.
- 2.12 Hydraulic Boiler: See schedule on drawings.

PART 3 - EXECUTION




List Engineering
Mechanical Consultants
8669 Blue Larkspur Lane, Suite 203 Monterey, CA 93940
Telephone (831) 375-4289 / Facsimile (831) 375-6522
Web Site: www.listeng.com © 1997-2015
Job No. MO.03


Professional Engineer
No. 4007
State of California
Exp. 07/28/2015




2 ENLARGED BOILER ROOM - NEW - PLUMBING
SCALE: 1/4" = 1'-0"



- SHEET NOTES**
- CONNECT GAS LINE TO AN EQUIPMENT WITH FLEX CONNECTOR AND/OR FLEX WAVE AND DIRT LUG.
 - INSTALL IN-WATER HEATER AND CONNECT IN SERIES TO (E) DWV PIPES WHERE SHOWN. PROVIDE ISOLATION VALVES.



1 OVERALL ROOF PLAN - NEW - PLUMBING
SCALE: 1/8" = 1'-0"



H.A.
98 North 2nd Street
San Jose, CA 95113
Telephone 408.288.7833

STRUCTURAL ENGINEER
THORNTON TOMASETTI
650 CALIFORNIA ST.
SUITE 1400
SAN FRANCISCO, CA 94108
415.365.6940

MECHANICAL ENGINEER
LIST ENGINEERING
9699 BLUE LARKSPUR LANE
MONTEREY, CA 95040
831.373.4390

ELECTRICAL ENGINEER
MIRACLES UNLIMITED, INC.
PO BOX 1808
APT 03, CA 95013
931.088.8013

AHU REPLACEMENT
NATIVIDAD MEDICAL CENTER

1441 CONSTITUTION BLVD.
BUILDING 400
SALINAS, CA 93912




THE GREAT CENTRAL VALLEY TRADING AND SERVICE CENTER
A DIVISION OF THE GREAT CENTRAL VALLEY TRADING AND SERVICE CENTER
CORPORATION
A DIVISION OF THE GREAT CENTRAL VALLEY TRADING AND SERVICE CENTER
CORPORATION
A DIVISION OF THE GREAT CENTRAL VALLEY TRADING AND SERVICE CENTER
CORPORATION

NO	DESCRIPTION	DATE
1	PRELIM SUBMITTAL	07/28/05

DATE:	Month DD, YYYY
CD'S	
HGA NO:	3707-009-00
OVERALL ROOF PLAN	
NEW - PLUMBING	



List Engineering
Mechanical Consultants
9699 Blue Larkspur Lane, Suite 203, Monterey, CA 95040
www.listengineering.com © LEC 2015
Job No. 1404.01



01 ROOF ELECTRICAL POWER PLAN - NEW
SCALE: 1/8" = 1' - 0"

#	Setting	Voltage: 120/208			3 Phase			4 Wire			100 Bus			Panel			MCC-M1 (E)		
		Outlets	Amps	Phase	Panel A	Panel B	Panel C	Panel A	Panel B	Panel C	Panel A	Panel B	Panel C	Panel A	Panel B	Panel C	Outlets	Amps	Phase
RECEPT (E)	4	720	720	720	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	RECEPT (E)	4	720	720
TIME CLOCK (E)	0	0	0	0	1P-201	5	6	1P-201	5	6	1P-201	5	6	1P-201	5	TEMP CONTROL (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	AIR DRYER (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)	0	0	0
SPACE	0	0	0	0	1P-201	1	1	1P-201	1	1	1P-201	1	1	1P-201	1	SPACE (E)			

