

**Before the Chief of Planning
in and for the County of Monterey, State of California**

In the matter of the application of:

CONRON JOSEPH A & ELIZABETH TRS (PLN240195)

RESOLUTION NO. 25-015

Resolution by the Monterey County Chief of
Planning:

- 1) Finding that the project qualifies for a Class 1 Categorical Exemption pursuant to CEQA Guidelines Section 15301 and there are no exceptions pursuant to section 15300.2; and
- 2) Approving a Coastal Administrative Permit and Design Approval to allow construction of a 376 square foot addition to an existing 3,531 square foot single family dwelling and associated site improvements including a 92 square foot patio and reconfiguration of an existing retaining wall; a Coastal Administrative Permit to allow development of less than 120 square feet on slopes in excess of 30%; and a Coastal Administrative Permit to allow development within 750 feet of known archaeological resources.

[PLN240195, Joseph A and Elizabeth Conron TRS, 3320 Kingsley Ct, Pebble Beach, Del Monte Forest Land Use Plan (APN: 008-162-017-000)]

The CONRON JOSEPH A & ELIZABETH TRS application (PLN240195) came on for an administrative decision hearing before the Monterey County Chief of Planning on March 5, 2025. Having considered all the written and documentary evidence, the administrative record, the staff report, oral testimony, and other evidence presented, including the conditions of approval and project plans, the Monterey County Chief of Planning finds and decides as follows:

FINDINGS

1. **FINDING:** **CONSISTENCY** – The Project, as conditioned, is consistent with the applicable plans and policies which designate this area as appropriate for development.
EVIDENCE: a) During the course of review of this application, the project has been reviewed for consistency with the text, policies, and regulations in:
 - the 1982 Monterey County General Plan;
 - Del Monte Forest Land Use Plan (DMF LUP);
 - Monterey County Coastal Implementation Plan, Part 5 (Del Monte Forest CIP); and
 - Monterey County Zoning Ordinance (Title 20).

No conflicts were found to exist. No communications were received during the course of review of the project indicating any inconsistencies with the text, policies, and regulations in these documents.

- b) Allowed Use. The project is located at 3320 Kinglsey Ct, Pebble Beach, Del Monte Forest Land Use Plan (Assessor's Parcel Number [APN]: 008-162-017-000)]. The parcel is zoned Low Density Residential, with Building Site 8 and Design Control overlays in the Coastal Zone, or "LDR/B-8-D(CZ), which allows for the establishment of the first single-family dwelling as a principal use, subject to the granting of a Coastal Administrative Permit. The Design Control overlay requires the granting of a Design Approval for all structures. The project involves the construction of a 376 square foot addition to an existing 3,531 square foot single family dwelling and associated site improvements including a 92 square foot patio and reconfiguration of an existing retaining wall. Pursuant to Title 20 section 20.70.120, single family dwelling additions less than 1,000 square feet are exempt from Coastal Development Permits unless the development involves non-exempt development or a potential adverse environmental impact, such as development within 750 feet of known archaeological resources. In this case, the proposed development is within 750 feet of known archaeological resource and thus requires the granting of a Coastal Administrative Permit pursuant to Title 20 section 20.14.040.A.
- c) Lot Legality. The subject property (2.79 acres in size), APN: 008-162-017-000, is identified in its current configuration as Lot 16 of Tract 1206 on a Final Map entitled "Macomber Estates (A Private Subdivision)", recorded in February 1994 (Volume 18, Cities & Towns, Page 31). Therefore, the County recognizes the subject property as a legal lot of record.
- d) Design/Neighborhood and Community Character. Pursuant to Title 20, Chapter 20.44, the project site and surrounding area are designated as a Design Control Zoning District ("D" zoning overlay), which is intended to regulate the location, size, configuration, materials, and colors of structures to assure the protection of the public viewshed and neighborhood character. The design of the proposed additions will match the architectural style and colors and materials of the existing single-family dwelling, which includes a gray slate roof, green metal clad wood exterior windows, cream colored exterior stucco, and copper dormers, gutters, and downspouts. The existing exterior colors and materials are compatible with the surrounding environment and are consistent with the surrounding residential neighborhood character. The homes within the surrounding area and greater Pebble Beach residential community are eclectic in architecture, ranging from modern to California-ranch and Spanish style homes. Condition No.5 has been applied to require the installation of down-lit unobtrusive exterior lighting. As described in subsequent evidence "e", the project site is not visible from a common public viewing area. Therefore, as proposed and conditioned, the project is compatible with the surrounding environment, consistent with the surrounding residential neighborhood

character, and assures protection of the public viewshed and visual integrity.

- e) Visual Resources. The project is consistent with the DMF LUP policies for the protection of scenic and visual resources. As depicted on DMF LUP Figure 3, the subject property is located within the viewshed from Point Lobos. Staff conducted a site visit on January 15, 2025 and confirmed that the subject property was not visible from Point Lobos, Highway 1, or any other public common viewing areas due to topography, distance, and existing mature vegetation.
- f) Review of Development Standards. The development standards for the LDR zoning district and B overlay district are identified in Title 20 sections 20.14.60 and 20.42.030. Pursuant to Title 20 section 20.14.060.C, development within this district shall meet the required setbacks unless otherwise indicated on a recorded Final Map. For the subject property, the recorded Final Map identifies a building envelope that consists of a front setback of 50 feet, 30 feet for the side setbacks, and a 1.41-acre Scenic Easement on the rear of the property. As proposed, the project is entirely within the building envelope. The proposed project will include a new bathroom and two new closets that will have a height of 15 feet above average natural grade, which is below the maximum allowed height for main structures within the LDR zoning district (30 feet). The allowed maximum site coverage and floor area ratio (FAR) is 15% and 20%, respectively. The subject property is 124,001 square feet and allows a site coverage and FAR of 18,600.15 square feet and 24,800.2 square feet, respectively. The project will result in structural site coverage of 5,374 square feet (4.33%) and floor area of 6,287 square feet (5.07%). Therefore, the project meets all required development standards.
- g) Cultural Resources. DMF CIP Section 20.147.080.B.1 states that an archaeological survey report shall be required for all development within a known or potential archaeological resource area. According to the Monterey County Geographic Informational System (GIS), the subject property has a high archaeological sensitivity and is within 750 feet of a known archaeological resource. The Archaeological report (Monterey County Library No. LIB250002) prepared for the subject property concluded that there is no indicator of a prehistoric site or a historic site in the soils of the project parcel. The potential for inadvertent impacts to cultural resources is limited and will be controlled by use of the County's standard condition (Condition No. 3), which requires the contractor to stop work if previously unidentified resources are discovered during construction.
- h) Combined Structural and Impervious Surface Coverage. The subject property is located within the Pescadero Watershed, a designated watershed as shown on Figure 2b of the DMF LUP. Accordingly, site structural and impervious surface coverage are limited to 9,000 square feet per DMF LUP Policy 77. The project results in an impervious surface coverage of 8,446 square feet and is therefore consistent with Policy 77.

- i) Slopes in Excess of 30%. Pursuant to Title 20 section 20.64.230.C.2.d, a Coastal Administrative Permit is required for additions to existing structures on natural or man-made slopes provided the addition does not exceed 120 square feet on the slope area. As proposed the project involves an addition to an existing single-family dwelling which will involve 116 square feet of development on slopes in excess of 30%.
- j) Forest Resources. The project site does contain numerous protected Monterey cypress and Monterey pine trees, some of which are in close proximity to the proposed development. Per the prepared Geotechnical report (Monterey County Library No. LIB250028), over-excavation of at least 5 feet is recommended. Although no trees are proposed for removal, to ensure that construction of the project does not impact these trees, Condition No.4 (Tree and Root Protection) has been applied.
- k) Public Access. As proposed, the development is consistent with applicable public access policies of the DMF LUP. See Finding No. 6 and supporting evidence.
- l) Land Use Advisory Committee (LUAC) Review. The project was not referred to the Del Monte Forest Land Use Advisory Committee (LUAC) for review because it does not involve a public hearing Design Approval, a Lot Line Adjustment, preparation of an Initial study, or a Variance.
- m) The project planner conducted a site inspection on January 15, 2025 to verify that the project on the subject parcel conforms to the plans listed above.
- n) The application, project plans, and related support materials submitted by the project applicant to County of Monterey HCD-Planning found in Project File PLN240195.

2. FINDING: **SITE SUITABILITY** – The site is physically suitable for the proposed development and/or use.

- EVIDENCE:**
- a) The project has been reviewed for site suitability by the following departments and agencies: HCD-Planning, HCD-Engineering Services, HCD-Environmental Services, Environmental Health Bureau, and Pebble Beach Community Services District (CSD). County staff reviewed the application materials and plans to verify that the project on the subject site conforms to the applicable plans and regulations, and there has been no indication from these departments/agencies that the site is not suitable for the development. Conditions recommended have been incorporated.
 - b) The following reports have been prepared:
 - “Geotechnical Report” (Monterey County Library No. LIB250028) prepared by Grice Engineering, Salinas, CA, November 2024.
 - “Phase I Archaeological Assessment” (Monterey County Library No. LIB250002) prepared by Susan Morley, Marina, CA, October 2024.

County staff independently reviewed these reports and concurs with their conclusions. There are no physical or environmental constraints that would indicate that the site is not suitable for the use. All development shall be in accordance with these reports.

- c) Staff conducted a site inspection on January 15, 2025 to verify that the site is suitable for this use.
- d) The application, project plans, and related support materials submitted by the project applicant to Monterey County HCD-Planning found in Project File PLN240195.

3. FINDING: HEALTH AND SAFETY – The establishment, maintenance, or operation of the project applied for will not under the circumstances of this particular case be detrimental to the health, safety, peace, morals, comfort, and general welfare of persons residing or working in the neighborhood of such proposed use, or be detrimental or injurious to property and improvements in the neighborhood or to the general welfare of the County.

- EVIDENCE:**
- a) The project was reviewed by HCD-Planning, HCD-Engineering Services, HCD-Environmental Services, Environmental Health Bureau, and Pebble Beach CSD. The respective agencies have recommended conditions, where appropriate, to ensure that the project will not have an adverse effect on the health, safety, and welfare of persons either residing or working in the neighborhood.
 - b) The Pebble Beach CSD currently provides sewer service to the existing single family dwelling, California American Water currently provides potable water. All necessary public facilities will continue provided to the proposed addition.
 - c) Staff conducted a site inspection on January 15, 2025, to verify that the site is suitable for this use.
 - d) The application, project plans, and related support materials submitted by the project applicant to County of Monterey HCD-Planning found in Project File PLN240195.

4. FINDING: NO VIOLATIONS – The subject property is in compliance with all rules and regulations pertaining to zoning uses, subdivision, and any other applicable provisions of the County’s zoning ordinance. No violations exist on the property.

- EVIDENCE:**
- a) Staff reviewed County of Monterey HCD-Planning and HCD-Building Services records and is not aware of any violations existing on subject property.
 - b) Staff conducted a site inspection on January 15, 2025, and researched County records to assess if any violation exists on the subject property.
 - c) The application, project plans, and related support materials submitted by the project applicant to County of Monterey HCD-Planning found in Project File PLN240195.

5. FINDING: CEQA (Exempt) – The project is categorically exempt from environmental review and no unusual circumstances were identified to exist for the proposed project.

- EVIDENCE:**
- a) California Environmental Quality Act (CEQA) Guidelines section 15301 categorically exempts minor alterations of existing private structures involving negligible or no expansion of the existing use, such as additions that will not result in an increase of more than 50 percent of the existing floor area or 2,500 square feet, whichever is less.

- b) As proposed, the project involves the construction of a 376 square foot addition to an existing single-family dwelling. With implementation of the project, the single-family dwelling will continue to be used for residential purposes. Further, the proposed addition is less than 2,500 square feet and 50% of the existing floor area ratio (5,911 square feet) and therefore meets the Class 1 Categorical Exemption requirements.
- c) None of the exceptions under CEQA Guidelines Section 15300.2 apply to this project. There is no significant effect on the environment due to unusual circumstances. No trees are proposed for removal and the proposed development is not visible from any scenic corridor or scenic highway. There is no cumulative impact without any prior successive projects of the same type in the same place, over time and no new land use is proposed. The site is not included on any list compiled pursuant to Section 65962.5 of the Government Code to be considered on a hazardous waste site. No known historical or archaeological resources are present.
- d) No adverse environmental effects were identified during staff review of the development application during a site visit on January 15, 2025.
- e) See supporting Finding Nos. 1 and 2. The application, project plans, and related support materials submitted by the project applicant to Monterey County HCD-Planning found in Project File PLN240195.

6. **FINDING:** **PUBLIC ACCESS** – The project is in conformance with the public access and recreation policies of the Coastal Act (specifically Chapter 3 of the Coastal Act of 1976, commencing with Section 30200 of the Public Resources Code) and applicable Local Coastal Program, and does not interfere with any form of historic public use or trust rights.
- EVIDENCE:**
- a) No public access is required as part of the project as no substantial adverse impact on access, either individually or cumulatively, as described in DMF CIP, Section 20.147.130 can be demonstrated.
 - b) No evidence or documentation has been submitted or found showing the existence of historic public use or trust rights over this property.
 - c) The subject property is not described as an area where the Local Coastal Program requires visual or physical public access (Figure 3, Visual Resources, and Figure 8, Major Public Access and Recreational Facilities, in the DMF LUP).
 - d) The application, project plans, and related support materials submitted by the project applicant to Monterey County HCD-Planning found in Project File PLN240195.
7. **FINDING:** **APPEALABILITY** – The decision on this project may be appealed to the Board of Supervisors and the California Coastal Commission.
- EVIDENCE:**
- a) Board of Supervisors. Pursuant to Title 20 section 20.86.030, an appeal may be made to the Board of Supervisors by any public agency or person aggrieved by a decision of an Appropriate Authority other than the Board of Supervisors.
 - b) Coastal Commission. Pursuant to Title 20 section 20.86.080.A, the project is subject to appeal by/to the California Coastal Commission because it involves development between the sea and first through

public road paralleling the sea (i.e., State Route/Highway 1 and Pescadero Road) and involves a conditionally allowed use (i.e., development within 750 of known archaeological resources).

DECISION

NOW, THEREFORE, based on the above findings and evidence, the Chief of Planning does hereby:

1. Find the project qualifies for a Class 1 Categorical Exemption pursuant to CEQA Guidelines section 15301, and there are no exceptions pursuant to section 15300.2;
2. Approve the Coastal Administrative Permit and Design Approval to allow construction of a 376 square foot addition to an existing 3,531 square foot single family dwelling and associated site improvements including a 92 square foot patio and reconfiguration of an existing retaining wall; a Coastal Administrative Permit to allow development of less than 120 square feet on slopes in excess of 25%; and a Coastal Administrative Permit to allow development within 750 feet of known archaeological resources

All of which are in general conformance with the attached sketch and subject to the attached conditions, all being attached hereto and incorporated herein by reference.

PASSED AND ADOPTED this 5th day of March, 2025.

DocuSigned by:
Melanie Beretti
F6C3AC03D78644E...

Melanie Beretti, AICP
Chief of Planning

COPY OF THIS DECISION MAILED TO APPLICANT ON 3/18/25

THIS APPLICATION IS APPEALABLE TO THE BOARD OF SUPERVISORS. IF ANYONE WISHES TO APPEAL THIS DECISION, AN APPEAL FORM MUST BE COMPLETED AND SUBMITTED TO THE CLERK TO THE BOARD ALONG WITH THE APPROPRIATE FILING FEE ON OR BEFORE 3/28/25

THIS PROJECT IS LOCATED IN THE COASTAL ZONE AND IS APPEALABLE TO THE COASTAL COMMISSION. UPON RECEIPT OF NOTIFICATION OF THE FINAL LOCAL ACTION NOTICE (FLAN) STATING THE DECISION BY THE FINAL DECISION MAKING BODY, THE COMMISSION ESTABLISHES A 10 WORKING DAY APPEAL PERIOD. AN APPEAL FORM MUST BE FILED WITH THE COASTAL COMMISSION. FOR FURTHER INFORMATION, CONTACT THE COASTAL COMMISSION AT (831) 427-4863 OR AT 725 FRONT STREET, SUITE 300, SANTA CRUZ, CA.

This decision, if this is the final administrative decision, is subject to judicial review pursuant to California Code of Civil Procedure Sections 1094.5 and 1094.6. Any Petition for Writ of Mandate must be filed with the Court no later than the 90th day following the date on which this decision becomes final.

NOTES

1. You will need a building permit and must comply with the Monterey County Building Ordinance in every respect.

Additionally, the Zoning Ordinance provides that no building permit shall be issued, nor any use conducted, otherwise than in accordance with the conditions and terms of the permit granted or until ten days after the mailing of notice of the granting of the permit by the appropriate authority, or after granting of the permit by the Board of Supervisors in the event of appeal.

Do not start any construction or occupy any building until you have obtained the necessary permits and use clearances from Monterey County HCD-Planning and HCD-Building Services Department office in Salinas.

2. This permit expires 3 years after the above date of granting thereof unless construction or use is started within this period.

Form Rev. 1-27-2021

County of Monterey HCD Planning

Conditions of Approval/Implementation Plan/Mitigation Monitoring and Reporting Plan

PLN240195

1. PD001 - SPECIFIC USES ONLY

Responsible Department: Planning

Condition/Mitigation Monitoring Measure: This Coastal Administrative permit (PLN240195) allows construction of a 376 square foot addition to an existing single-family dwelling, development on slopes in excess of 25%, and development within 750 feet of known archaeological resources. The property is located at 3320 Kinglsey Ct, Pebble Beach (Assessor's Parcel Number 008-162-017-000), Del Monte Forest Land Use Plan. This permit was approved in accordance with County ordinances and land use regulations subject to the terms and conditions described in the project file. Neither the uses nor the construction allowed by this permit shall commence unless and until all of the conditions of this permit are met to the satisfaction of the Director of HCD - Planning. Any use or construction not in substantial conformance with the terms and conditions of this permit is a violation of County regulations and may result in modification or revocation of this permit and subsequent legal action. No use or construction other than that specified by this permit is allowed unless additional permits are approved by the appropriate authorities. To the extent that the County has delegated any condition compliance or mitigation monitoring to the Monterey County Water Resources Agency, the Water Resources Agency shall provide all information requested by the County and the County shall bear ultimate responsibility to ensure that conditions and mitigation measures are properly fulfilled. (HCD - Planning)

Compliance or Monitoring Action to be Performed: The Owner/Applicant shall adhere to conditions and uses specified in the permit on an on-going basis unless otherwise stated.

2. PD002 - NOTICE PERMIT APPROVAL

Responsible Department: Planning

Condition/Mitigation Monitoring Measure: The applicant shall record a Permit Approval Notice. This notice shall state:
"A Coastal Administrative Permit and Design Approval (Resolution Number 25-015) was approved by County of Monterey Chief of Planning for Assessor's Parcel Number 008-162-017-000 on March 5th, 2025. The permit was granted subject to 5 conditions of approval which run with the land. A copy of the permit is on file with Monterey County HCD - Planning."

Proof of recordation of this notice shall be furnished to the Director of HCD - Planning prior to issuance of grading and building permits, Certificates of Compliance, or commencement of use, whichever occurs first and as applicable. (HCD - Planning)

Compliance or Monitoring Action to be Performed: Prior to the issuance of grading and building permits, certificates of compliance, or commencement of use, whichever occurs first and as applicable, the Owner/Applicant shall provide proof of recordation of this notice to the HCD - Planning.

3. PD003(A) - CULTURAL RESOURCES NEGATIVE ARCHAEOLOGICAL REPORT

Responsible Department: Planning

Condition/Mitigation Monitoring Measure: If, during the course of construction, cultural, archaeological, historical or paleontological resources are uncovered at the site (surface or subsurface resources) work shall be halted immediately within 50 meters (165 feet) of the find until a qualified professional archaeologist can evaluate it. Monterey County HCD - Planning and a qualified archaeologist (i.e., an archaeologist registered with the Register of Professional Archaeologists) shall be immediately contacted by the responsible individual present on-site. When contacted, the project planner and the archaeologist shall immediately visit the site to determine the extent of the resources and to develop proper mitigation measures required for recovery.
(HCD - Planning)

Compliance or Monitoring Action to be Performed: The Owner/Applicant shall adhere to this condition on an on-going basis.

Prior to the issuance of grading or building permits and/or prior to the recordation of the final/parcel map, whichever occurs first, the Owner/Applicant shall include requirements of this condition as a note on all grading and building plans. The note shall state "Stop work within 50 meters (165 feet) of uncovered resource and contact Monterey County HCD - Planning and a qualified archaeologist immediately if cultural, archaeological, historical or paleontological resources are uncovered."

When contacted, the project planner and the archaeologist shall immediately visit the site to determine the extent of the resources and to develop proper mitigation measures required for the discovery.

4. PD011 - TREE AND ROOT PROTECTION

Responsible Department: Planning

Condition/Mitigation Monitoring Measure: Trees which are located close to construction site(s) shall be protected from inadvertent damage from construction equipment by fencing off the canopy driplines and/or critical root zones (whichever is greater) with protective materials, wrapping trunks with protective materials, avoiding fill of any type against the base of the trunks and avoiding an increase in soil depth at the feeding zone or drip-line of the retained trees. Said protection, approved by certified arborist, shall be demonstrated prior to issuance of building permits subject to the approval of HCD - Director of Planning. If there is any potential for damage, all work must stop in the area and a report, with mitigation measures, shall be submitted by certified arborist. Should any additional trees not included in this permit be harmed, during grading or construction activities, in such a way where removal is required, the owner/applicant shall obtain required permits. (HCD - Planning)

Compliance or Monitoring Action to be Performed: Prior to issuance of grading and/or building permits, the Owner/Applicant shall submit evidence of tree protection to HCD - Planning for review and approval.

During construction, the Owner/Applicant/Arborist shall submit on-going evidence that tree protection measures are in place through out grading and construction phases. If damage is possible, submit an interim report prepared by a certified arborist.

Prior to final inspection, the Owner/Applicant shall submit photos of the trees on the property to HCD-Planning after construction to document that tree protection has been successful or if follow-up remediation or additional permits are required.

5. PD014(A) - LIGHTING - EXTERIOR LIGHTING PLAN

Responsible Department: Planning


Condition/Mitigation Monitoring Measure: All exterior lighting shall be unobtrusive, down-lit, harmonious with the local area, and constructed or located so that only the intended area is illuminated and off-site glare is fully controlled. The lighting source shall be shielded and recessed into the fixture. The applicant shall submit three (3) copies of an exterior lighting plan which shall indicate the location, type, and wattage of all light fixtures and include catalog sheets for each fixture. The lighting shall comply with the requirements of the California Energy Code set forth in California Code of Regulations Title 24 Part 6. The exterior lighting plan shall be subject to approval by the Director of HCD - Planning, prior to the issuance of building permits.

(HCD - Planning)

Compliance or Monitoring Action to be Performed: Prior to the issuance of building permits, the Owner/Applicant shall submit three copies of the lighting plans to HCD - Planning for review and approval. Approved lighting plans shall be incorporated into final building plans.



Prior to final/occupancy, the Owner/Applicant/Contractor shall submit written and photographic evidence demonstrating that the lighting has been installed according to the approved plan.

On an on-going basis, the Owner/Applicant shall ensure that the lighting is installed and maintained in accordance with the approved plan.




PLOT MAP

1/64"=1'-0"



PROPOSED SITE PLAN

1/16"=1'-0"



PLANNING INFO.

- PROPERTY OWNER: JOSEPH & BETSY CONRON
3320 KINGSLEY COURT
PEBBLE BEACH, CA. 93953
- PROJECT ADDRESS: 3320 KINGSLEY COURT,
PEBBLE BEACH, CA. 93953
- PROJECT SCOPE: ADA RETROFIT & ADDITION TO EXISTING PRIMARY
SUITE TO ACCOMMODATE WHEELCHAIR USER;
PRIMARY BATH, HIS & HER CLOSETS; RECONFIGURE
(E) RETAINING WALL INCLUDING DEVELOPMENT IN
MAN MADE 30% SLOPE AREA
- OCCUPANCY: R-3, U
- CONST. TYPE: V-B
- A.P.N. 008-162-017
- LEGAL DESC.: LOT: 16
- ZONE: LDR/B-8-D(CZ)
- STORIES: 2
- MAX BLDG. HT: 30 FT
- GRADING: 40 CY
- TREE REMOVAL: N/A
- TOPOGRAPHY: GENTLY SLOPING
- PROJECT CODE COMPLIANCE: 2022 CBC, CMC, CPC, CFC, CEC, CALIFORNIA RESIDENTIAL
CODE, CALIFORNIA GREEN BUILDING CODE & 2022
CALIFORNIA ENERGY CODE

LOT AREA: 124,001 S.F.(2.847 Ac.)

F.A.R. CALCULATIONS


	EXISTING	PROPOSED ADDITION	PROPOSED REMOVAL	PROPOSED TOTAL
MAIN BUILDING				
MAIN FLOOR	3,531	376	0	3,907
UPPER FLOOR	913	0	0	913
GARAGE	867	0	0	867
CARETAKER UNIT	600	0	0	600
TOTAL	5,911	376	0	6,287

- F.A.R. EXISTING: 5,911 SF (4.77%)
- F.A.R. PROPOSED: 6,287 SF (5.07%)

IMPERVIOUS COVERAGE CALCULATIONS:

	EXISTING	PROPOSED REMOVAL	PROPOSED ADDITION	PROPOSED TOTAL
MAIN RESIDENCE	3,531	0	376	3,907
GARAGE	867	0	0	867
CARETAKER UNIT	600	0	0	600
TERRACES	2,631	0	0	2,631
PATIO	599	-250	92	441
TOTAL	8,228	-250	468	8,446

- EXISTING IMPERVIOUS COVERAGE: 8,228 SF (6.64%)
- PROPOSED IMPERVIOUS COVERAGE: 8,446 SF (6.81%)
- PESCADERO COVERAGE LIMITATIONS: 9,000 SF (7.26%)



PACIFIC OCEAN

JUN A. SILLANO, AIA



ARCHITECTURE • PLANNING • INTERIOR DESIGN

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1260
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:

ALL IDEAS, DESIGN, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF THIS OFFICE AND WERE CREATED, EVALUATED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGN, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL


REVISIONS:

1	
2	
3	
4	
5	
6	

SITE
PLAN


SHEET NO.

A1.0



SLOPE MAP

1/8"=1'-0"



JUN A. SILLANO, AIA



721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGN ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF THIS OFFICE AND WERE CREATED, DEVELOPED AND DESIGNED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGN ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024
PLANNING SUBMITTAL



REVISIONS:

△	
△	
△	
△	
△	
△	

SLOPE
MAP

SHEET NO.

A1.1



721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF THIS OFFICE AND WERE CREATED, EVALUATED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL

REVISIONS:

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____

ROOF
PLAN

SHEET NO.

A5.0

GENERAL ROOF NOTES

ROOF MATERIAL = SLATE, MATCH EXISTING


FIELD VERIFY WITH OWNER AND ARCHITECT COLOR AND/OR BLEND OF ROOFING UNITS PRIOR TO INSTALLATION

ROOF SLOPE = 10/12 UNLESS OTHERWISE NOTED

OVERHANG = 4" UNLESS OTHERWISE NOTED



COPPER GUTTERS WITH ROUND DOWNSPOUTS, MATCH EXISTING

GANG ALL VENT STACKS TO MINIMIZE QUANTITY OF ROOF JACKS AND LOCATE ROOF JACKS IN LEAST VISIBLE LOCATION



ROOF REFERENCE PLAN

1/8"=1'-0"




PROPOSED AREA OF DEVELOPMENT

1/4"=1'-0"



WEST ELEVATION

1/8"=1'-0"



WEST ELEVATION - PROPOSED AREA OF DEVELOPMENT

1/4"=1'-0"


EXTERIOR FINISH LEGEND

- 1 SLATE ROOFING, FIRE FREE. TO MATCH EXISTING
- 2 PAINTED EXTERIOR STUCCO. TO MATCH EXISTING
- 3 STANDING SEAM COPPER ROOF AT EYEBROW DORMER
- 4 STAINED WOOD WINDOWS, MATCH EXISTING
- 5 O'GEE COPPER GUTTER, DOWNSPOUT & LEADER BOXES. TO MATCH EXISTING



NORTH ELEVATION

1/8"=1'-0"



NORTH ELEVATION - PROPOSED AREA OF DEVELOPMENT

1/4"=1'-0"

JUN A. SILLANO, AIA



ARCHITECTURE • PLANNING • INTERIOR DESIGN

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF, THIS OFFICE AND WERE CREATED, EVALUATED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:


3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL

REVISIONS:



ELEVATIONS


SHEET NO.

A6.0



SOUTH ELEVATION

1/8"=1'-0"



SOUTH ELEVATION - PROPOSED AREA OF DEVELOPMENT

1/4"=1'-0"

EXTERIOR FINISH LEGEND

- 1 SLATE ROOFING, FIRE FREE. TO MATCH EXISTING
- 2 PAINTED EXTERIOR STUCCO. TO MATCH EXISTING
- 3 STANDING SEAM COPPER ROOF AT EYEBROW DORMER
- 4 STAINED WOOD WINDOWS, MATCH EXISTING
- 5 O'GEE COPPER GUTTER, DOWNSPOUT & LEADER BOXES. TO MATCH EXISTING



EXISTING EAST ELEVATION - FOR REFERENCE ONLY

1/8"=1'-0"

JUN A. SILLANO, AIA



ARCHITECTURE • PLANNING • INTERIOR DESIGN

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF THIS OFFICE AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL


REVISIONS:

- 1
- 2
- 3
- 4
- 5

ELEVATIONS


SHEET NO.

A6.1



EXISTING SITE PLAN

1/16"=1'-0"



JUN A. SILLANO, AIA



ARCHITECTURE • PLANNING • INTERIOR DESIGN

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF THIS OFFICE AND WERE CREATED, DEVELOPED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024
PLANNING SUBMITTAL


REVISIONS:

△	
△	
△	
△	
△	
△	

EXISTING
SITE PLAN



SHEET NO.

E1.0



EXISTING MAIN LEVEL REFERENCE PLAN

1/8"=1'-0"



DEMO PLAN - AREA OF DEVELOPMENT

1/4"=1'-0"

JUN A. SILLANO, AIA



ARCHITECTURE • PLANNING • INTERIOR DESIGN

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH ■ (831) 646-1261
FAX ■ (831) 646-1290
EMAIL ■ idg@idg-inc.net
WEB ■ idg-inc.net

DISCLAIMER:
ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF, THIS OFFICE AND WERE CREATED, EVOLVED AND DEVELOPED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL

REVISIONS:

△	_____
△	_____
△	_____
△	_____
△	_____
△	_____
△	_____

EXISTING / DEMO
MAIN PLAN

SHEET NO.

E2.0

721 LIGHTHOUSE AVE
PACIFIC GROVE CA.
93950

PH (831) 646-1261
FAX (831) 646-1290
EMAIL idg@idg-inc.net
WEB idg-inc.net

DISCLAIMER:

ALL IDEAS, DESIGNS, ARRANGEMENTS AND PLANS INDICATED BY THIS DRAWING ARE OWNED BY, AND THE PROPERTY OF, THIS OFFICE AND WERE CREATED, DEVELOPED AND DISCLOSED FOR USE ON, AND IN CONNECTION WITH, THE SPECIFIED PROJECT. NONE OF SUCH IDEAS, DESIGNS, ARRANGEMENTS OR PLANS SHALL BE USED BY OR DISCLOSED TO ANY PERSON, FIRM OR CORPORATION FOR ANY PURPOSE WHATSOEVER WITHOUT THE WRITTEN PERMISSION OF INTERNATIONAL DESIGN GROUP. WRITTEN DIMENSIONS ON THESE DRAWINGS SHALL HAVE PRECEDENCE OVER SCALE DIMENSIONS. CONTRACTORS SHALL VERIFY AND BE RESPONSIBLE FOR ALL DIMENSIONS AND CONDITIONS ON THE JOB AND THIS OFFICE MUST BE NOTIFIED OF ANY VARIATION FROM THE DIMENSIONS AND CONDITIONS SHOWN BY THESE DRAWINGS. SHOP DETAILS OF ADEQUATE SCALE MUST BE SUBMITTED TO THIS OFFICE FOR APPROVAL BEFORE PROCEEDING WITH FABRICATION ON ITEMS SO NOTED.

STAMPS:

PROJECT/CLIENT:

CONRON
RESIDENCE

PROJECT ADDRESS:

3320 KINGSLEY CT
PEBBLE BEACH, CA

APN: 008-162-017

DATE: NOVEMBER 4, 2024

PLANNING SUBMITTAL

REVISIONS:

△	_____
△	_____
△	_____
△	_____
△	_____
△	_____
△	_____

EXISTING
ELEVATIONS

SHEET NO.

E6.0



EXISTING NORTH ELEVATION

1/8"=1'-0"



EXISTING WEST ELEVATION

1/8"=1'-0"



EXISTING SOUTH ELEVATION

1/8"=1'-0"



EXISTING EAST ELEVATION

1/8"=1'-0"

GRADING, DRAINAGE, AND EROSION CONTROL PLAN
OF
THE CONRON RESIDENCE
APN: 008-162-017
PEBBLE BEACH, MONTEREY COUNTY, CALIFORNIA



VICINITY MAP
NOT TO SCALE



LOT OVERVIEW
SCALE: 1" = 70'

GENERAL NOTES:

- PROJECT DESIGN IS BASED ON INFORMATION OBTAINED FROM THE ARCHITECTURAL PLANS FOR THE CONRON RESIDENCE PREPARED BY INTERNATIONAL DESIGN GROUP, DATED AUGUST 2024; AND THE TOPOGRAPHIC MAP FOR THE SITE PREPARED BY LANDSET ENGINEERS, DATED APRIL 2024.
- NOT ALL UNDERGROUND UTILITIES WERE LOCATED. ONLY VISIBLE FACILITIES ABOVE AND FLUSH WITH THE SURFACE ARE SHOWN. SUBSURFACE UTILITY LINES DRAWN MAY NOT BE COMPLETE AND SHOULD BE VERIFIED BY FIELD RECONNAISSANCE. UNDERGROUND UTILITY LOCATIONS CAN BE OBTAINED FROM THE APPROPRIATE UTILITY COMPANIES, PUBLIC AGENCIES, OWNER'S AS-BUILT DRAWINGS, ETC., AND SHOULD BE THOROUGHLY COMPILED AND DEEMED COMPLETE WITH THE PROJECT AREA, PRIOR TO ANY SITE DEVELOPMENT DESIGN AND/OR CONSTRUCTION.
- THIS MAP PORTRAYS THE SITE AT THE TIME OF THE SURVEY AND DOES NOT SHOW SOILS OR GEOLOGY INFORMATION, UNDERGROUND CONDITIONS, EASEMENTS, ZONING OR REGULATORY OR ANY OTHER ITEMS NOT SPECIFICALLY REQUESTED BY THE PROPERTY OWNER.
- THIS MAP DOES NOT REPRESENT A BOUNDARY SURVEY.

GRADING & DRAINAGE NOTES:

- ALL GRADING SHALL CONFORM TO THE LATEST COUNTY OF MONTEREY GRADING ORDINANCE AND EROSION CONTROL ORDINANCE; THE RECOMMENDATIONS FOUND IN THE PROJECT'S SOIL ENGINEERING INVESTIGATION; THE LATEST VERSION OF THE CALTRANS SPECIFICATIONS; THE GOVERNING PUBLIC AGENCIES; THE LATEST REVISION OF THE CALIFORNIA BUILDING CODE (CBC); AND THESE PLANS.
- SURFACE ORGANICS SHALL BE STRIPPED AND STOCKPILED FOR LATER USE AS TOPSOIL MATERIAL ACTUAL GRADING SHALL BEGIN WITHIN 30 DAYS OF VEGETATION REMOVAL OR THE AREA SHALL BE PLANTED TO CONTROL EROSION.
- NO ORGANIC MATERIAL SHALL BE PERMITTED IN FILLS EXCEPT AS TOPSOIL USED FOR SURFACE PLANT GROWTH ONLY AND WHICH DOES NOT EXCEED 4" IN DEPTH.
- THERE ARE APPROXIMATELY 55 CUBIC YARDS OF CUT AND 20 CUBIC YARDS OF FILL TOTAL WITH A NET EXCESS OF 35 CUBIC YARDS. EXCAVATION SHALL BE USED FOR EMBANKMENT CONSTRUCTION, LANDSCAPE PURPOSES AND/OR HAULED OFF-SITE. ADDITIONAL ON-SITE SPOILS GENERATED FROM FOUNDATIONS, UTILITY TRENCHES, SEPTIC CONSTRUCTION, ETC. ARE NOT INCLUDED IN THE ABOVE REFERENCED QUANTITIES. IMPORT MATERIAL SHALL MEET THE REQUIREMENTS OF SELECT STRUCTURAL FILL AS NOTED IN THE SOILS REPORT AND BE APPROVED BY THE SOIL ENGINEER PRIOR TO PLACEMENT.
- EMBANKMENT MATERIAL SHALL BE PLACED IN 8" LOOSE LIFTS, MOISTURE CONDITIONED, AND COMPACTED TO 90% MINIMUM RELATIVE COMPACTION. ALL BASEROCK AND THE UPPER 12" OF SUBGRADE SHALL BE COMPACTED TO 95% MINIMUM RELATIVE COMPACTION.
- ALL CUT AND FILL SLOPES SHALL BE 2:1 OR FLATTER. STEEPER SLOPES MAY BE ALLOWED ONLY WITH THE PERMISSION OF THE SOIL ENGINEER.
- PAD ELEVATIONS SHALL BE CERTIFIED TO 0.10' PRIOR TO DIGGING ANY FOOTINGS OR SCHEDULING ANY INSPECTIONS.
- DUST FROM GRADING OPERATIONS MUST BE CONTROLLED. CONTRACTOR SHALL PROVIDE ADEQUATE WATER TO DO SO AND FOR USE IN GRADING OPERATIONS.
- A COPY OF ALL COMPACTION TESTS AND THE FINAL GRADING REPORT SHALL BE SUBMITTED TO THE COUNTY OF MONTEREY PLANNING AND BUILDING INSPECTION DEPARTMENT AT SCHEDULED INSPECTIONS.
- THE GROUND IMMEDIATELY ADJACENT TO FOUNDATIONS SHALL BE SLOPED AWAY FROM THE BUILDING AT 5% FOR A MINIMUM DISTANCE OF 10'. IF PHYSICAL OBSTRUCTIONS OR LOT LINES PROHIBIT 10' OF HORIZONTAL DISTANCE, A 5% SLOPE SHALL BE PROVIDED TO AN APPROVED ALTERNATIVE METHOD OF DIVERTING WATER AWAY FROM THE FOUNDATION. SWALES USED FOR THIS PURPOSE SHALL BE SLOPED AT A MINIMUM OF 2% WHERE LOCATED WITHIN 5' OF THE BUILDING FOUNDATION. IMPERVIOUS SURFACES WITHIN 10' OF THE BUILDING FOUNDATION SHALL BE SLOPED AT A MINIMUM OF 2% AWAY FROM THE BUILDING.
- ROOF DRAINAGE SHALL BE ACCOMPLISHED BY THE USE OF GUTTERS AND DOWNSPOUTS. THE DOWNSPOUTS SHALL BE CONNECTED TO RAINWATER LEADERS AND TIED INTO THE STORM DRAIN SYSTEM AS SHOWN ON THE SITE UTILITY PLAN. DOWNSPOUTS THAT ARE NOT CONNECTED TO A RAINWATER LEADER SHALL OUTLET ONTO SPLASH BLOCKS OR AN APPROVED ALTERNATIVE. SPLASH BLOCKS MAY BE UNNECESSARY IF THE DOWNSPOUT OUTLETS DIRECTLY ONTO AN IMPERVIOUS SURFACE THAT IS GRADED AWAY FROM THE FOUNDATIONS. RAINWATER LEADERS SHALL BE CONSTRUCTED WITH 4" SDR35 PVC PIPE. UNDER NO CIRCUMSTANCES SHALL A RAINWATER LEADER BE CONNECTED TO A SUBDRAIN LINE.
- SURFACE RUNOFF SHALL BE COLLECTED BY A SYSTEM OF SWALES AND DRAINS. CAPTURED STORMWATER SHALL BE PIPED TO A DISPERSION TRENCH AS SHOWN ON THE SITE UTILITY PLAN. STORM DRAIN LINES SHALL DRAIN BY GRAVITY AND BE SLOPED AT A MINIMUM OF 2% TO AN OUTLET, WHERE A 2% SLOPE IS IMPRACTICAL, PIPES SHALL BE SLOPED AT NO LESS THAN 1%. STORM DRAIN LINES SHALL HAVE A MINIMUM COVER OF 12" AND SHALL BE CONSTRUCTED WITH SDR35 PVC PIPE, SIZED AS INDICATED.
- TRENCH DRAINS SHALL BE NDS CHANNEL DRAINS, SIZED AS INDICATED ON THE SITE UTILITY PLAN. FLAT-BOTTOMED CHANNELS SHOULD BE SLOPED AT A MINIMUM OF 0.5% TO AN OUTLET IN ORDER TO ENSURE PROPER DRAINAGE AND PREVENT STANDING WATER IN THE TRENCH. ANY CHANNEL SLOPED AT LESS THAN 0.5% SHALL HAVE OUTLETS SPACED AT NO MORE THAN 10'. GRATES AND CHANNELS SHALL HAVE A LOAD RATING GREATER THAN OR EQUAL TO THE EXPECTED LOADING IN THE INSTALLATION AREA. ALL TRENCH DRAINS SHALL BE SURROUNDED BY A MINIMUM OF 4" OF CONCRETE. TRENCH DRAINS SHOULD BE SIZED TO HANDLE THE PEAK RUNOFF RATE PRODUCED BY A 10-YEAR DESIGN STORM.
- SUBSURFACE WATER BEHIND ANY RETAINING WALLS SHALL BE CONTROLLED BY THE INSTALLATION OF SUBDRAINS. SUBDRAIN LINES SHALL BE CONSTRUCTED WITH PERFORATED 4" SDR35 PVC PIPE PLACED WITH THE HOLES FACING DOWNWARD. COLLECTED WATER SHALL DRAIN TO DAYLIGHT AT A MINIMUM SLOPE OF 1% AS SHOWN ON THE SITE UTILITY PLAN. PIPES CARRYING SURFACE WATER OR ROOF WATER SHALL NOT UNDER ANY CIRCUMSTANCES OUTLET INTO A SUBDRAIN LINE. THE SYSTEM OF SUBDRAINS SHALL REMAIN INDEPENDENT OF THE SURFACE STORM DRAIN SYSTEM.
- UTILITY TRENCHES WITHIN THE BUILDING PAD OR ANY NEW PAVED AREAS SHALL BE BACKFILLED WITH CLEAN IMPORTED SAND AND THE TRENCH BACKFILL SHALL BE COMPACTED TO 95% MINIMUM RELATIVE COMPACTION. THE TOP 6" OF TRENCH SHALL BE CAPPED WITH NATIVE SOIL. IN NON-PAVED AREAS NATIVE BACKFILL SHALL BE USED AND COMPACTED TO 90% MINIMUM RELATIVE COMPACTION.
- ALL WORK IS SUBJECT TO APPROVAL BY THE COUNTY OF MONTEREY PUBLIC WORKS SUPERINTENDENT INSPECTION AND ACCEPTANCE.
- SPECIAL INSPECTIONS BY A SPECIAL INSPECTOR ARE REQUIRED DURING FILL PLACEMENT TO ENSURE PROPER MATERIALS AND PROCEDURES ARE USED IN ACCORDANCE WITH THE PROVISIONS OF THE APPROVED GEOTECHNICAL REPORT.
- THE LOCATION, HEIGHT, AND PLATE HEIGHTS OF THE NEW STRUCTURE MUST BE CERTIFIED BY A SURVEYOR TO BE IN CONFORMANCE WITH THE APPROVED PLANS.
- STOP WORK WITHIN 50 FEET (165') OF UNCOVERED RESOURCE AND CONTACT THE COUNTY OF MONTEREY RMA - PLANNING DEPARTMENT AND A QUALIFIED ARCHAEOLOGIST IMMEDIATELY IF CULTURAL, ARCHAEOLOGICAL, HISTORICAL, OR PALEONTOLOGICAL RESOURCES ARE UNCOVERED.

LEGEND:

- --- PROPERTY BOUNDARY
--- --- BUILDING ENVELOPE
--- --- MAJOR CONTOUR (5' INTERVAL)
--- --- MINOR CONTOUR (1' INTERVAL)
----- RETAINING WALL
-->-->-->--> SWALE FLOW LINE
--- SO --- SO --- STORM DRAIN PIPE
--- RWL --- RWL --- RAINWATER LEADER
--- SUBD --- SUBD --- SUBDRAIN LINE

- EXISTING RESIDENCE FOOTPRINT
PROPOSED BUILDING FOOTPRINT
CONCRETE
DECOMPOSED GRANITE
PERMEABLE PAVERS
STONE
TILE
WOOD

- CATCH BASIN
ENERGY DISSIPATOR
DRY WELL
TREE
TREE TO BE REMOVED

ABBREVIATIONS:

±	=	PLUS OR MINUS; APPROXIMATE	EVC	=	END OF VERTICAL CURVE	PL	=	PROPERTY LINE
Ø	=	DIAMETER	EW	=	EACH WAY	POC	=	POINT OF CONNECTION
AB	=	AGGREGATE BASE	EX	=	EXISTING	PVC	=	POLYVINYL CHLORIDE
ABAN	=	ABANDON	FC	=	FLUSH CURB	RC	=	RELATIVE COMPACTION
AC	=	ASPHALT CONCRETE	FD	=	FIRE DEPARTMENT	RES	=	RESIDENCE
AD	=	AREA DRAIN	FF	=	FINISHED FLOOR	RM	=	ROOM
ADD	=	ADDITION	FG	=	FINISHED GRADE	RND	=	ROUND
ADU	=	ACCESSORY DWELLING UNIT	FL	=	FLOWLINE	RW	=	RETAINING WALL
BC	=	BEGINNING OF CURVE	FM	=	FORCE MAIN	RWL	=	RAINWATER LEADER
B.E.	=	BUILDING ENVELOPE	FP	=	FINISHED PAD	SD	=	STORM DRAIN
BLDG	=	BUILDING	GAR	=	GARAGE	SF	=	SQUARE FEET
BOT	=	BOTTOM	GB	=	GRADE BREAK	SG	=	SUBGRADE
BSMT	=	BASEMENT	GR	=	GRATE	SO	=	SQUARE
BVC	=	BEGINNING OF VERTICAL CURVE	HDPE	=	HIGH-DENSITY POLYETHYLENE	SS	=	SANITARY SEWER
CB	=	CATCH BASIN	HP	=	HIGH POINT	STA	=	STATION
CF	=	CUBIC FEET	HT	=	HEIGHT	STN	=	STONE
CL	=	CENTERLINE	INV	=	PIPE INVERT	STP	=	STEP
CO	=	CLEANOUT	JB	=	JUNCTION BOX	SUBD	=	SUBDRAIN
CONC	=	CONCRETE	JT	=	JOINT TRENCH	TBR	=	TO BE REMOVED
CY	=	CUBIC YARDS	LF	=	LINEAR FEET	TD	=	TRENCH DRAIN
DG	=	DECOMPOSED GRANITE	LP	=	LOW POINT	TW	=	TOP OF WALL
DK	=	DECK	MAX	=	MAXIMUM	TYP	=	TYPICAL
DS	=	DOWNSPOUT	MIN	=	MINIMUM	U.N.O.	=	UNLESS NOTED OTHERWISE
DWY	=	DRIVEWAY	OC	=	ON-CENTER	VC	=	VERTICAL CURB
EC	=	END OF CURVE	OUT	=	OUTLET	VIF	=	VERIFY IN FIELD
EG	=	EXISTING GROUND	PCC	=	PORTLAND CEMENT CONCRETE	W/	=	WITH
ELEV	=	ELEVATION	PERF	=	PERFORATED	W/O	=	WITHOUT
ESMT	=	EASEMENT	PERM	=	PERMEABLE	WD	=	WOOD

INDEX TO SHEETS

SHEET C1	COVER SHEET
SHEET C2	GRADING & DRAINAGE PLAN
SHEET C3	GRADING SECTIONS & DETAILS
SHEET C4	UTILITY PLAN
SHEET C5	CONSTRUCTION DETAILS
SHEET C6	EROSION & SEDIMENT CONTROL PLAN
SHEET C7	CONSTRUCTION MANAGEMENT PLAN

NOTE: PRIOR TO FINAL INSPECTION, THE OWNER/APPLICANT SHALL PROVIDE CERTIFICATION FROM THE PROJECT GEOTECHNICAL ENGINEER THAT ALL DEVELOPMENT HAS BEEN CONSTRUCTED IN ACCORDANCE WITH THE RECOMMENDATIONS IN THE PROJECT SOIL ENGINEERING INVESTIGATION.

GEOTECHNICAL INSPECTION SCHEDULE

Inspection Item:	Who will conduct the inspection:	When the Inspection is to be completed:	Inspection completed by:	Date completed:
Site stripping and clearing	GEOTECH ENGINEER	Beginning of Project		
Subexcavation, fill placement, and compaction	GEOTECH ENGINEER	Throughout grading operations		
Foundation Excavations	GEOTECH ENGINEER	Prior to placement of forms and reinforcing steel		
Surface and subsurface drainage improvements	GEOTECH ENGINEER	Prior to trench backfill		
Utility trench compaction	GEOTECH ENGINEER	During backfill operations		
Retaining wall backfill compaction	GEOTECH ENGINEER	During backfill operations		
Baserock subgrade compaction	GEOTECH ENGINEER	Prior to pavement installation		

STORMWATER CONTROL NOTES:

- THE PROJECT IS NOT LOCATED WITHIN THE MUNICIPAL GENERAL PERMIT BOUNDARY AS DEFINED BY THE CALIFORNIA STATE WATER QUALITY CONTROL BOARD ORDER NO. 2013-0001-DWQ; THEREFORE, THE POST-CONSTRUCTION STORM WATER MANAGEMENT REQUIREMENTS (PCRs) FOR DEVELOPMENT PROJECTS IN THE CENTRAL COAST REGION DO NOT APPLY.
- THIS PROJECT SHALL IMPLEMENT THE FOLLOWING STRATEGIES: MINIMIZE COMPACTION OF HIGHLY PERMEABLE SOILS; LIMIT CLEARING AND GRADING OF NATIVE VEGETATION; MINIMIZE IMPERVIOUS SURFACES AND LEAVE THE REMAINING LAND IN A NATURAL UNDISTURBED STATE; MINIMIZE STORMWATER RUNOFF BY DIRECTING RUNOFF FROM PATIOS, PORCHES, AND DRIVEWAYS ONTO VEGETATED AREAS AND DIRECTING ROOF RUNOFF INTO AN INFILTRATION SYSTEM SAFELY AWAY FROM BUILDING FOUNDATIONS AND FOOTINGS, CONSISTENT WITH THE CALIFORNIA BUILDING CODE.

CONTACT INFORMATION:

OWNER:
JOSEPH AND BETSY CONRON
3320 KINGSLEY CT
PEBBLE BEACH, CA 93953

ARCHITECT:
JUN SILLANO
INTERNATIONAL DESIGN GROUP
721 LIGHTHOUSE AVE
PACIFIC GROVE, CA 93950

SITE LOCATION:
3320 KINGSLEY CT
PEBBLE BEACH, CA 93953

	11/06/24	JAN	RELEASED TO CLIENT
No.	DATE	BY	REVISION

"COVER SHEET"

GRADING, DRAINAGE, AND EROSION CONTROL PLAN

OF
THE CONRON RESIDENCE

A.P.N.: 008-162-017



PEBBLE BEACH, CALIFORNIA

FOR
JOSEPH AND BETSY CONRON

SCALE: AS SHOWN
DATE: NOV 2024
JOB No. 2778-02

SHEET **C1**

OF 7 SHEETS



"GRADING SECTIONS & DETAILS"


GRADING, DRAINAGE, AND EROSION CONTROL PLAN
OF
THE CONRON RESIDENCE
A.P.N.: 008-162-017
PEBBLE BEACH, CALIFORNIA
JOSEPH AND BETSY CONRON

SCALE: AS SHOWN
DATE: NOV 2024
JOB No. 2778-02

SHEET C3

OF 7 SHEETS


No.	DATE	BY	REVISION
	11/06/24	JAN	RELEASED TO CLIENT




APPROVED BY:

GUY R. GIRARDO
11/07/24





- NOTES:
- 1) INFORMATION ABOUT EXISTING UTILITIES WAS COMPILED FROM THE SITE TOPOGRAPHIC MAP PREPARED BY LANDSET ENGINEERS, DATED APRIL 2024; THE SITE PLAN PREPARED BY BESTOR ENGINEERS, DATED JANUARY 1996; AND A SITE VISIT ON THE 21ST OF OCTOBER 2024. THE LOCATIONS, DIMENSIONS, AND ELEVATIONS OF THE EXISTING UTILITIES SHOWN ON THIS PLAN ARE APPROXIMATE ONLY AND SHOULD BE VERIFIED BY THE CONTRACTOR IN THE FIELD.
 - 2) DOWNSPOUTS SHALL BE CONNECTED TO RAINWATER LEADERS AND TIED INTO THE STORM DRAIN SYSTEM AS SHOWN. DOWNSPOUTS THAT ARE NOT CONNECTED TO A RAINWATER LEADER SHALL OUTLET ONTO SPLASH BLOCKS OR AN APPROVED ALTERNATIVE. SPLASH BLOCKS MAY BE UNNECESSARY IF THE DOWNSPOUT OUTLETS DIRECTLY ONTO AN IMPERVIOUS SURFACE THAT IS GRADED AWAY FROM THE FOUNDATIONS. UNDER NO CIRCUMSTANCES SHALL A RAINWATER LEADER BE CONNECTED TO A SUBDRAIN LINE.
 - 3) SUBSURFACE WATER BEHIND ANY RETAINING WALLS SHALL BE CONTROLLED BY THE INSTALLATION OF SUBDRAINS. SUBDRAIN LINES SHALL BE CONSTRUCTED WITH PERFORATED 4" SDR35 PIPE PLACED WITH THE HOLES FACING DOWNWARD. COLLECTED WATER SHALL DRAIN TO DAYLIGHT AT A MINIMUM SLOPE OF 1%. PIPES CARRYING SURFACE WATER OR ROOF WATER SHALL NOT UNDER ANY CIRCUMSTANCES OUTLET INTO A SUBDRAIN LINE. THE SYSTEM OF SUBDRAINS SHALL REMAIN INDEPENDENT OF THE SURFACE STORM DRAIN SYSTEM.




"UTILITY PLAN"
GRADING, DRAINAGE, AND EROSION CONTROL PLAN
OF
THE CONRON RESIDENCE
A.P.N.: 008-162-017
PEBBLE BEACH, CALIFORNIA
JOSEPH AND BETSY CONRON

SCALE: 1" = 10'
DATE: NOV 2024
JOB No. 2778-02

SHEET C4


OF 7 SHEETS




APPROVED BY:

GUY R. GIRARDINO






1 CHRISTY V12 CATCH BASIN




- 12" NATIVE CAP. TRENCH SURFACE SHALL BE RESTORED TO NATURAL/ORIGINAL CONDITION.
- MIRAFI 140N OR APPROVED EQUAL FILTER FABRIC SHALL BE PLACED ACROSS THE TOP OF THE DRAIN ROCK.
- 1/2" TO 3/4" DRAIN ROCK.
- 4" PERFORATED SCH 40/SDR 35 RIGID PVC PIPE PLACED WITH THE HOLES FACING DOWNWARD. THE PIPE SHALL BE SLOPED AT A MINIMUM OF 1% TO DAYLIGHT.
- CLEANOUTS SHALL BE PROVIDED AT THE UPSTREAM END OF ANY RUN OF PERFORATED PIPE, AT HORIZONTAL BENDS GREATER THAN 45°, AND AT A MAXIMUM SPACING OF 100'.

6 SUBDRAIN BEHIND RETAINING WALL




2 G5 STORM DRAIN CLEANOUT




- 4" THICK CONCRETE VALLEY GUTTER. LONGITUDINAL SLOPE SHALL NOT BE LESS THAN 1% OR GREATER THAN 20%. SIDE SLOPE SHALL BE A MINIMUM OF 5%.
- IT SHALL BE THE RESPONSIBILITY OF THE OWNER TO REGULARLY MAINTAIN THE SWALE AS NEEDED FROM SITUATION.
- THE SOIL BELOW THE CONCRETE SHALL BE SCARIFIED 8" AND THEN RECOMPACTED TO A MINIMUM OF 95% RELATIVE COMPACTION.

7 CONCRETE SWALE




3 DRY WELL SYSTEM



4 ENERGY DISSIPATOR

- 12" NATIVE CAP
- MIRAFI 140N OR APPROVED EQUAL FILTER FABRIC SHALL BE PLACED ACROSS THE TOP OF THE DRAIN ROCK.
- 1/2" TO 3/4" DRAIN ROCK
- A WATERPROOFING MEMBRANE SHALL BE INSTALLED ON THE EXTERIOR SURFACE OF THE WALL AND SHALL EXTEND FROM THE TOP OF THE FOOTING TO ABOVE GROUND LEVEL- SEE ARCHITECTURAL PLANS FOR DETAILS.
- 4" PERFORATED SCH 40 / SDR35 RIGID PVC PIPE PLACED WITH THE HOLES FACING DOWNWARD. THE INVERT OF THE PIPE SHALL NOT BE HIGHER THAN THE FLOOR ELEVATION. THE PIPE SHALL BE SLOPED AT A MINIMUM OF 1% TO DAYLIGHT.
- CLEANOUTS SHALL BE PROVIDED AT HORIZONTAL BENDS GREATER THAN 45° AND AT 100' INTERVALS.



5 PERIMETER SUBDRAIN

"CONSTRUCTION DETAILS"

GRADING, DRAINAGE, AND EROSION CONTROL PLAN
OF
THE CONRON RESIDENCE
A.P.N.: 008-162-017
PEBBLE BEACH, CALIFORNIA
JOSEPH AND BETSY CONRON

SCALE: AS SHOWN
DATE: NOV 2024
JOB No. 2778-02

SHEET C5

OF 7 SHEETS


No.	DATE	BY	REVISION
11/06/24	JAN	RELEASED TO CLIENT	




APPROVED BY:


11/20/24

GUY R. GIRAUDO






CONCRETE WASHOUT
NOT TO SCALE



SILT FENCE
NOT TO SCALE



STABILIZED CONSTRUCTION ENTRANCE
NOT TO SCALE

EROSION & SEDIMENT CONTROL NOTES:

- 1) ALL EROSION CONTROL MEASURES SHALL CONFORM WITH THE COUNTY OF MONTEREY EROSION CONTROL ORDINANCE.
- 2) ALL SLOPES SHALL BE PROTECTED WITH STRAW MULCH OR SIMILAR MEASURES TO PROTECT AGAINST EROSION UNTIL SUCH SLOPES ARE PERMANENTLY STABILIZED.
- 3) RUNOFF SHALL BE DETAINED OR FILTERED BY BERMS, VEGETATED FILTER STRIPS, AND/OR CATCH BASINS TO PREVENT THE ESCAPE OF SEDIMENT FROM THE SITE.
- 4) EROSION AND SEDIMENT CONTROL MEASURES SHALL BE IN PLACE AT THE END OF EACH DAY'S WORK. ACCESS ROADS SHALL BE CLEANED DAILY (IF NECESSARY) AND PRIOR TO ANY RAIN EVENT.
- 5) ALL ROADS AND DRIVEWAYS SHALL HAVE DRAINAGE FACILITIES SUFFICIENT TO PREVENT EROSION ON OR ADJACENT TO THE ROADWAY OR ON THE DOWNHILL PROPERTIES.
- 6) CONTRACTOR SHALL PROVIDE WATERING FOR DUST CONTROL DURING ALL GROUND DISTURBANCE OPERATIONS.
- 7) REVEGETATION SHALL CONSIST OF A MECHANICALLY APPLIED HYDROMULCH SLURRY OR HAND SEEDING WITH A STRAW MULCH COVER. MULCH SHALL BE ANCHORED BY AN APPROVED METHOD SUCH AS PUNCHING, TACKING, OR THE USE OF JUTE NETTING, AS DEEMED NECESSARY FOR THE SITE CONDITIONS TO ALLOW FOR GERMINATION AND ENABLE ADEQUATE GROWTH TO BE ESTABLISHED.
- 8) CHECK DAMS, SILT FENCES, FIBER ROLLS OR OTHER DESIGNS SHALL BE INCORPORATED TO CATCH ANY SEDIMENT UNTIL AFTER THE NEWLY EXPOSED AREAS ARE REVEGETATED SUFFICIENTLY TO CONTROL EROSION. EROSION CONTROL PLANTINGS AND MULCH SHALL BE CLOSELY MONITORED THROUGHOUT THE WINTER AND ANY RUNOFF PROBLEMS SHALL BE CORRECTED PROMPTLY. ALL EROSION AND/OR SLIPPAGE OF THE NEWLY EXPOSED AREAS SHALL BE REPAIRED BY THE PERMITTEE AT THEIR EXPENSE.
- 9) THE GRASS SEED SHALL BE PROPERLY IRRIGATED UNTIL ADEQUATE GROWTH IS ESTABLISHED AND MAINTAINED TO PROTECT THE SITE FROM FUTURE EROSION DAMAGE. ALL NEWLY EXPOSED (DISTURBED) AREAS SHALL BE SEEDING WITH THE FOLLOWING EROSION CONTROL MIX: *BROMUS CARINATUS* (CALIFORNIA BROME), *VULPIA MICROSTACHYS* (NUTTALL'S FESCUE), *ELYMIUS GLAUCUS* (BLUE WILD RYE), *HOREDEUM BRACHYANTHERUM* (MEADOW BARLEY), *FESTUCA RUNRMOLATE* BLUE AND A MIXTURE OF LOCALLY NATIVE WILDFLOWERS.
- 10) SEEDS ARE SHALL BE RETAINED ON-SITE AND SHALL BE PREVENTED FROM FLOWING INTO THE STORM DRAINAGE SYSTEM. SEDIMENT CATCHMENT BARRIERS SHALL BE INSPECTED BY THE APPLICANT IMMEDIATELY AFTER ANY SIGNIFICANT RAINFALL AND AT LEAST DAILY DURING ANY PERIOD OF PROLONGED RAINFALL.
- 11) PRIOR TO COMMENCEMENT OF ANY LAND DISTURBANCE, THE OWNER/APPLICANT SHALL SCHEDULE AN INSPECTION WITH THE COUNTY OF MONTEREY TO ENSURE ALL NECESSARY SEDIMENT CONTROLS ARE IN PLACE AND THE PROJECT IS COMPLIANT WITH COUNTY OF MONTEREY GRADING AND EROSION CONTROL REGULATIONS.
- 12) DURING CONSTRUCTION THE OWNER/APPLICANT SHALL SCHEDULE AN INSPECTION WITH THE COUNTY OF MONTEREY TO UPDATE COMPACTION TEST RECORDS, INSPECT DRAINAGE DEVICE INSTALLATION, REVIEW THE MAINTENANCE AND EFFECTIVENESS OF BMPs INSTALLED, AS WELL AS, TO VERIFY THAT POLLUTANTS OF CONCERN ARE NOT DISCHARGED FROM THE SITE.
- 13) PRIOR TO FINAL INSPECTION, THE OWNER/APPLICANT SHALL SCHEDULE AN INSPECTION WITH THE COUNTY OF MONTEREY TO CONDUCT A FINAL GRADING INSPECTION, COLLECT FINAL GEOTECHNICAL LETTER OF CONFORMANCE, ENSURE THAT ALL DISTURBED AREAS HAVE BEEN STABILIZED AND THAT ALL TEMPORARY EROSION AND SEDIMENT CONTROL MEASURES THAT ARE NO LONGER NEEDED HAVE BEEN REMOVED.
- 14) THE APPLICANT SHALL SCHEDULE WEEKLY INSPECTIONS WITH THE COUNTY OF MONTEREY DURING THE RAINY SEASON, OCTOBER 15th TO APRIL 15th, TO ENSURE CONTAMINANTS ARE NOT DISCHARGED INTO THE AREAS OF SPECIAL BIOLOGICAL SIGNIFICANCE.

BMP LEGEND:

- 1) FR
- 2)
- 3)
- 4)
- 5)
- 6)
- 7)
- 8)
- 9)
- 10)
- 11)

FIBER ROLLS: THE CONTRACTOR SHALL MAINTAIN A STOCKPILE OF FIBER ROLLS ON-SITE, AS THEY CAN BE USED ALONG ERODIBLE SLOPES, ALONG STOCKPILE PERIMETERS, DOWNSLOPE OF EXPOSED SOIL AREAS, AND TO DELINEATE/PROTECT STAGING AREAS. FIBER ROLLS MUST BE TRENCHED INTO THE SOIL AND STAKED (STAKES SPACED MAX. 4' ON CENTER). SEE DETAIL. INSTALL FIBER ROLLS ALONG LEVEL CONTOURS, AND TURN THE ENDS UPHILL. INSPECT WEEKLY AND REMOVE ACCUMULATED SEDIMENT REGULARLY.

DRAIN INLET PROTECTION: PLACE GEOTEXTILE FILTER FABRIC BENEATH INLET GRATE AND SURROUND ENTIRE INLET WITH GRAVEL BAGS (OVERLAP THE BAGS AND PACK THEM TIGHTLY TOGETHER - SEE DETAIL). INSPECT ALL INLET PROTECTION WEEKLY. REMOVE ACCUMULATED SEDIMENT REGULARLY.

STABILIZED CONSTRUCTION ACCESS: INSTALL STABILIZED CONSTRUCTION ACCESS PRIOR TO COMMENCEMENT OF EARTH MOVING OPERATIONS (IF NECESSARY FOR THIS APPLICATION, SEE DETAIL). INSPECT ENTRANCE DAILY, AND ADD ADDITIONAL STONE AS TOP-DRESSING WHEN REQUIRED. USE FENCING OR BARRICADES TO PREVENT VEHICLE TRAFFIC FROM DRIVING AROUND THE STABILIZED ACCESS.

STOCKPILE MANAGEMENT: SOIL STOCKPILES MUST BE COVERED OR STABILIZED (I.E. WITH SOIL BINDERS) IMMEDIATELY IF THEY ARE NOT SCHEDULED TO BE USED WITHIN 14 DAYS. ACTIVE SOIL STOCKPILES SHALL BE WATERED TWICE DAILY TO AVOID WIND EROSION. SURROUND ALL STOCKPILES WITH FIBER ROLLS OR SILT FENCE. STOCKPILES OF "COLD MIX", TREATED WOOD, AND BASIC CONSTRUCTION MATERIALS SHOULD BE PLACED ON AND COVERED WITH PLASTIC SHEETING OR COMPARABLE MATERIAL AND SURROUNDED BY A BERM.

CONCRETE WASHOUT: WASHOUT MUST BE LOCATED A MINIMUM OF 50 FEET FROM STORM DRAINS, OPEN DITCHES, OR WATER BODIES. DISCONTINUE USE WHEN WASHOUT WASTES REACH 75% OF THE WASHOUT CAPACITY. ALLOW WASHOUT WASTES TO HARDEN, BE BROKEN UP, AND THEN DISPOSED OF PROPERLY.

CONTRACTOR'S STAGING AREA: THE CONTRACTOR'S STAGING AREA SHALL BE SURROUNDED BY FIBER ROLLS. THE STAGING AREA WILL BE USED TO STORE DELIVERED MATERIALS, AND FOR OVERNIGHT EQUIPMENT PARKING/FUELING. STORED CONSTRUCTION MATERIALS SHALL BE MAINTAINED IN THEIR ORIGINAL CONTAINERS, AND COVERED AT ALL TIMES. PETROLEUM PRODUCTS AND HAZARDOUS MATERIALS SHALL BE STORED WITHIN SECONDARY CONTAINMENT STRUCTURES OR A STORAGE SHED. EQUIPMENT FUELING AND MAINTENANCE WILL ONLY OCCUR WITHIN THE DESIGNATED STAGING AREA. DRIP PANS OR ABSORBENT PADS MUST BE USED DURING ALL FUELING OR MAINTENANCE ACTIVITIES. AN AMPLE SUPPLY OF SPILL CLEANUP MATERIALS SHALL BE MAINTAINED IN THE STAGING AREA AT ALL TIMES.

TREE PROTECTION: TREE PROTECTION SHALL CONSIST OF ORANGE PLASTIC MESH FENCING, AND SHALL BE INSTALLED PRIOR TO COMMENCEMENT OF EARTH-MOVING OPERATIONS (SEE DETAIL). INSTALL FENCING ALONG THE DRIP LINE OF TREES, AND INSTRUCT EMPLOYEES AND SUBCONTRACTORS TO HONOR PROTECTIVE DEVICES. TREE INJURIES SHALL BE ATTENDED TO BE A LICENSED AND CERTIFIED ARBORIST.

SILT FENCE: SILT FENCE SHALL CONSIST OF WOVEN GEOTEXTILE FABRIC WITH A MINIMUM WIDTH OF 36 INCHES. WOOD STAKES SHALL BE COMMERCIAL QUALITY LUMBER, SPACED A MAXIMUM OF 6' APART AND DRIVEN SECURELY INTO THE GROUND (SEE DETAIL). FENCING FABRIC SHALL BE KEYED INTO THE SOIL AS PER MANUFACTURER'S RECOMMENDATIONS. INSTALL SILT FENCE ALONG LEVEL CONTOURS. TURN THE ENDS OF THE SILT FENCE UPHILL TO PREVENT WATER FROM FLOWING AROUND THE FENCE. INSPECT SILT FENCE DAILY, AND MAKE REPAIRS IMMEDIATELY.

GRAVEL BAG CHECK DAM: GRAVEL BAGS SHALL CONSIST OF WOVEN POLYPROPYLENE, POLYETHYLENE OR POLYAMIDE FABRIC, MIN. UNIT WEIGHT OF 40Z/SY. BAGS SHALL BE A MINIMUM OF 18" LONG X 12" WIDE X 3" THICK, FILLED WITH 0.5" - 1" CRUSHED ROCK. TIGHTLY ABUT BAGS AND CONSTRUCT CHECK DAM AT LEAST 3 BAGS WIDE X 2 BAGS HIGH. INSPECT CHECK DAM REGULARLY AND REMOVE ACCUMULATED SEDIMENT.

WASTE MANAGEMENT: SOLID WASTES WILL BE LOADED DIRECTLY ONTO TRUCKS FOR OFF-SITE DISPOSAL. WHEN ON-SITE STORAGE IS NECESSARY, SOLID WASTES WILL BE STORED IN WATERTIGHT DUMPSTERS IN THE GENERAL STORAGE AREA OF THE CONTRACTOR'S YARD. DUMPSTERS AND/OR TRASH BINS SHALL BE COVERED AT THE END OF EACH WORK DAY. HAZARDOUS WASTES SHALL NOT BE STORED ON-SITE. CONSTRUCTION DEBRIS AND GENERAL LITTER WILL BE COLLECTED DAILY AND WILL NOT BE ALLOWED NEAR DRAINAGE INLETS OR DRAINAGE SYSTEMS.

SANITARY/SEPTIC WASTE MANAGEMENT: PORTABLE TOILETS WILL BE PROVIDED AND MAINTAINED ON-SITE FOR THE DURATION OF THE PROJECT. ALL PORTABLE TOILETS WILL BE EQUIPPED WITH A SECONDARY CONTAINMENT TRAY, AND SHALL BE LOCATED A MINIMUM OF 50' FROM ALL OPERATIONAL STORM DRAIN INLETS. WEEKLY MAINTENANCE SHALL BE PROVIDED AND WASTES LEGALLY DISPOSED OF OFF-SITE.

Material Delivery and Storage WM-1

Categories

- EC Erosion Control
- SE Sediment Control
- TC Tracking Control
- WE Wind Erosion Control
- NS Non-Stormwater Management Control
- WM Waste Management and Materials Pollution Control

Legend:

- Primary Category
- Secondary Category

Targeted Constituents

- Sediment
- Nutrients
- Trash
- Metals
- Bacteria
- Oil and Grease
- Organics

Potential Alternatives

None

Description and Purpose

Prevent, reduce, or eliminate the discharge of pollutants from material delivery and storage to the stormwater system or watercourses by minimizing the storage of hazardous materials onsite, storing materials in watertight containers and/or a completely enclosed designated area, installing secondary containment, conducting regular inspections, and training employees and subcontractors.

This best management practice covers only material delivery and storage. For other information on materials, see WM-2, Material Use, or WM-4, Spill Prevention and Control. For information on wastes, see the waste management BMPs in this section.

Solid Waste Management WM-5

Categories

- EC Erosion Control
- SE Sediment Control
- TC Tracking Control
- WE Wind Erosion Control
- NS Non-Stormwater Management Control
- WM Waste Management and Materials Pollution Control

Legend:

- Primary Objective
- Secondary Objective

Targeted Constituents

- Sediment
- Nutrients
- Trash
- Metals
- Bacteria
- Oil and Grease
- Organics

Potential Alternatives

None

Description and Purpose

Solid waste management procedures and practices are designed to prevent or reduce the discharge of pollutants to stormwater from solid or construction waste by providing designated waste collection areas and containers, arranging for regular disposal, and training employees and subcontractors.

Hazardous Waste Management WM-6

Categories

- EC Erosion Control
- SE Sediment Control
- TC Tracking Control
- WE Wind Erosion Control
- NS Non-Stormwater Management Control
- WM Waste Management and Materials Pollution Control

Legend:

- Primary Objective
- Secondary Objective

Targeted Constituents

- Sediment
- Nutrients
- Trash
- Metals
- Bacteria
- Oil and Grease
- Organics

Potential Alternatives

None

Description and Purpose

Prevent or reduce the discharge of pollutants to stormwater from hazardous waste through proper material use, waste disposal, and training of employees and subcontractors.

Sanitary/Septic Waste Management WM-9

Categories

- EC Erosion Control
- SE Sediment Control
- TC Tracking Control
- WE Wind Erosion Control
- NS Non-Stormwater Management Control
- WM Waste Management and Materials Pollution Control

Legend:

- Primary Category
- Secondary Category

Targeted Constituents


- Sediment
- Nutrients
- Trash
- Metals
- Bacteria
- Oil and Grease
- Organics

Potential Alternatives

None

Description and Purpose

Proper sanitary and septic waste management prevent the discharge of pollutants to stormwater from sanitary and septic waste by providing convenient, well-maintained facilities, and arranging for regular service and disposal.



FIBER ROLL
NOT TO SCALE

"EROSION & SEDIMENT CONTROL PLAN"


GRADING, DRAINAGE, AND EROSION CONTROL PLAN

OF
THE CONRON RESIDENCE

A.P.N.: 008-162-017

PEBBLE BEACH, CALIFORNIA

JOSEPH AND BETSY CONRON



APPROVED BY:

11/17/24

GUY R. GIRARDO



SCALE: 1" = 20'


DATE: NOV 2024

JOB No. 2778-02

SHEET C6

OF 7 SHEETS

No.	DATE	BY	REVISION
11/06/24	JAN	RELEASED TO CLIENT	



A PLAN
SCALE: 1" = 20'

SITE GRADING:
THE PROPOSED GRADING INCLUDES APPROXIMATELY 55 CY OF CUT & 20 CY OF FILL.

- CONSTRUCTION STAGING:**
- A. MOBILIZE, CLEAR AND GRUB
 - B. SITE GRADING
 - C. UTILITY INSTALLATION
 - D. CONSTRUCT STRUCTURE
 - E. INSTALL PAVERS AND LANDSCAPING
 - F. SITE CLEANING, PUNCH LIST

MATERIAL DELIVERIES SHALL BE SCHEDULED SUCH THAT THEY ARE USED PROMPTLY, AND MATERIAL STORAGE IS MINIMIZED. ALL CONSTRUCTION EQUIPMENT AND MATERIALS SHALL BE STORED IN A DESIGNATED AREA ON THE SUBJECT PROPERTY. SEE ARCHITECTURAL AND CIVIL PLANS FOR EROSION CONTROL AND DEMOLITION NOTES.

HAUL ROUTES:
HAUL TRUCKS SHALL BACK ONTO THE SITE FROM KINGSLEY CT. HAUL TRUCKS WILL EXIT THE SITE, HEADING SOUTHWEST ON KINGSLEY CT. THEY WILL THEN FOLLOW THE ROUTE SHOWN IN DETAIL B, FROM KINGSLEY CT TO MACOMBER DR TO DEL CIERVO RD TO 17 MILE DR TO CA HWY 68 TO CA HWY 1. FLAGGERS SHALL BE STATIONED ON KINGSLEY CT AS TRUCKS BACK FROM THE PUBLIC RIGHT-OF-WAY ONTO THE SITE. CONTRACTOR TO ENSURE THAT HEIGHT RESTRICTIONS WITHIN THE EASEMENT/DRIVEWAY AREA SHALL BE ADDRESSED BEFORE CONSTRUCTION VEHICLES ENTER THE SITE. SEE DETAILS B AND C, TRUCK ROUTING PLANS.

TRUCK STAGING AREA:
VEHICLES OR TRUCKS SHALL NOT QUEUE ON KINGSLEY CT. TRUCKS SHALL QUEUE OFFSITE AND BE DIRECTED TO APPROACH THE SITE BY ONSITE PERSONNEL VIA RADIO OR PHONE.

EMPLOYEE PARKING:
EMPLOYEES SHALL PARK ON SITE WHENEVER POSSIBLE. EMPLOYEES SHALL USE PUBLIC PARKING ALONG KINGSLEY CT AS NECESSARY, OBEYING ALL PARKING LAWS. EMPLOYEES SHALL CARPOOL WHENEVER POSSIBLE. PARKING IS PROHIBITED IN ALL NATURAL AREAS WHICH ARE NOT CURRENTLY PAVED OR GRAVEL.

LIMITS OF CONSTRUCTION:
ALL CONSTRUCTION SHALL TAKE PLACE WITHIN THE BORDER AS SHOWN. EXISTING CYPRESS, PINE, AND OAK TREES LOCATED WITHIN THE LIMITS SHOWN SHALL BE SURROUNDED BY ORANGE PROTECTIVE FENCING (SEE DETAIL).

NUMBER OF EMPLOYEES ONSITE PER DAY: APPROXIMATELY 10-20

NUMBER OF TRUCK TRIPS/DAY: 4

AMOUNT OF GRADING/DAY: 80 C.Y.

HOURS OF OPERATION/DAY: 8

DAYS OF OPERATION: MONDAY THROUGH FRIDAY

TIME OF OPERATION: 8:00 AM - 4:30 PM


PROJECT SCHEDULING: PROJECTED START DATE IS JANUARY 1, 2025. TOTAL PROJECT DURATION IS APPROXIMATELY 12 MONTHS.

TRUCK TRIP GENERATION CHART:



CATEGORY	NO. OF TRUCK TRIPS	TOTAL DAYS
DEMOLITION	4	5
GRADING & SOIL REMOVAL (EXPORT)	4	1
ENGINEERING MATERIALS (IMPORT)	-	-
TOTALS	8	6

TRUCK TRIP GENERATION NOTES:

- TRUCK TRIPS FOR THE GRADING/SOIL IMPORT IS BASED UPON 20 CUBIC YARDS PER TRUCKLOAD WITH AN AVERAGE OF 4 TRUCK LOADS PER DAY.
- THERE ARE APPROXIMATELY 35 CUBIC YARDS OF SOIL MATERIAL TO BE EXPORTED FROM THE SITE.
- GRADING OPERATIONS SHALL TAKE APPROXIMATELY 6 WORKING DAYS TO COMPLETE.
- THE AMOUNT OF GRADING PER DAY WILL VARY, THE AVERAGE BETWEEN 80 & 100 CUBIC YARDS.



ESA FENCING
NOT TO SCALE




"CONSTRUCTION MANAGEMENT PLAN"

GRADING, DRAINAGE, AND EROSION CONTROL PLAN
OF
THE CONRON RESIDENCE
A.P.N.: 008-162-017
PEBBLE BEACH, CALIFORNIA
JOSEPH AND BETSY CONRON

SCALE: 1" = 20'
DATE: NOV 2024
JOB No. 2778-02

SHEET **C7**

OF 7 SHEETS



APPROVED BY:

GUY R. GIRARDO
11/24



**COLOR AND MATERIAL SAMPLES FOR
CONRON RESIDENCE
3320 KINGSLEY COURT, PEBBLE BEACH, CA 93953
APN: 008-162-017**



**SLATE ROOF
MATCH EXISTING**



**EXTERIOR STUCCO
MATCH EXISTING**



**METAL CLAD WOOD EXTERIOR WINDOWS
LOEWEN OR EQUAL
MATCH EXISTING**



COPPER EYEBROW DORMER



**COPPER GUTTERS & DOWNSPOUTS
MATCH EXISTING**