Exhibit A



EXHIBIT A

Project Information for PLN170098

Application Name: Quail Lodge Inc

Location: 26750 Rancho San Carlos Rd, Carmel

note)|RC/10-D-S-RAZ

Applicable Plan: Carmel Valley Master Plan Primary APN: 157-121-027-000

Advisory Committee: Carmel Valley Advisory Committee Coastal Zone: No

Permit Type: Use Permit Final Action Deadline (884): 9/2/2018

Environmental Status: Negative Declaration

Zoning: LDR/2.5-D-S-RAZ(see Land Use Designation: Residential - Low Density 5

- 1 Acres/Unit|Resource Conservation|Rivers and

Water Bodies

Project Site Data:

Lot Size: 49.4 Coverage Allowed: 25

Existing Structures (sf): 0

Height Allowed: 35

Proposed Structures (sf): 0

Total Sq. Ft.: 0 Height Proposed: 0

FAR Allowed: N/A
Special Setbacks on Parcel: N
FAR Proposed: N/A

Resource Zones and Reports:

Seismic Hazard Zone: VI|II|UNDETERMINED Soils Report #: N/A

Erosion Hazard Zone: High|Moderate|Low Biological Report #: LIB170170

Fire Hazard Zone: None Forest Management Rpt. #: N/A

Flood Hazard Zone: AE|X (shaded)|X (unshaded) Geologic Report #: N/A Archaeological Sensitivity: high Archaeological Report #: N/A

Aronacological Report #. 14/1

Visual Sensitive | Highly Sensitive | Traffic Report #: N/A

Other Information:

Water Source: N/A Grading (cubic yds.): 0

Water Purveyor: N/A Sewage Disposal (method): N/A

Fire District: Monterey County Regional FPD Sewer District Name: N/A

Tree Removal: N/A

Date Printed: 5/18/2018

This page intentionally left blank