## Exhibit A



## **EXHIBIT A**

## **Project Information for PLN180167**

Application Name: Mendoza Maria Elena & Mendoza Francisco J

Location: 17090 Wallace Ct, Aromas

Applicable Plan: North County LCP Primary APN: 181-171-047-000

Advisory Committee: North County-Coastal Advisory Committee Coastal Zone: Yes

Permit Type: Coastal Administrative Permit Final Action Deadline (884): 10/28/2018

**Environmental Status:** Categorical Exemption

Zoning: RDR/5(CZ) Land Use Designation: Residential - Rural Density

Project Site Data:

Lot Size: 28.32 Coverage Allowed: 308,405

Existing Structures (sf): 0

Height Allowed:

Proposed Structures (sf): 2939

Total Sq. Ft.: 2939

Height Proposed: 29' 3"

FAR Allowed: 0

Special Setbacks on Parcel: FAR Proposed: 0

Resource Zones and Reports:

Seismic Hazard Zone: IV|V|UNDETERMINED Soils Report #: LIB180121

Erosion Hazard Zone: High Biological Report #: LIB140038

Fire Hazard Zone: High Forest Management Rpt. #: LIB140097

Flood Hazard Zone: X (unshaded) Geologic Report #:

Archaeological Sensitivity: |<sub>OW</sub> Archaeological Report #: N/A

Visual Sensitivity: None Traffic Report #:

Other Information:

Water Source: Well Grading (cubic yds.): 135

Water Purveyor: San Juan Road Water System Sewage Disposal (method): OWTS

Fire District: Aromas Tri-County FPD Sewer District Name:

Tree Removal: 2/Coast live oak

Date Printed: 9/6/2018

## This page intentionally left blank