Exhibit A



Project Information for PLN180122

Application Name: Kowalski James A & Anita A Trs

Location: 261 Corral De Tierra A, Salinas

Applicable Plan: Toro Primary APN: 416-342-001-000

Advisory Committee: Toro Advisory Committee Coastal Zone: No

Permit Type: Administrative Permit Final Action Deadline (884): 8/27/2019

Environmental Status: Categorical Exemption

Zoning: RG/20-VS(see note)

Land Use Designation: Rural Grazing 10 - 160 Ac

Min

Project Site Data:

Lot Size: 12.83 Coverage Allowed: 27944

Existing Structures (sf): 1234

Coverage Proposed: 3779

Height Allowed: 35

Proposed Structures (sf): 2771

Height Proposed: 25-4

Total Sq. Ft.: 2771

FAR Allowed: NA Special Setbacks on Parcel: FAR Proposed: NA

Resource Zones and Reports:

Seismic Hazard Zone: IV Soils Report #: LIB180412

Erosion Hazard Zone: High|Low Biological Report #: NA

Fire Hazard Zone: Very High Forest Management Rpt. #: NA

Flood Hazard Zone: X (unshaded) Geologic Report #: NA

Archaeological Sensitivity: high Archaeological Report #: LIB180411

Visual Sensitivity: Sensitive Traffic Report #: NA

Historic Report #: LIB180410

Other Information:

Water Source: PRIVATE Grading (cubic yds.): 15

Water Purveyor: ON-SITE WELL Sewage Disposal (method): SEPTIC

Fire District: Monterey County Regional FPD Sewer District Name: NA

Tree Removal: ()

Date Printed: 2/2/2021

