

State of California
Well Completion Report
 Form DWR 188 Submitted 12/2/2024
 WCR2024-012624

Owner's Well Number L-GWL-2 Date Work Began 10/21/2024 Date Work Ended 10/25/2024
 Local Permit Agency Environmental Health Services of Monterey County
 Secondary Permit Agency _____ Permit Number 25-000016 Permit Date 07/27/2024

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name <u>SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,</u>	Activity <u>New Well</u>
Mailing Address <u>PO Box 1350</u>	Planned Use <u>Monitoring</u>
City <u>Carmel Valley</u> State <u>Ca</u> Zip <u>93924</u>	

Well Location	
Address <u>0 San Juan Grade</u>	APN <u>SEA25-000016</u>
City <u>Salinas</u> Zip <u>93908</u> County <u>Monterey</u>	Township <u>13 S</u>
Latitude <u>36 46 23.0484 N</u> Longitude <u>-121 36 12.708 W</u>	Range <u>03 E</u>
Deg. Min. Sec. Deg. Min. Sec.	Section <u>26</u>
Dec. Lat. <u>36.773069</u> Dec. Long. <u>-121.60353</u>	Baseline Meridian <u>Mount Diablo</u>
Vertical Datum _____ Horizontal Datum <u>WGS84</u>	Ground Surface Elevation _____
Location Accuracy _____ Location Determination Method _____	Elevation Accuracy _____
	Elevation Determination Method _____

Borehole Information	
Orientation <u>Vertical</u> Specify _____	
Drilling Method <u>Direct Rotary</u> Drilling Fluid <u>Bentonite</u>	
Total Depth of Boring <u>350</u> Feet	
Total Depth of Completed Well <u>215</u> Feet	

Water Level and Yield of Completed Well	
Depth to first water _____ (Feet below surface)	
Depth to Static _____	
Water Level <u>37</u> (Feet) Date Measured _____	
Estimated Yield* _____ (GPM) Test Type _____	
Test Length _____ (Hours) Total Drawdown _____ (feet)	
*May not be representative of a well's long term yield.	

Geologic Log - Free Form		
Depth from Surface	Feet to Feet	Description
0	25	Coarse Sand
25	34	Hard Coarse Sand
34	65	Coarse Sand & Clay
65	72	Hard Coarse Sand (Broken Granite)
72	77	Hard Layer (Broken Granite)
77	108	Hard Coarse Sand
108	119	Consolidate Decomposed Granite
119	177	Hard Fine Gravel
177	188	Broken Granite
188	208	Consolidated Decomposed Fine Granite
208	223	Mixed Fine Gravel w/Hard Granite
223	255	Consolidated Decomposed Granite
255	262	Hard Brown Silt
262	288	Consolidated Decomposed Granite

288	330	Hard Fine Grained Granite
330	338	Consolidated Decomposed Fine Granite
338	343	Fine Grained Granite
343	350	Native Fill

Casings										
Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	90	Blank	PVC	N/A	0.337	4			PVC SCH 80
2	90	210	Screen	PVC	N/A	0.337	4	Milled Slots	0.04	PVC SCH 80
3	210	225	Blank	PVC	N/A	0.337	4	Milled Slots		PVC SCH 80

Annular Material					
Depth from Surface Feet to Feet	Fill	Fill Type Details		Filter Pack Size	Description
0	50	Cement	Other Cement		2% Bentonite
50	75	Bentonite	High Solids		
75	80	Bentonite	Other Bentonite		Tablets
80	225	Filter Pack	Other Gravel Pack		SRI#8
225	230	Bentonite	Other Bentonite		Tablets
230	350	Other Fill	See description.		Native Fill

Other Observations:

Borehole Specifications		
Depth from Surface Feet to Feet	Borehole Diameter (inches)	
0	90	10.625
90	210	10.625
210	350	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief			
Name	PARKS WATER RESOURCES LLC		
	Person, Firm or Corporation		
	P O BOX 494	ZAMORA	CA 95698
	Address	City	State Zip
Signed	<i>electronic signature received</i>	12/04/2024	1113206
	C-57 Licensed Water Well Contractor	Date Signed	C-57 License Number

DWR Use Only			
CSG #	State Well Number	Site Code	Local Well Number
		N	W
Latitude Deg/Min/Sec		Longitude Deg/Min/Sec	
TRS:			
APN:			

State of California
Well Completion Report
 Form DWR 188 Submitted 2/3/2025
 WCR2025-001158

Owner's Well Number E-DA-2 Date Work Began 12/03/2024 Date Work Ended 12/12/2024
 Local Permit Agency Environmental Health Services of Monterey County
 Secondary Permit Agency _____ Permit Number 25-000017 Amdt#1 Permit Date 07/27/2024

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name <u>SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,</u>	Activity <u>New Well</u>
Mailing Address <u>PO Box 1350</u>	Planned Use <u>Monitoring</u>
City <u>Carmel Valley</u> State <u>Ca</u> Zip <u>93924</u>	

Well Location	
Address <u>12310 Christensen Rd.</u>	APN <u>SEA25-000017</u>
City <u>Salinas</u> Zip <u>93908</u> County <u>Monterey</u>	Township <u>14 S</u>
Latitude <u>36 44 30.0876 N</u> Longitude <u>-121 39 35.2008 W</u>	Range <u>03 E</u>
Dec. Lat. <u>36.741691</u> Dec. Long. <u>-121.659778</u>	Section <u>05</u>
Vertical Datum _____ Horizontal Datum <u>WGS84</u>	Baseline Meridian <u>Mount Diablo</u>
Location Accuracy _____ Location Determination Method _____	Ground Surface Elevation _____
	Elevation Accuracy _____
	Elevation Determination Method _____

Borehole Information	Water Level and Yield of Completed Well
Orientation <u>Vertical</u> Specify _____	Depth to first water _____ (Feet below surface)
Drilling Method <u>Direct Rotary</u> Drilling Fluid <u>Bentonite</u>	Depth to Static _____
Total Depth of Boring <u>1300</u> Feet	Water Level <u>192</u> (Feet) Date Measured _____
Total Depth of Completed Well <u>1285</u> Feet	Estimated Yield* _____ (GPM) Test Type _____
	Test Length _____ (Hours) Total Drawdown _____ (feet)
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface Feet to Feet		Description
0	2	Sandy Fill
2	5	Black Fine Gravel
5	20	Brown Clay
20	28	Coarse Sand
28	33	Brown Clay
33	70	Coarse Sand
70	108	Grey Clay
108	135	Brown Clay
135	154	Brown Sand
154	158	Brown Clay
158	170	Brown Sand
170	195	Red/Brown Clay w/Sand
195	205	Brown Sand
205	240	Layered Clay & Sand

240	260	Mixed Coarse Sand
260	274	Clay w/Sand
274	279	Medium Gravel
279	330	Sandy Brown Clay
330	352	Soft Brown Clay
352	383	Coarse Sand & Clay
383	432	Medium Sand
432	452	Brown Clay
452	478	Medium Sand
478	482	Brown Clay w/Sand
482	504	Medium Sand
504	520	Hard Silt & Sand
520	530	Fine to Medium Gravel
530	556	Sandy Brown Clay
556	580	Sandy Brown Clay
580	585	Fine Sand
585	592	Sandy Clay
592	600	Coarse Sand
600	683	Sandy Clay
683	696	Hard Silt
696	726	White Silt w/Rock
726	758	Fine to Medium Sand Cemented
758	772	Cemented Sand/Brown Clay
772	780	Fine Gravel/Sand
780	787	Brown Clay
787	800	#8 Sand Cemented
800	810	Hard
810	813	Brown Clay
813	815	Cemented Sand
815	820	Brown Clay
820	835	Sand Brown Clay
835	837	Cemented Sand Hard
837	845	Sand
845	850	Hard Clay/Sand
850	860	Cemented Sand
860	863	Hard
863	865	Cemented
865	923	Cemented Sand (Hard)
923	926	Sandy Brown Clay
926	935	Sand w/Silt Layers
935	989	Cemented Coarse Gravel
989	1012	Gravel
1012	1020	Gravel
1020	1030	Clay
1030	1065	Gravel
1065	1075	Gravel
1075	1080	Gravel
1080	1105	Sandy Clay

1105	1107	Hard/Cemented
1107	1170	Loose Gravel
1170	1190	Cemented Fine Gravel
1190	1195	Sandy/Brown Clay
1195	1230	Cemented Fine Gravel
1230	1245	Hard
1245	1278	Cemented Coarse Sand
1278	1300	Cemented Fine Sand & Quartz

Casings										
Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (Inches)	Outside Diameter (Inches)	Screen Type	Slot Size If any (Inches)	Description
1	0	1230	Blank	PVC	N/A	0.337	4			PVC SCH 80
2	1230	1280	Screen	PVC	N/A	0.337	4	Milled Slots	0.04	PVC SCH 80
3	1280	1285	Blank	PVC	N/A	0.337	4			PVC SCH 80

Annular Material				
Depth from Surface Feet to Feet	Fill	Fill Type Details	Filter Pack Size	Description
0	50	Cement	Other Cement	2% Bentonite
50	1215	Bentonite	High Solids	
1215	1220	Bentonite	Other Bentonite	Tablets
1220	1300	Filter Pack	Other Gravel Pack	SR#8

Other Observations:

Borehole Specifications		
Depth from Surface Feet to Feet	Borehole Diameter (Inches)	
0	1230	10.625
1230	1280	10.625
1280	1300	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief			
Name	PARKS WATER RESOURCES LLC		
	Person, Firm or Corporation		
P O BOX 494	ZAMORA	CA	95698
Address	City	State	Zip
Signed	<i>electronic signature received</i>	02/03/2025	1113206
	C-57 Licensed Water Well Contractor	Date Signed	C-57 License Number

DWR Use Only			
CSG #	State Well Number	Site Code	Local Well Number
		N	W
Latitude Deg/Min/Sec		Longitude Deg/Min/Sec	
TRS:			
APN:			

SWID: 14S/03E-05K01
FC: 27165

State of California
Well Completion Report
 Form DWR 188 In Review 2/4/2025
 WCR2024-012703

15S/04E-31A03
 FC 27155

Owner's Well Number 180-400-GDE-1 Date Work Began 08/12/2024 Date Work Ended 08/13/2024
 Local Permit Agency Environmental Health Services of Monterey County
 Secondary Permit Agency _____ Permit Number 25-000019 Permit Date 07/27/2024

Well Owner (must remain confidential pursuant to Water Code 13752)

Name SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,
 Mailing Address PO Box 1350

 City Carmel Valley State CA Zip 93924

Planned Use and Activity

Activity New Well
 Planned Use Monitoring

Well Location

Address 0 Somavia Rd. APN 137-041-018
 City Salinas Zip 93908 County Monterey Township 15 S
 Latitude 36 35 12.8148 N Longitude -121 33 50.3028 W Range 04 E
 Deg. Min. Sec. Deg. Min. Sec. Section 31
 Dec. Lat. 36.586893 Dec. Long. -121.563973 Baseline Meridian Mount Diablo
 Vertical Datum _____ Horizontal Datum WGS84 Ground Surface Elevation _____
 Location Accuracy _____ Location Determination Method _____ Elevation Accuracy _____
 Elevation Determination Method _____

Borehole Information

Orientation Vertical Specify _____
 Drilling Method Auger Drilling Fluid None
 Total Depth of Boring 45 Feet
 Total Depth of Completed Well 40 Feet

Water Level and Yield of Completed Well

Depth to first water _____ (Feet below surface)
 Depth to Static _____
 Water Level _____ (Feet) Date Measured _____
 Estimated Yield* _____ (GPM) Test Type _____
 Test Length _____ (Hours) Total Drawdown _____ (feet)
 *May not be representative of a well's long term yield.

Geologic Log - Free Form

Depth from Surface Feet to Feet	Description
0 - 10	Clay
10 - 20	Sandy clay
20 - 30	Clay
30 - 35	Sandy Clay
35 - 45	Clay

Casings

Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	15	Blank	PVC	N/A	0.218	2			PVC SCH 80
2	15	35	Screen	PVC	N/A	0.218	2	Milled Slots	0.04	PVC SCH 80
3	35	40	Blank	PVC	N/A	0.218	2			PVC SCH 80

Annular Material

Depth from Surface Feet to Feet		Fill	Fill Type Details	Filter Pack Size	Description
0	10	Cement	Portland Cement/Neat Cement		
10	13	Bentonite	Other Bentonite		Tablets
13	45	Filter Pack	Other Gravel Pack		SRI#8

Other Observations:

Borehole Specifications

Depth from Surface Feet to Feet		Borehole Diameter (inches)
0	15	8
15	35	8
35	45	8

Certification Statement

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief

Name PARKS WATER RESOURCES LLC
 Person, Firm or Corporation

P O BOX 494 ZAMORA CA 95698
 Address City State Zip

Signed electronic signature received 12/04/2024 1113206
 C-57 Licensed Water Well Contractor Date Signed C-57 License Number

DWR Use Only

CSG #	State Well Number	Site Code	Local Well Number

					N						W
--	--	--	--	--	---	--	--	--	--	--	---

Latitude Deg/Min/Sec Longitude Deg/Min/Sec

TRS:
 APN:

State of California
Well Completion Report
Form DWR 188 Submitted 12/3/2024
WCR2024-012662

Owner's Well Number UV-ISW-1 Date Work Began 08/05/2024 Date Work Ended 08/07/2024
Local Permit Agency Environmental Health Services of Monterey County
Secondary Permit Agency _____ Permit Number 25-000014 Permit Date 07/27/2024

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name <u>SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,</u>	Activity <u>New Well</u>
Mailing Address <u>PO Box 1350</u>	Planned Use <u>Monitoring</u>
City <u>Carmel Valley</u> State <u>Ca</u> Zip <u>93924</u>	

Well Location	
Address <u>0 Bradley Rd.</u>	APN <u>SEA25-000015</u>
City <u>Bradley</u> Zip <u>93426</u> County <u>Monterey</u>	Township <u>24 S</u>
Latitude <u>35 51 51.3072 N</u> Longitude <u>-120 48 23.3424 W</u>	Range <u>11 E</u>
Dec. Lat. <u>35.864252</u> Dec. Long. <u>-120.806484</u>	Section <u>08</u>
Vertical Datum _____ Horizontal Datum <u>WGS84</u>	Baseline Meridian <u>Mount Diablo</u>
Location Accuracy _____ Location Determination Method _____	Ground Surface Elevation _____
	Elevation Accuracy _____
	Elevation Determination Method _____

Borehole Information	Water Level and Yield of Completed Well
Orientation <u>Vertical</u> Specify _____	Depth to first water _____ (Feet below surface)
Drilling Method <u>Auger</u> Drilling Fluid <u>None</u>	Depth to Static _____
Total Depth of Boring <u>105</u> Feet	Water Level _____ (Feet) Date Measured _____
Total Depth of Completed Well <u>90</u> Feet	Estimated Yield* _____ (GPM) Test Type _____
	Test Length _____ (Hours) Total Drawdown _____ (feet)
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface Feet to Feet		Description
0	20	Sand w/Gravel
20	40	Sand
40	70	Sandy Clay
70	80	Clay Sand
80	90	Sandy Clay
90	105	Clay Sand

Casings										
Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size If any (inches)	Description
1	0	15	Blank	PVC	N/A	0.218	2			PVC SCH 80
2	15	85	Screen	PVC	N/A	0.218	2	Milled Slots	0.04	PVC SCH 80
3	85	90	Blank	PVC	N/A	0.218	2			PVC SCH 80

Annular Material				
Depth from Surface Feet to Feet	Fill	Fill Type Details	Filter Pack Size	Description
0	10	Cement	Portland Cement/Neat Cement	
10	13	Bentonite	Other Bentonite	Tablets
13	105	Filter Pack	Other Gravel Pack	SRI#8

Other Observations:

Borehole Specifications		
Depth from Surface Feet to Feet	Borehole Diameter (inches)	
0	15	8
15	85	8
85	105	8

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief			
Name	PARKS WATER RESOURCES LLC		
	Person, Firm or Corporation		
	P O BOX 494	ZAMORA	CA 95698
	Address	City	State Zip
Signed	<i>electronic signature received</i>	12/04/2024	1113206
	C-57 Licensed Water Well Contractor	Date Signed	C-57 License Number

DWR Use Only			
CSG #	State Well Number	Site Code	Local Well Number
		N	W
Latitude Deg/Min/Sec		Longitude Deg/Min/Sec	
TRS:			
APN:			

SWID: 24S/11E-05Q01
 FC: 27163

State of California
Well Completion Report
Form DWR 188 Submitted 12/4/2024
WCR2024-012721

Owner's Well Number UV-GWL-1 Date Work Began 11/19/2024 Date Work Ended 11/21/2024
Local Permit Agency Environmental Health Services of Monterey County
Secondary Permit Agency _____ Permit Number 25-000015 Permit Date 07/27/2024

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name <u>SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,</u>	Activity <u>New Well</u>
Mailing Address <u>PO Box 1350</u>	Planned Use <u>Monitoring</u>
City <u>Carmel Valley</u> State <u>CA</u> Zip <u>93924</u>	

Well Location	
Address <u>0 Bradley Rd.</u>	APN <u>SEA25-000014</u>
City <u>Bradley</u> Zip <u>93426</u> County <u>Monterey</u>	Township <u>24 S</u>
Latitude <u>35 51 51.0479 N</u> Longitude <u>-120 48 22.6799 W</u>	Range <u>11 E</u>
Deg. Min. Sec. Deg. Min. Sec.	Section <u>08</u>
Dec. Lat. <u>35.86418</u> Dec. Long. <u>-120.8063</u>	Baseline Meridian <u>Mount Diablo</u>
Vertical Datum _____ Horizontal Datum <u>WGS84</u>	Ground Surface Elevation _____
Location Accuracy _____ Location Determination Method _____	Elevation Accuracy _____
	Elevation Determination Method _____

Borehole Information	Water Level and Yield of Completed Well
Orientation <u>Vertical</u> Specify _____	Depth to first water _____ (Feet below surface)
Drilling Method <u>Direct Rotary</u> Drilling Fluid <u>Bentonite</u>	Depth to Static _____
Total Depth of Boring <u>200</u> Feet	Water Level _____ (Feet) Date Measured _____
Total Depth of Completed Well <u>190</u> Feet	Estimated Yield* _____ (GPM) Test Type _____
	Test Length _____ (Hours) Total Drawdown _____ (feet)
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface Feet to Feet		Description
0	5	Road Base
5	12	Coarse Sand
12	28	Coarse Sand & Gravel
28	38	Rounded Rock & Sand
38	56	Sandy Brown Clay
56	60	Broken Rock to Hard Silt
60	70	Brown Clay
70	90	Clay w/layered rock
90	95	Broken rock & gravel
95	112	Brown Clay
112	120	Black Rounded Rock
120	132	Soft Brown Clay
132	140	Blue Clay/Silt
140	152	Brown Clay

152	158	Blue Clay
158	160	Broken Black Rock
160	178	Sandy Blue Clay
178	193	Layered Mixed Gravel
193	200	Sandy Blue Clay

Casings										
Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	135	Blank	PVC	N/A	0.337	4			PVC SCH 80
2	135	185	Screen	PVC	N/A	0.337	4	Milled Slots	0.04	PVC SCH 80
3	185	190	Blank	PVC	N/A	0.337	4			PVC SCH 80

Annular Material					
Depth from Surface Feet to Feet		Fill	Fill Type Details	Filter Pack Size	Description
0	50	Cement	Other Cement		2% Bentonite
50	120	Bentonite	High Solids		
120	125	Bentonite	Other Bentonite		Tablets
125	200	Filter Pack	Other Gravel Pack		SRI#8

Other Observations:

Borehole Specifications		
Depth from Surface Feet to Feet		Borehole Diameter (Inches)
0	135	10.625
135	185	10.625
185	200	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief			
Name	PARKS WATER RESOURCES LLC		
Person, Firm or Corporation			
P O BOX 494	ZAMORA	CA	95698
Address	City	State	Zip
Signed	<i>electronic signature received</i>	12/04/2024	1113206
	C-57 Licensed Water Well Contractor	Date Signed	C-57 License Number

DWR Use Only			
CSG #	State Well Number	Site Code	Local Well Number
		N	W
Latitude Deg/MIn/Sec		Longitude Deg/MIn/Sec	
TRS:			
APN:			

State of California
Well Completion Report
 Form DWR 188 Submitted 12/2/2024
 WCR2024-012623

Owner's Well Number L-GWL-6 Date Work Began 11/04/2024 Date Work Ended 11/07/2024
 Local Permit Agency Environmental Health Services of Monterey County
 Secondary Permit Agency _____ Permit Number 25-000018 Permit Date 08/30/2024

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name <u>SALINAS VALLEY BASIN GROUND WATER SUSTAINABLE AGENCY,</u>	Activity <u>New Well</u>
Mailing Address <u>PO Box 1350</u>	Planned Use <u>Monitoring</u>
City <u>Carmel Valley</u> State <u>Ca</u> Zip <u>93924</u>	

Well Location	
Address <u>0 San Miguel Canyon Rd.</u>	APN <u>SEA25-000018</u>
City <u>Salinas</u> Zip <u>93908</u> County <u>Monterey</u>	Township <u>13 S</u>
Latitude <u>36 50 5.8235 N</u> Longitude <u>-121 40 53.7852 W</u>	Range <u>03 E</u>
Deg. Min. Sec. Deg. Min. Sec.	Section <u>06</u>
Dec. Lat. <u>36.834951</u> Dec. Long. <u>-121.681607</u>	Baseline Meridian <u>Mount Diablo</u>
Vertical Datum _____ Horizontal Datum <u>WGS84</u>	Ground Surface Elevation _____
Location Accuracy _____ Location Determination Method _____	Elevation Accuracy _____
	Elevation Determination Method _____

Borehole Information	
Orientation <u>Vertical</u> Specify _____	
Drilling Method <u>Direct Rotary</u> Drilling Fluid <u>Bentonite</u>	
Total Depth of Boring <u>350</u> Feet	
Total Depth of Completed Well <u>225</u> Feet	

Water Level and Yield of Completed Well	
Depth to first water _____	(Feet below surface)
Depth to Static _____	
Water Level <u>178</u> (Feet)	Date Measured _____
Estimated Yield* _____ (GPM)	Test Type _____
Test Length _____ (Hours)	Total Drawdown _____ (feet)
*May not be representative of a well's long term yield.	

Geologic Log - Free Form		
Depth from Surface	Feet to Feet	Description
0	8	Coarse Sand
8	52	Red Sandy Salt
52	61	Fine Hard Sand
61	66	White Ashy Silt
66	98	Decomposed Granite (soft)
98	110	Dark Decomposed Granite
110	132	Red Sandy Ash
132	231	Cemented Sand Fine
231	238	Decomposed Granite
238	270	Brown Sandy Silt
270	276	Black Sandy Gravel
276	282	Grey Sand Clay
282	290	White Cemented Sand
290	294	Green Grey Clay

294	301	Sandy Blue Clay
301	307	White Sandy Brown Clay
307	316	Brown Decomposed Granite
316	323	Decomposed Granite & Sand
323	342	Soft Sandy Silt
342	350	Hard Cemented Sand

Casings										
Casing #	Depth from Surface Feet to Feet		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	160	Blank	PVC	N/A	0.337	4			PVC SCH 80
2	160	210	Screen	PVC	N/A	337	4	Milled Slots	0.04	PVC SCH 80
3	210	225	Blank	PVC	N/A	0.337	4			PVC SCH 80

Annular Material					
Depth from Surface Feet to Feet		Fill	Fill Type Details	Filter Pack Size	Description
0	50	Cement	Other Cement		2% Bentonite
50	145	Bentonite	High Solids		
145	150	Bentonite	Other Bentonite		Tablets
150	225	Filter Pack	Other Gravel Pack		SRI#8
225	350	Other Fill	See description.		Native Fill

Other Observations:

Borehole Specifications		
Depth from Surface Feet to Feet		Borehole Diameter (Inches)
0	160	10.625
160	210	10.625
210	350	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief			
Name <u>PARKS WATER RESOURCES LLC</u>			
Person, Firm or Corporation			
<u>P O BOX 494</u>	<u>ZAMORA</u>	<u>CA</u>	<u>95698</u>
Address	City	State	Zip
Signed <u>electronic signature received</u>	<u>12/02/2024</u>	<u>1113206</u>	
C-57 Licensed Water Well Contractor	Date Signed	C-57 License Number	

DWR Use Only			
CSG #	State Well Number	Site Code	Local Well Number
		N	W
Latitude Deg/Min/Sec		Longitude Deg/Min/Sec	
TRS:			
APN:			