

State of California
Well Completion Report
Form DWR 188 Submitted 07/03/2025
WCR2025-006832

Owner's Well Number: LGWL-4 Date Work Began: 05/27/2025 Date Work Ended: 06/05/2025
Local Permit Agency: Environmental Health Services of Monterey County County: Monterey
Secondary Permit Agency: Permit Number: 25-000487 Permit Date: 05/23/2025

Well Owner (must remain confidential pursuant to Water Code 13752)

Planned Use and Activity

Name: COUNTY ROAD EASEMENT
Address: P.O. BOX 1350

Activity: New Production or Monitoring Well
Planned Use: Monitoring

City: CARMEL VALLEY State: California Zip: 93924

Well Location

Address: 6241 ECHO VALLEY CT
City: SALINAS Zip: 93907

APN:

Township: 13S Range: 03E

Latitude: 36 Deg. 49 Min. 18.94548 Sec. N

Longitude: -121 Deg. 37 Min. 52.34808 Sec. W

Section: 10 BM: Mount Diablo

Dec. Lat. : 36.8219293

Dec. Long. : -121.6312078

Ground Surface Elevation:

Vertical Datum:

Horizontal Datum:

Elevation Accuracy:

Location Accuracy:

Location Determination Method:

Elevation Determination Method:

Borehole Information

Orientation: Vertical # of casings (Specify): 1
Drilling Method: Direct Rotary Drilling Fluid: Bentonite
Total Depth of Boring: 410 Feet
Total Depth of Completed Well: 335 Feet

Water Level and Yield of Completed Well

Depth to first water: (Feet below surface)
Depth to Static Water Level: (Feet)
Date Measured:
Estimated Yield*: (GPM) Test Type:
Test Length*: (Hours) Total Drawdown: (Feet)
*May not be representative of a well's long term yield.

Geologic Log - Free Form

Depth from Surface (Feet to Feet)	Description
0 20	CLAY MIX LARGE PEA GRAVEL, SMALL SAND, MIX SAND
0 60	CLAY MIX FINE MEDIUM SAND, SMALL PEA GRAVEL
60 80	MEDIUM FINE SAND, CLAY
80 140	RED BROWN CLAY, FINE MEDUM SAND

Depth from Surface (Feet to Feet)	Description
140 240	MEDIUM SAND, CLAY TRACES
240 260	FINE MEDIUM LARGE SAND, BLUE GRAY CLAY
260 280	MIX SAND, BLUE GRAY CLAY
280 300	CLAY, SAND
300 320	BROWN BLUE GRAY CLAY, FINE MEDIUM COARSE SAND
320 360	WHITE GRAY CLAY, MIX FINE MEDIUM SAND, DECOMPOSED GRANITE
360 410	DECOMPOSED GRANITE

Casings

Casing #	Depth from Surface (Feet to Feet)	Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0 280	Blank	PVC	Other	0.337	4			SCH 80
1	280 330	Screen	PVC	Other	0.337	4	Milled Slots	0.04	SCH 80
1	330 335	Blank	PVC	Other	0.337	4			SCH 80

Annular Material

Depth from Surface (Feet to Feet)	Fill	Fill Type Details	Filter Pack Size	Description
0 100	Cement	10.3 Sack Mix		SAND CEMENT
100 265	Other Fill	See description		GROUT
265 270	Filter Pack	Other Gravel Pack	#8	SAND
270 345	Other Fill	See description		HOLE PLUG
345 410	Filter Pack	Other Gravel Pack	#8	SAND

Other Observations:

Borehole Specifications

Depth from Surface (Feet to Feet)	Borehole Diameter (inches)
0 410	10.625

Certification Statement

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

Name:

BRADLEY & SONS INC

Person, Firm or Corporation

3625 SOUTH HIGHLAND

Address

DEL REY

City

California

State

93616

Zip

Signed:

electronic signature received

C-57 Licensed Water Well Contractor

07/03/2025

Date Signed

414178

License Number

DWR Use Only

CSG #

State Well Number

Site Code

Local Well Number

				N
--	--	--	--	---

Latitude Deg/Min/Sec

				W
--	--	--	--	---

Longitude Deg/Min/Sec

TRS:

APN:

Attachments

No Attachments

SWID: 13S/03E-10D02
FC: 27271

SWID: 13S/03E-24K01
FC: 27270

State of California
Well Completion Report
Form DWR 188 Submitted 07/25/2025
WCR2025-007567

Owner's Well Number: L-GWL-1 Date Work Began: 07/14/2025 Date Work Ended: 07/18/2025
Local Permit Agency: Environmental Health Services of Monterey County County: Monterey
Secondary Permit Agency: Permit Number: 25-000531 Permit Date: 06/25/2025

Well Owner (must remain confidential pursuant to Water Code 13752)		
Name: <u>COUNTY ROAD EASEMENT</u>		
Address: <u>P.O. BOX 1350</u>		
City: <u>CARMEL VALLEY</u>	State: <u>California</u>	Zip: <u>93924</u>

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u>
Planned Use: <u>Monitoring</u>

Well Location		
Address:		APN: <u>NOT AVAILABLE</u>
City: Zip:		Township: <u>13S</u> Range: <u>03E</u>
Latitude: <u>36 Deg. 47 Min. 15.2574 Sec. N</u>	Longitude: <u>-121 Deg. 35 Min. 21.38676 Sec. W</u>	Section: BM: <u>Mount 24</u> <u>Diablo</u>
Dec. Lat. : <u>36.7875715</u>	Dec. Long. : <u>-121.5892741</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>
Drilling Method: <u>Direct Rotary</u> Drilling Fluid: <u>Bentonite</u>
Total Depth of Boring: <u>171 Feet</u>
Total Depth of Completed Well: <u>165 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u>
Depth to Static Water Level: <u>(Feet)</u>
Date Measured:
Estimated Yield*: <u>(GPM)</u> Test Type:
Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	20	TOP SOIL, FINE SMALL SAND, PEA GRAVEL
20	40	FINE SAND, MEDIUM DAN, GRAVEL, BROWN ROCKS, SILTY BROWN CLAY
40	80	FINE SMALL SAND, SMALL MEDIUM GRAVEL, SOLIDATED SAND
80	120	FINE SMALL MEDIUM SAND, SMALL MEDIUM GRAVEL, BROKEN ROCK, SILTY BROWN CLAY

Depth from Surface (Feet to Feet)		Description
120	171	HARD CONSOLIDATED SAND

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	80	Blank	PVC	Other	0.337	4			SCH 80
1	80	160	Screen	PVC	Other	0.337	4	Milled Slots	0.04	SCH 80
1	160	165	Blank	PVC	Other	0.337	4			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	65	Cement	10.3 Sack Mix		
65	70	Bentonite	High Solids		
70	171	Filter Pack	8 x 16	#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)		Borehole Diameter (inches)
0	171	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name:	BRADLEY & SONS INC		
	Person, Firm or Corporation		
	3625 SOUTH HIGHLAND	DEL REY	California 93616
	Address	City	State Zip
Signed:	electronic signature received	07/25/2025	414178
	C-57 Licensed Water Well Contractor	Date Signed	License Number

DWR Use Only										
CSG #	State Well Number				Site Code	Local Well Number				
					N					W
	Latitude Deg/Min/Sec					Longitude Deg/Min/Sec				
TRS:										
APN:										

Attachments

No Attachments

SWID: 13S/03E-24K01
FC: 27270

State of California
Well Completion Report
Form DWR 188 Submitted
WCR2025-010643

Owner's Well Number: ES-ISW-1 **Date Work Began:** 10/23/2025 **Date Work Ended:** 10/23/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000045 **Permit Date:** 07/28/2025

Well Owner (must remain confidential pursuant to Water Code 13752)
Name: <u>COUNTY ROAD EASEMENT</u>
Address: <u>P.O. BOX 1350</u>
City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u>
Planned Use: <u>Monitoring</u>

Well Location		
Address: <u>HERBERT RD</u>	APN: <u>000-00-000</u>	Township: <u>13S</u> Range: <u>03E</u>
City: <u>PRUNEDALE</u> Zip: <u>93907</u>	Section: <u>35</u> BM: <u>Mount Diablo</u>	Ground Surface Elevation:
Latitude: <u>36 Deg. 45 Min. 25.0452 Sec. N</u>	Longitude: <u>-121 Deg. 36 Min. 40.6584 Sec. W</u>	Elevation Accuracy:
Dec. Lat. : <u>36.756957</u>	Dec. Long. : <u>-121.611294</u>	Elevation Determination Method:
Vertical Datum:	Horizontal Datum:	
Location Accuracy:	Location Determination Method:	

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>
Drilling Method: <u>Auger</u> Drilling Fluid: <u>Bentonite</u>
Total Depth of Boring: <u>55 Feet</u>
Total Depth of Completed Well: <u>55 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u>
Depth to Static Water Level: <u>(Feet)</u>
Date Measured:
Estimated Yield*: <u>(GPM)</u> Test Type:
Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	12	SILTY SAND
12	35	FINE TO COARSE SAND
35	40	CLAY
40	55	FINE TO MEDIUM SAND

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	25	Blank	PVC	Other	0.218	2			SCH 80
1	25	55	Screen	PVC	Other	0.218	2	Milled Slots	0.04	SCH 80

Annular Material						
Depth from Surface (Feet to Feet)		Fill	Fill Type Details		Filter Pack Size	Description
0	20	Cement	Portland Cement/Neat Cement			NEAT CEMENT
20	23	Bentonite	Low Solids			BENTONITE
23	55	Filter Pack	Other Gravel Pack		#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)	
0	55	8.5

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name:	<u>BRADLEY & SONS INC</u>		
	Person, Firm or Corporation		
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed:	<u>electronic signature received</u>	<u>10/30/2025</u>	<u>414178</u>
	C-57 Licensed Water Well Contractor	Date Signed	License Number

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
----	----	----	N	----	----	----	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			
APN: ----	Township: ----			Range: ----			
Section: ----	Tract: ----						
SEQ: ----	BM: ----						

Attachments

No Attachments

State of California
Well Completion Report
Form DWR 188 Submitted 07/03/2025
WCR2025-006835

Owner's Well Number: ES-1A Date Work Began: 06/09/2025 Date Work Ended: 06/19/2025
Local Permit Agency: Environmental Health Services of Monterey County County: Monterey
Secondary Permit Agency: Permit Number: 25-000498 Permit Date: 05/29/2025

Well Owner (must remain confidential pursuant to Water Code 13752)

Planned Use and Activity

Name: CITY OF SALINAS PUBLIC WORKS
Address: 65 WEST ALISAL ST.

Activity: New Production or Monitoring Well

Planned Use: Monitoring

City: SALINAS State: California Zip: 93901

Well Location

Address: 10 SHERWOOD PL

APN:

City: SALINAS Zip: 93906

Township: 14S Range: 03E

Latitude: 36 Deg. 41 Min. 9.0168 Sec. N Longitude: -121 Deg. 38 Min. 50.6832 Sec. W

Section: 28 BM: Mount Diablo

Dec. Lat.: 36.685838

Dec. Long.: -121.647412

Ground Surface Elevation:

Vertical Datum:

Horizontal Datum:

Elevation Accuracy:

Location Accuracy:

Location Determination Method:

Elevation Determination Method:

Borehole Information

Water Level and Yield of Completed Well

Orientation: Vertical # of casings (Specify): 1

Depth to first water: (Feet below surface)

Drilling Method: Direct Rotary Drilling Fluid: Bentonite

Depth to Static Water Level: (Feet)

Total Depth of Boring: 1300 Feet

Date Measured:

Total Depth of Completed Well: 905 Feet

Estimated Yield*: (GPM) Test Type:

Test Length*: (Hours) Total Drawdown: (Feet)

*May not be representative of a well's long term yield.

Geologic Log - Free Form

Depth from Surface (Feet to Feet)	Description
0 40	DARK BROWN, BLACK CLAY
40 80	FINE MEDIM LARGE SAND, LIGHT BROWN CLAY
80 100	CLAY
100 120	MIX SAND & CLAY
120 140	MIX SAND
140 240	MIX SAND, CLAY TRACES

Depth from Surface (Feet to Feet)		Description
240	260	MIX SAND, SMALL STONE & CLAY
260	320	MIX SAND, PEA GRAVEL, CLAY TRACES
320	360	CLAY, MEDIUM SAND
360	380	MUSHY CLAY, SAND, HARD CLAY
380	420	HARD CLAY, PEA GRAVEL MIX SAND
420	440	MIX SAND, CLAY
440	460	MIX SAND, PEA GRAVEL, CLAY
460	500	MIX SAND, MEDIUM GRAVEL
500	520	MIX SAND, PEA GRAVEL, CLAY
520	560	SOFT BROWN CLAY, MIX SAND, PEA GRAVEL
560	620	SOFT MUSHY CLAY, MIX SAND, PEA GRAVEL
620	680	SOFT STICKY LIGHT BROWN CLAY, FINE MEDIUM SAND
680	740	MIX SAND, STICKY LIGHT BROWN CLAY
740	820	MOSTLY CLAY, MIX SAND
820	900	MIX CLAY, FINE MEDIUM SAND
900	980	CLAY MIX FINE MEDIUM SAND
980	1040	MIX CLAY, FINE MEDIUM SAND STREAKS
1040	1120	MIX CLAY, FINE MEDIUM LARGE SAND, PEA GRAVEL
1120	1200	CLAY, FINE MEDIUM LARGE SAND
1200	1220	CLAY, MIX SAND, SMALL ROCK
1220	1300	MIX SAND, CLAY

Casings

Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	850	Blank	PVC	Other	0.337	4			SCH 80
1	850	900	Screen	PVC	Other	0.337	4	Milled Slots	0.04	SCH 80
1	900	905	Blank	PVC	Other	0.337	4			SCH 80

Annular Material

Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	100	Cement	10.3 Sack Mix		SAND CEMENT
100	835	Other Fill	See description		GROUT
835	840	Other Fill	See description		HOLE PLUG
840	920	Filter Pack	Other Gravel Pack	#8	SAND
920	925	Other Fill	See description		HOLE PLUG

Depth from Surface (Feet to Feet)	Fill	Fill Type Details	Filter Pack Size	Description
925	1300	Other Fill	See description	NATIVE FILL

Other Observations:

Borehole Specifications			Certification Statement			
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)		I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
0	940	10.625	Name: <u>BRADLEY & SONS INC</u>			
940	1300	8.75	Person, Firm or Corporation			
		<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>	
		Address	City	State	Zip	
		<u>electronic signature received</u>	<u>07/03/2025</u>	<u>414178</u>		
		Signed: C-57 Licensed Water Well Contractor	Date Signed	License Number		

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
				N			W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			

TRS:

APN:

Attachments
No Attachments

State of California
Well Completion Report
Form DWR 188 Submitted 07/03/2025
WCR2025-006837

Owner's Well Number: ES-1B Date Work Began: 06/23/2025 Date Work Ended: 06/27/2025
Local Permit Agency: Environmental Health Services of Monterey County County: Monterey
Secondary Permit Agency: Permit Number: 25-000497 Permit Date: 05/29/2025

Well Owner (must remain confidential pursuant to Water Code 13752)

Planned Use and Activity

Name: SALINAS VALLEY BASIN GROUNDWATER SUSTAINABILITY AGENCY
Address: 63 WEST ALISAL ST.

Activity: New Production or Monitoring Well
Planned Use: Monitoring

City: SALINAS State: California Zip: 93901

Well Location

Address: 10 SHEERWOOD PL

City: SALINAS Zip: 93906

Latitude: 36 Deg. 41 Min. 8.5596 Sec. N Longitude: -121 Deg. 38 Min. 50.5104 Sec. W

Dec. Lat. : 36.685711

Dec. Long. : -121.647364

Vertical Datum:

Horizontal Datum:

Location Accuracy:

Location Determination Method:

APN:

Township: 14S Range: 03E

Section: 28 BM: Mount Diablo

Ground Surface Elevation:

Elevation Accuracy:

Elevation Determination Method:

Borehole Information

Orientation: Vertical # of casings (Specify): 1

Drilling Method: Direct Rotary Drilling Fluid: Bentonite

Total Depth of Boring: 510 Feet

Total Depth of Completed Well: 495 Feet

Water Level and Yield of Completed Well

Depth to first water: (Feet below surface)

Depth to Static Water Level: (Feet)

Date Measured:

Estimated Yield*: (GPM) Test Type:

Test Length*: (Hours) Total Drawdown: (Feet)

*May not be representative of a well's long term yield.

Geologic Log - Free Form

Depth from Surface (Feet to Feet)	Description
0 20	DARK BROWN BLACK CLAY, MIX SAND
20 60	FINE MEDIUM LARGE SAND, BROWN CLAY
60 80	BLUE GRAY CLAY, SMALL STONE, MIX SAND, CLAY TUBE
80 120	BLUE GRAY CLAY MIX FINE MEDIUM LARGE GRAVEL
120 180	BROWN & BLUE GRAY CLAY, MIX SAND
180 220	BLUE GRAY CLAY, SAND STREAKS

Depth from Surface (Feet to Feet)		Description
220	260	MIX SAND, CLAY, PEA GRAVEL, SMALL STONE
260	280	BLUE GRAY CLAY, SMALL STONE, MIX SAND
280	300	MIX GRAVEL, SMALL STONE, PEA GRAVEL
300	340	BROWN CLAY MIX MEDIUM SAND, PEA GRAVEL
340	400	BROWN CLAY, MIX FINE MEDIUM SAND
400	460	BROWN BLUE GRAY CLAY, MIX FINE MEDIUM SAND
460	510	MIX SAND, CLAY, PEA GRAVEL

Casings

Casing #	Depth from Surface (Feet to Feet)	Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	440	Blank	PVC	Other	0.337	4		SCH 80
1	440	490	Screen	PVC	Other	0.337	4	Milled Slots	0.04 SCH 80
1	490	495	Blank	PVC	Other	0.337	4		SCH 80

Annular Material

Depth from Surface (Feet to Feet)	Fill	Fill Type Details	Filter Pack Size	Description
0	100	Cement	10.3 Sack Mix	SAND CEMENT
100	417	Other Fill	See description	GROUT
417	424	Other Fill	See description	HOLE PLUG
424	500	Filter Pack	Other Gravel Pack	#8 SAND
500	510	Other Fill	See description	NATIVE FILL

Other Observations:

Borehole Specifications

Depth from Surface (Feet to Feet)	Borehole Diameter (inches)
0	510

Certification Statement

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

Name:

BRADLEY & SONS INC

Person, Firm or Corporation

3625 SOUTH HIGHLAND

Address

DEL REY

City

California

State

93616

Zip

Signed:

electronic signature received

C-57 Licensed Water Well Contractor

07/03/2025

Date Signed

414178

License Number

State of California
Well Completion Report
Form DWR 188 Submitted 07/25/2025
WCR2025-007570

Owner's Well Number: ES-1C **Date Work Began:** 07/07/2025 **Date Work Ended:** 07/11/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 25-000496 **Permit Date:** 05/29/2025

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name: <u>CITY OF SALINAS PUBLIC WORKS</u> Address: <u>65 WEST ALISAL ST.</u> City: <u>SALINAS</u> State: <u>California</u> Zip: <u>93901</u>	Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address:		APN: <u>NOT AVAILABLE</u>
City:	Zip:	Township: <u>14S</u> Range: <u>03E</u>
Latitude: <u>36 Deg. 41 Min. 8.1348 Sec. N</u>	Longitude: <u>-121 Deg. 38 Min. 50.9568 Sec. W</u>	Section: <u>28</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>36.685593</u>	Dec. Long. : <u>-121.647488</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information	Water Level and Yield of Completed Well
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>	Depth to first water: <u>(Feet below surface)</u>
Drilling Method: <u>Direct Rotary</u> Drilling Fluid: <u>Bentonite</u>	Depth to Static Water Level: <u>(Feet)</u>
Total Depth of Boring: <u>270 Feet</u>	Date Measured:
Total Depth of Completed Well: <u>255 Feet</u>	Estimated Yield*: <u>(GPM)</u> Test Type:
	Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	20	DARK BROWN BLACK CLAY MIX SAND
20	60	FINE MEDIUM LARGE SAND, BROWN CLAY
60	80	BLUE CLAY w/ GRAY CLAY STREAKS, MIX SAND
80	120	BLUE GRAY CLAY MIX FINE MEDIUM LARGE SAND
120	180	BROWN & BLUE GRAY CLAY MIX SAND
180	220	BLUE GRAY CLAY w/ STREAKS MIX SAND

Depth from Surface (Feet to Feet)		Description
220	260	MIX SAND w/ CLAY, PEA GRAVEL & SMALL STREAKS
260	270	BLUE GRAY CLAY MIX SMALL STONE, MIX SAND

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	200	Blank	PVC	Other	0.337	4			SCH 80
1	200	250	Screen	PVC	Other	0.337	4	Milled Slots	0.04	SCH 80
1	250	255	Blank	PVC	Other	0.337	4			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	185	Cement	10.3 Sack Mix		CONCRETE
185	190	Bentonite	High Solids		
190	270	Filter Pack	8 x 16	#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)		Borehole Diameter (inches)
0	270	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name: <u>BRADLEY & SONS INC</u>			
Person, Firm or Corporation			
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed: <u>electronic signature received</u>	<u>07/25/2025</u>	<u>414178</u>	
C-57 Licensed Water Well Contractor	Date Signed	License Number	

DWR Use Only											
CSG #			State Well Number			Site Code			Local Well Number		
			N						W		
Latitude Deg/Min/Sec						Longitude Deg/Min/Sec					
TRS:											

SWID: 14S/03E-28L05
FC: 27274

APN:

Attachments

No Attachments

SWID: 14S/03E-28L05
FC: 27274

State of California
Well Completion Report
Form DWR 188 Submitted
WCR2025-010626

Owner's Well Number: F-ISW-3 **Date Work Began:** 10/20/2025 **Date Work Ended:** 10/20/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000052 **Permit Date:** 07/28/2025

Well Owner (must remain confidential pursuant to Water Code 13752)
Name: <u>COUNTY ROAD EASEMENT</u> Address: <u>P.O. BOX 1350</u> City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address: <u>CAMPHORA RD</u> City: <u>SOLDEDAD</u> Zip: <u>93960</u>	APN: <u>000-000-000</u> Township: <u>17S</u> Range: <u>05E</u> Section: <u>23</u> BM: <u>Mount Diablo</u>	Ground Surface Elevation: Elevation Accuracy: Elevation Determination Method:
Latitude: <u>36 Deg. 26 Min. 36.7584 Sec. N</u> Dec. Lat. : <u>36.443544</u> Vertical Datum: Location Accuracy:	Longitude: <u>-121 Deg. 23 Min. 38.8068 Sec. W</u> Dec. Long. : <u>-121.394113</u> Horizontal Datum: Location Determination Method:	

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u> Drilling Method: <u>Auger</u> Drilling Fluid: <u>Bentonite</u> Total Depth of Boring: <u>75 Feet</u> Total Depth of Completed Well: <u>70 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u> Depth to Static Water Level: <u>(Feet)</u> Date Measured: Estimated Yield*: <u>(GPM)</u> Test Type: Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u> *May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	3	SAND W/ GRAVEL
3	75	MEDIUM SAND

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	35	Blank	PVC	Other	0.218	2			SCH 80
1	35	65	Screen	PVC	Other	0.218	2	Milled Slots	0.04	SCH 80
1	65	70	Blank	PVC	Other	0.218	2			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	20	Cement	Other Cement		NEAT CEMENT
20	25	Bentonite	Low Solids		BENTONITE
25	75	Filter Pack	Other Gravel Pack		GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)		Borehole Diameter (inches)
0	75	8.5

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name: <u>BRADLEY & SONS INC</u>			
Person, Firm or Corporation			
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed: <u>electronic signature received</u>	<u>10/30/2025</u>	<u>414178</u>	
C-57 Licensed Water Well Contractor	Date Signed	License Number	

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
----	----	----	N	----	----	----	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			
APN: ----							
Township: ----			Range: ----				
Section: ----			Tract: ----				
SEQ: ----			BM: ----				

Attachments

No Attachments

State of California
Well Completion Report
Form DWR 188 Submitted 10/03/2025
WCR2025-009810

Owner's Well Number: F-DA-1 **Date Work Began:** 08/25/2025 **Date Work Ended:** 09/18/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000047 **Permit Date:** 07/24/2025

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name: <u>CITY OF SALINAS PUBLIC WORKS</u> Address: <u>65 WEST ALISAL ST.</u> City: <u>SALINAS</u> State: <u>California</u> Zip: <u>93901</u>	Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address:	APN: <u>000-000-000</u>	
City: Zip:	Township: <u>18S</u> Range: <u>06E</u>	
Latitude: <u>36 Deg. 23 Min. 33.7272 Sec. N</u>	Longitude: <u>-121 Deg. 22 Min. 3.648 Sec. W</u>	Section: <u>6</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>36.392702</u>	Dec. Long. : <u>-121.36768</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information	Water Level and Yield of Completed Well
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>	Depth to first water: <u>(Feet below surface)</u>
Drilling Method: <u>Direct Rotary</u> Drilling Fluid: <u>Bentonite</u>	Depth to Static Water Level: <u>(Feet)</u>
Total Depth of Boring: <u>1300 Feet</u>	Date Measured:
Total Depth of Completed Well: <u>1255 Feet</u>	Estimated Yield*: <u>(GPM)</u> Test Type:
	Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	20	COARSE SAND, SMALL GRAVEL, SILTY BROWN CLAY
20	60	COARSE SAND, SMALL MEDIUM LARGE GRAVEL, SILTY BROWN CLAY
60	100	FINE COARSE SAND, SMALL MEDIUM GRAVEL, SILTY BROWN CLAY
100	120	SOFT MUSHY BROWN CLAY, SILTY BROWN CLAY, SMALL GRAVEL
120	160	SOFT MUSHY BROWN CLAY, HARD BROWN CLAY, SMALL MEDIUM GRAVEL
160	200	SMALL MEDIUM LARGE GRAVEL, COBBLE, SOFT BROWN CLAY

Depth from Surface (Feet to Feet)		Description
200	220	SMALL MEDIUM GRAVEL, SOFT BROWN CLAY, COBBLE
220	240	SILTY BROWN CLAY, MEDIUM FINE SAND
240	260	BROWN CLAY, FINE MEDIUM SAND
260	280	SILTY BROWN CLAY, FINE MEDIUM SAND
280	320	SANDY BROWN CLAY MIX MEIDUM SAND
320	340	SILTY BROWN CLAY, FINE MEDIUM SAND
340	360	SANDY BROWN CLAY, MEDIUM SAND
360	380	SILTY BROWN CLAY, FINE SAND
380	400	SANDY BROWN CLAY
400	440	FINE MEDIUM SAND, BROWN CLAY
440	480	SILTY BROWN CLAY, FINE MEDIUM SAND
480	540	FINE COARSE SAND, SMALL GRAVEL, SOFT BROWN CLAY, COBBLE
540	600	FINE COARSE SAND, STICKY SOFT BROWN CLAY, HARD STREAKS
600	620	FINE MEDIUM SAND, BROWN CLAY
620	660	STICKY BROWN CLAY, FINE MEDIUM SAND
660	700	FINE MEDIUM SAND, SILKY BROWN CLAY
700	740	FINE COARSE SAND, SOFT BROWN CLAY, HARD STREAKS, SAND STONE
740	760	SOFT MUSHY BROWN CLAY, HARD STREAKS SHELL ROCK
760	780	FINE MEDIUM COARSE SAND, SHELL ROCK, GRAVEL
780	800	FINE MEDIUM COARSE SAND, SHALE ROCK, GRAVEL
800	820	FINE MEDIUM COARSE SAND, SHALE CLAY
820	840	FINE MEDUM COARSE SAND, SHALE
840	860	FINE SAND, MUSHY SOFT BROWN CLAY, SHALE
860	880	FINE MEDIUM COARSE SAND, SHALE ROCK, SOFT BROWN CLAY
880	900	SOFT STICKY BROWN CLAY, FINE SMALL SAND
900	920	BROWN CLAY, FINE MEDIUM HARD SAND
920	940	FINE MEDIUM COARSE SAND, HARD CLAY
940	960	SUPER HARD SHALE MIX CORTZ
960	980	HARD SHALE MIX CORTZ, CLAY
980	1000	FINE SAND, STICKY SOFT BROWN CLAY
1000	1020	STICKY SOFT BROWN CLAY, FINE SAND
1020	1040	STICKY BROWN CLAY, FINE SAND
1040	1100	FINE MEDIUM SAND, BROWN CLAY
1100	1160	MUSHY SOFT BROWN CLAY, FINE SAND
1160	1180	STICKY BROWN CLAY, FINE MEDUM SAND, SHALE
1180	1200	HARD SHALE ROCK, FINE SAND MIX CORTZ
1200	1220	STICKY BROWN CLAY, FINE SAND
1220	1280	FINE MEDIUM SAND, BROWN CLAY
1280	1300	FINE MEDUM SAND, BROWN STICKY CLAY

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	1200	Blank	PVC	Other	0.337	4			SCH 80
1	1200	1250	Screen	PVC	Other	0.337	4	Milled Slots	0.03	SCH 80
1	1250	1255	Blank	PVC	Other	0.377	4			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	100	Cement	Other Cement		CONCRETE
100	1185	Other Fill	See description		QUICK GROUT
1185	1190	Other Fill	See description		HOLE PLUG
1190	1300	Filter Pack	Other Gravel Pack	#8	SAND

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)	
0	1300	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name:	<u>BRADLEY & SONS INC</u>		
	Person, Firm or Corporation		
	<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u> <u>93616</u>
	Address	City	State Zip
Signed:	<u>electronic signature received</u>	<u>10/03/2025</u>	<u>414178</u>
	C-57 Licensed Water Well Contractor	Date Signed	License Number

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
36	23	33.73	N	-121	22	3.65	W
	Latitude Deg/Min/Sec			Longitude Deg/Min/Sec			
TRS:							
APN:							

Attachments
No Attachments

State of California
Well Completion Report
Form DWR 188 Submitted
WCR2025-010632

SWID: 18S/07E-27F01
FC: 27279

Owner's Well Number: F-ISW-2 Date Work Began: 10/21/2025 Date Work Ended: 10/21/2025
Local Permit Agency: Environmental Health Services of Monterey County County: Monterey
Secondary Permit Agency: Permit Number: 26-000051 Permit Date: 07/28/2025

Well Owner (must remain confidential pursuant to Water Code 13752)		
Name: <u>COUNTY ROAD EASEMENT</u>		
Address: <u>P.O. BOX 1350</u>		
City: <u>CARMEL VALLEY</u>	State: <u>California</u>	Zip: <u>93924</u>

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u>
Planned Use: <u>Monitoring</u>

Well Location		
Address: <u>ELM ST</u>		APN: <u>000-00-000</u>
City: <u>Zip:</u>	Township: <u>18S</u> Range: <u>07E</u>	
Latitude: <u>36 Deg. 20 Min. 21.8904 Sec. N</u>	Longitude: <u>-121 Deg. 12 Min. 7.218 Sec. W</u>	Section: <u>27</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>36.339414</u>	Dec. Long. : <u>-121.202005</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>
Drilling Method: <u>Auger</u> Drilling Fluid: <u>Bentonite</u>
Total Depth of Boring: <u>75 Feet</u>
Total Depth of Completed Well: <u>70 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u>
Depth to Static Water Level: <u>(Feet)</u>
Date Measured:
Estimated Yield*: <u>(GPM)</u> Test Type:
Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	10	SILTY SAND
10	15	SANDY CLAY
15	75	MEDIUM SAND W/ FINE SAND

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	35	Blank	PVC	Other	0.218	2			SCH 80
1	35	65	Blank	PVC	Other	0.218	2			SCH 80
1	65	70	Blank	PVC	Other	0.218	2			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	20	Cement	Other Cement		NEAT CEMENT
20	25	Bentonite	Low Solids		BENTONITE
25	75	Filter Pack	Other Gravel Pack	#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)	
0	75	8.5

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name: <u>BRADLEY & SONS INC</u>			
Person, Firm or Corporation			
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed: <u>electronic signature received</u>	<u>10/30/2025</u>	<u>414178</u>	
C-57 Licensed Water Well Contractor	Date Signed	License Number	

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
----	----	----	N	----	----	----	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			
APN: ----	Township: ----			Range: ----			
Section: ----	Tract: ----			BM: ----			
SEQ: ----							

Attachments

No Attachments

SWID: 18S/07E-27F01
FC: 27279

State of California
Well Completion Report
Form DWR 188 Submitted 10/15/2025
WCR2025-010195

Owner's Well Number: F-ISW-1 **Date Work Began:** 08/13/2025 **Date Work Ended:** 08/18/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000019 **Permit Date:** 07/24/2025

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name: <u>SALINAS VALLEY BASIN GROUNDWATER SUSTAINABILITY AGENCY</u> Address: <u>PO BOX 1350</u> City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>	Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address:	APN: <u>0</u>	
City: Zip:	Township: <u>19S</u> Range: <u>06E</u>	
Latitude: <u>36 Deg. 17 Min. 15.9 Sec. N</u>	Longitude: <u>-121 Deg. 19 Min. 5.1744 Sec. W</u>	Section: <u>9</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>36.28775</u>	Dec. Long. : <u>-121.318104</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information	Water Level and Yield of Completed Well
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>	Depth to first water: <u>(Feet below surface)</u>
Drilling Method: <u>Direct Rotary</u> Drilling Fluid: <u>Bentonite</u>	Depth to Static Water Level: <u>(Feet)</u>
Total Depth of Boring: <u>200 Feet</u>	Date Measured:
Total Depth of Completed Well: <u>195 Feet</u>	Estimated Yield*: <u>(GPM)</u> Test Type:
	Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	20	TOP SOIL, CLAY, COBBLE, LARGE GRAVEL, SAND
20	40	COBBLE, FINE SAND, SILTY GRAY CLAY
40	140	FINE SMALL SAND, SILTY GRAY BROWN CLAY
40	140	FINE SMALL SAND, SILTY GRAY BROWN CLAY
140	200	DARK GRAY SILTY CLAY, MUSHY SILTY BROWN CLAY

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	160	Blank	PVC	Other	0.218	2			SCH 80
1	160	190	Screen	PVC	Other	0.218	2	Milled Slots	0.03	SCH 80
1	190	195	Blank	PVC	Other	0.218	2			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	140	Cement	10.3 Sack Mix		CONCRETE
140	145	Bentonite	Low Solids		BENTONITE
145	200	Filter Pack	Other Gravel Pack	#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)		Borehole Diameter (inches)
0	200	8.75

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name: <u>BRADLEY & SONS INC</u>			
Person, Firm or Corporation			
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed: <u>electronic signature received</u>		<u>10/15/2025</u>	<u>414178</u>
C-57 Licensed Water Well Contractor		Date Signed	License Number

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
36	17	15.90	N	-121	19	5.17	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			
TRS:							
APN:							

Attachments
No Attachments

State of California
Well Completion Report
Form DWR 188 Submitted
WCR2025-010638

Owner's Well Number: UV-ISW-2 **Date Work Began:** 10/23/2025 **Date Work Ended:** 10/23/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000046 **Permit Date:** 07/28/2025

Well Owner (must remain confidential pursuant to Water Code 13752)	Planned Use and Activity
Name: <u>COUNTY ROAD EASEMENT</u> Address: <u>P.O. BOX 1350</u> City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>	Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address: <u>0 CATTLEMEN RD</u>		APN: <u>000-00-000</u>
City: <u>SAN LUCAS</u> Zip: <u>93954</u>	Township: <u>21S</u> Range: <u>10E</u>	
Latitude: <u>36 Deg. 3 Min. 15.3972 Sec. N</u>	Longitude: <u>-120 Deg. 55 Min. 20.208 Sec. W</u>	Section: <u>31</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>36.054277</u>	Dec. Long. : <u>-120.92228</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information	Water Level and Yield of Completed Well
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>	Depth to first water: <u>(Feet below surface)</u>
Drilling Method: <u>Auger</u> Drilling Fluid: <u>Bentonite</u>	Depth to Static Water Level: <u>(Feet)</u>
Total Depth of Boring: <u>75 Feet</u>	Date Measured:
Total Depth of Completed Well: <u>40 Feet</u>	Estimated Yield*: <u>(GPM)</u> Test Type:
	Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
	*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	10	SAND, GRAVEL
10	25	SILTY SAND
25	37	SAND, GRAVEL
37	50	SILTY CLAY
50	75	SAND, GRAVEL

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	15	Blank	PVC	Other	0.218	2			SCH 80
1	15	35	Screen	PVC	Other	0.218	2	Milled Slots	0.04	SCH 80
1	35	40	Blank	PVC	Other	0.218	2			SCH 80

Annular Material						
Depth from Surface (Feet to Feet)		Fill	Fill Type Details		Filter Pack Size	Description
0	10	Cement	Portland Cement/Neat Cement			NEAT CEMEN
10	13	Bentonite	Low Solids			BENTONITE
13	40	Filter Pack	Other Gravel Pack		#8	GRAVEL
40	75	Other Fill	See description			NATIVE FILL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)	
0	75	8.5

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name:	<u>BRADLEY & SONS INC</u>		
	Person, Firm or Corporation		
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed:	<u>electronic signature received</u>	<u>10/30/2025</u>	<u>414178</u>
	C-57 Licensed Water Well Contractor	Date Signed	License Number

DWR Use Only							
CSG #	State Well Number			Site Code	Local Well Number		
----	----	----	N	----	----	----	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			
APN: ----	Township: ----			Range: ----			
Section: ----	Tract: ----			BM: ----			
SEQ: ----							

Attachments

No Attachments

SWID: 21S/10E-31R02
FC: 27281

State of California
Well Completion Report
Form DWR 188 Submitted 10/15/2025
WCR2025-010194

Owner's Well Number: UV-GWL-3 **Date Work Began:** 09/24/2025 **Date Work Ended:** 10/03/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000100 **Permit Date:** 08/08/2025

Well Owner (must remain confidential pursuant to Water Code 13752)	
Name: <u>COUNTY ROAD EASEMENT</u>	
Address: <u>P.O. BOX 1350</u>	
City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>	

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u>
Planned Use: <u>Monitoring</u>

Well Location		
Address:		APN: <u>0</u>
City: Zip:		Township: <u>23S</u> Range: <u>11E</u>
Latitude: <u>35 Deg. 53 Min. 11.922 Sec. N</u>	Longitude: <u>-120 Deg. 44 Min. 33.9504 Sec. W</u>	Section: <u>36</u> BM: <u>Mount Diablo</u>
Dec. Lat. : <u>35.886645</u>	Dec. Long. : <u>-120.742764</u>	Ground Surface Elevation:
Vertical Datum:	Horizontal Datum:	Elevation Accuracy:
Location Accuracy:	Location Determination Method:	Elevation Determination Method:

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u>
Drilling Method: <u>Direct Rotary</u> Drilling Fluid: <u>Bentonite</u>
Total Depth of Boring: <u>500 Feet</u>
Total Depth of Completed Well: <u>495 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u>
Depth to Static Water Level: <u>(Feet)</u>
Date Measured:
Estimated Yield*: <u>(GPM)</u> Test Type:
Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u>
*May not be representative of a well's long term yield.

Geologic Log - Free Form		
Depth from Surface (Feet to Feet)		Description
0	20	ROCK, MEDIUM COARSE SAND, PEA GRAVEL, SILTY CLAY
20	40	MEDIUM COARSE SAND, ROCK, PEA GRAVEL, SILTY CLAY
40	60	ROCK, SMALL GRAVEL, SOFT MUSHY CLAY
60	120	FINE SAND, SMALL MEDIUM GRAVEL, ROCK, SILTY BROWN CLAY
120	140	SOFT BROWN CLAY, ROCK & CORTZ
140	200	SOFT MUSHY STICKY BROWN CLAY, ROCK

Depth from Surface (Feet to Feet)		Description
200	240	MEDIUM COARSE SAND, SOFT MUSHY STICKY BROWN CLAY, ROCK
240	260	SOFT MUSHY STICKY BROWN CLAY, COARSE SAND
260	280	FINE MEDIUM COARSE SAND, MEDIUM GRAVEL, ROCK, STICKY BROWN CLAY
280	300	FINE SAND, SOFT STICKY BROWN CLAY, MEDIUM GRAVEL, ROCK
300	340	FINE MEDIUM COARSE SAND, SOFT STICKY BROWN CLAY, PEA GRAVEL, ROCK
340	380	SOFT STICKY BROWN CLAY, COARSE SAND
380	400	FINE MEDIUM COARSE SAND, PEA GRAVEL, ROCK
400	500	FINE MEDIUM COARSE SAND, SOFT BROWN CLAY, PEA GRAVEL

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	460	Blank	PVC	Other	0.337	4			SCH 80
1	460	490	Screen	PVC	Other	0.337	4	Milled Slots	0.03	SCH 80
1	490	495	Blank	PVC	Other	0.337	4			SCH 80
1	490	495	Blank	PVC	Other	0.337	4			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	150	Cement	Other Cement		CONCRETE
150	445	Bentonite	Other Bentonite		QUICK GROUT
445	450	Bentonite	Other Bentonite		HOLE PLUG
450	500	Filter Pack	Other Gravel Pack	#8	GRAVEL

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)		Borehole Diameter (inches)
0	500	10.625

Certification Statement			
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.			
Name:	<u>BRADLEY & SONS INC</u>		
	Person, Firm or Corporation		
<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed:	<u>electronic signature received</u>	<u>10/15/2025</u>	<u>414178</u>
	C-57 Licensed Water Well Contractor	Date Signed	License Number

DWR Use Only

CSG #	State Well Number			Site Code	Local Well Number		
35	53	11.92	N	-120	44	33.95	W
Latitude Deg/Min/Sec				Longitude Deg/Min/Sec			

TRS:

APN:

Attachments

No Attachments

SWID: 23S/11E-36E01
FC: 27282

State of California
Well Completion Report
Form DWR 188 Submitted
WCR2025-010627

SWID: 24S/13E-27P01
FC: 27283

Owner's Well Number: UV-WGL-2 **Date Work Began:** 10/07/2025 **Date Work Ended:** 10/24/2025
Local Permit Agency: Environmental Health Services of Monterey County **County:** Monterey
Secondary Permit Agency: **Permit Number:** 26-000099 **Permit Date:** 08/08/2025

Well Owner (must remain confidential pursuant to Water Code 13752)
Name: <u>COUNTY ROAD EASEMENT</u> Address: <u>P.O. BOX 1350</u> City: <u>CARMEL VALLEY</u> State: <u>California</u> Zip: <u>93924</u>

Planned Use and Activity
Activity: <u>New Production or Monitoring Well</u> Planned Use: <u>Monitoring</u>

Well Location		
Address: <u>RANCHITA CANYON RD</u> City: <u>SAN MIGUEL</u> Zip: <u>93451</u>		APN: <u>000</u> Township: <u>24S</u> Range: <u>13E</u> Section: <u>27</u> BM: <u>Mount Diablo</u>
Latitude: <u>35 Deg. 48 Min. 21.0132 Sec. N</u> Dec. Lat. : <u>35.805837</u> Vertical Datum: Location Accuracy:	Longitude: <u>-120 Deg. 33 Min. 35.082 Sec. W</u> Dec. Long. : <u>-120.559745</u> Horizontal Datum: Location Determination Method:	Ground Surface Elevation: Elevation Accuracy: Elevation Determination Method:

Borehole Information
Orientation: <u>Vertical</u> # of casings (Specify): <u>1</u> Drilling Method: <u>Other</u> Drilling Fluid: <u>Bentonite</u> Total Depth of Boring: <u>700 Feet</u> Total Depth of Completed Well: <u>555 Feet</u>

Water Level and Yield of Completed Well
Depth to first water: <u>(Feet below surface)</u> Depth to Static Water Level: <u>(Feet)</u> Date Measured: Estimated Yield*: <u>(GPM)</u> Test Type: Test Length*: <u>(Hours)</u> Total Drawdown: <u>(Feet)</u> *May not be representative of a well's long term yield.

Geologic Log - Free Form		
	Depth from Surface (Feet to Feet)	Description
	0 20	TOP SOIL, BROWN SILTY CLAY, FINE MEDIUM CORSE SAND, SMALL MEDIUM LARGE GRAVEL
	20 40	SOFT STICKY BROWN CLAY, FINE COARSE SAND, PEA SMALL GRAVEL
	40 100	FINE COARSE SAND, PEA MEDIUM GRAVEL, ROCK, SOFT STICKY BROWN CLAY
	100 140	FINE MEDIUM COARSE SAND, SOFTMUSHY BROWN CLAY
	140 200	SOFT STICKY BROWN CLAY, HARD BROWN CLAY, FINE COARSE SAND
	200 220	SOFT STICKY BROWN CLAY, FINE COARSE SAND MIX GRAVEL

Depth from Surface (Feet to Feet)		Description
220	240	SOFT STICKY MUSHY BROWN CLAY, FINE SAND
220	240	SOFT STICKY MUSHY BROWN CLAY, FINE SAND
240	260	SOFT STICKY MUSHY CLAY, FINE COARSE SAND MIX GRAVEL & ROCK
260	320	FINE MEDIUM COARSE SAND MIX GRAVEL, ROCK, HARD STEAKS, STICKY CLAY
320	360	SOFT STICKY BROWN CLAY, HARD BROWN CLAY, FINE COARSE SAND MIX GRAVEL, HARD STREAKS
360	420	FINE COARSE SAND, PEA SMALL MEDIUM GRAVEL, SOFT MUSHY BROWN CLAY
420	440	SOFT MUSHY BROWN CLAY, FINE COARSE SAND
440	460	FINE MEDIUM COARSE SAND MIX GRAVEL, HARD STREAKS ROCK
460	480	FINE COARSE SAND, SOFT MUSHY BROWN CLAY
460	480	FINE COARSE SAND, SOFT MUSHY BROWN CLAY
480	500	FINE COARSE SAND, SOFT STICKY BROWN CLAY MIX GRAVEL
500	560	FINE COARSE SAND MIX GRAVEL, ROCK, SOFT BROWN CLAY
560	660	FINE COARSE SAND, SOFT BROWN CLAY, PEA MEDIUM GRAVEL
660	700	FINE MEDIUM COARSE SAND, SOFT MUSHY BROWN CLAY, PEA GRAVEL

Casings										
Casing #	Depth from Surface (Feet to Feet)		Casing Type	Material	Casings Specifications	Wall Thickness (inches)	Outside Diameter (inches)	Screen Type	Slot Size if any (inches)	Description
1	0	500	Blank	PVC	Other	0.337	4			SCH 80
1	500	550	Screen	PVC	Other	0.337	4	Milled Slots	0.04	SCH 80
1	550	555	Blank	PVC	Other	0.337	4			SCH 80

Annular Material					
Depth from Surface (Feet to Feet)		Fill	Fill Type Details	Filter Pack Size	Description
0	140	Cement	Other Cement		CONCRETE
140	485	Other Fill	See description		QUICK GROUT
485	490	Bentonite	Low Solids		HOLE PLUG
490	700	Filter Pack	Other Gravel Pack	#8	SRI SAND

Other Observations:

Borehole Specifications		
Depth from Surface (Feet to Feet)	Borehole Diameter (inches)	
0	700	10.625

Certification Statement
I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.
Name: <u>BRADLEY & SONS INC</u> Person, Firm or Corporation

<u>3625 SOUTH HIGHLAND</u>	<u>DEL REY</u>	<u>California</u>	<u>93616</u>
Address	City	State	Zip
Signed: <u>electronic signature received</u>	<u>10/30/2025</u>	<u>414178</u>	
C-57 Licensed Water Well Contractor	Date Signed	License Number	

DWR Use Only

CSG #	State Well Number	Site Code	Local Well Number
-------	-------------------	-----------	-------------------

----	----	----	N
------	------	------	----------

Latitude Deg/Min/Sec

----	----	----	W
------	------	------	----------

Longitude Deg/Min/Sec

APN: ----

Township: ----

Range: ----

Section: ----

Tract: ----

SEQ: ----

BM: ----

Attachments

No Attachments

SWID: 24S/13E-27P01
FC: 27283