

RESERVOIR RELEASE SCHEDULE FOR 2025

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Month	Combined Releases (cfs) ¹	Combined Releases (ac-ft)	NACIMIENTO								SAN ANTONIO					
			Evap. Losses (ac-ft)	Reservoir Releases (cfs) ¹	Reservoir Releases (ac-ft)	NWP Orders (ac-ft)	NWP Diversions (ac-ft)	Beginning of Month Storage		Elev. (ft)	Evap. Losses (ac-ft)	Reservoir Releases (cfs) ¹	Reservoir Releases (ac-ft)	Beginning of Month Storage		Elev. (ft)
Jan	73	4,487	554	63	3,872	600	126	199,548	53%	763.2	640	10	615	233,863	70%	759.5
Feb	172	9,894	568	60	3,466	553	97	196,183	52%	762.4	606	112	6,428	232,588	69%	759.2
Mar	203	12,498	993	144	8,884	696	121	251,160	66%	775.4	950	59	3,614	239,640	72%	760.8
Apr	311	18,528	1,417	301	17,933	677		259,033	69%	777.1	1,387	10	595	241,820	72%	761.3
May	409	25,171	1,976	326	20,033	1,616		242,613	64%	773.5	1,994	84	5,137	241,284	72%	761.2
Jun	488	29,058	2,561	358	21,283	2,129		218,823	58%	768.0	2,722	131	7,775	234,151	70%	759.5
Jul	600	36,893	2,572	270	16,602	2,188		193,075	51%	761.6	2,740	330	20,291	223,092	67%	756.9
Aug	638	39,234	2,302	275	16,899	2,188		171,709	45%	755.9	2,328	363	22,334	200,083	60%	751.0
Sep	470	27,967	1,774	279	16,622	2,144		150,346	40%	749.8	1,799	191	11,346	175,512	52%	744.2
Oct	220	13,527	1,185	158	9,719	1,369		129,809	34%	743.4	1,235	62	3,808	162,730	49%	740.5
Nov	70	4,165	599	60	3,570	996		118,001	31%	739.5	644	10	595	157,925	47%	739.0
Dec	70	4,304	368	60	3,689	594		112,863	30%	737.7	416	10	615	156,698	47%	738.6
Jan 2026								108,361	29%	736.1				155,703	46%	738.3
Totals		225,726	16,871		142,572	15,750	344				17,462		83,154			

Draft Date:4/17/25

Notes:

1. Mean daily flow for the month in cubic feet per second.
2. Shaded areas denote actual values. Non-shaded areas are projected values.
3. Nacimiento Reservoir storage capacity: 377,900 acre feet; San Antonio Reservoir storage capacity: 335,000 acre feet.
4. Reservoir Operations Advisory Committee may make release considerations for holiday periods to benefit recreation.
5. Schedule assumes no additional storm events that provide inflow to reservoirs. Actual elevations and or releases may be influenced by inflow.
6. "NWP Diversions" are San Luis Obispo County - Nacimiento Water Project conveyance facilities diversions. Max. allowable water year (Oct. 1 - Sept. 30) diversions: 15,750 ac-ft.
7. Nacimiento "NWP Diversions" do not include lakeside water use which is estimated at approximately 1,750 acre feet per year.

